





# **EINHELL. CORDLESS EXCELLENCE.** THE BATTERY SYSTEM FOR YOUR HOME AND GARDEN.

Official Tool Expert



Power X-Change	3
The Einhell Guarantee Promise	10
Power Tools	11
Cordless Drills	12
Cordless Drills with Impact Function	16
Cordless Drywall Screwdriver	18
Cordless Impact Wrenches	18
Cordless Impact Drivers	20
Cordless Hammer Drill	21
Cordless Rotary Hammers	22
Cordless Paint/Mortar Mixers	24
Cordless Angle Grinders	25
Cordless Router/Palm Router	30
Cordless Router	31
Cordless Palm Router	31
Cordless Biscuit Jointer	32
Cordless Planer	32
Cordless Circular Saws	33
Cordless Mini Circular Saw	34
Cordless Jigsaws	35
Cordless All Purpose Saws	36
Cordless Band Saws	38
Cordless Sliding Mitre Saw	39
Cordless Mitre Saw	39
Cordless Table Saw	40
Cordless Tile Cutting Machine	40
Cordless Multifunctional Tools	41
Cordless Rotating Sander	42
Cordless Multi Sander	42
Cordless Orbital Sanders	43
Cordless Band Sander	44
Cordless Drywall Polishers	45
Cordless Grinding and Engraving Tool	46
Cordless Car Polishing Machine	47
Cordless Polishing/Sanding Machine	47
Cordless Blower	48
Cordless Sealing Gun	48


Cordless Paint Spray System	49
USB Battery Adapter	49
Cordless Hot Glue Gun	50
Cordless Hot Air Gun	50
Cordless Nailer	51
Cordless Stapler	51
Cordless Stapler/Nailer	52
Cordless Lights	52
Cordless Radio	54
Cordless Speaker	54
Accessories – Cases // Bags	55
System Cases E-Case	56
Cordless Wet and Dry Vacuum Cleaners	58
Cordless Handheld Vacuum Cleaners	61
Cordless Stick Vac Cleaner	62
Cordless Ash Vacuum Cleaners	64
Cordless Push Sweeper	64
Cordless Drain Cleaner	65
Cordless Pressure Cleaner	66
Cordless Window Cleaner	67
6-in-1 Cordless Hybrid Compressor	68
3-in-1 Cordless Compressors	69
Cordless Compressor	70
Cordless Portable Compressor	70
Cordless Car Compressor	71
Cordless Air Pump	71
Garden Tools	72
Robot Lawn Mowers	72
Cordless Lawn Mowers	76
Cordless Push Reel Mower	84
Petrol Lawn Mowers	85
(Power X-Change Electric Start)	δD
Cordless Scarifiers/Aerators	87
Cordless Tillers	89
Cordless Earth Auger	90
Cordless Snow Thrower	91
Cordless Universal Spreader	92

Cordless Scythes	93
Cordless Lawn Trimmers	94
Cordless Lawn Edge Trimmer	98
Cordless Grout Cleaner	98
Cordless Surface Brush	99
Cordless Hedge Trimmers	100
Cordless Multifunctional Tools	104
Cordless Pole-Mounted Pruners	106
Cordless Telescopic Hedge Trimmers	107
Cordless Olive and Fruit Harvester	108
Cordless Pruning Chainsaw	109
Cordless Chainsaws	110
Cordless Chain Sharpener	112
Cordless Leaf Blowers	112
Cordless Universal Blower	114
Cordless Leaf Vacuums	115
Cordless Grass and Shrub Shears	118
Cordless Grass Shears	119
Cordless Pruning Saw	119
Cordless Pruning Shears	119
Cordless Pressure Sprayers	120
Accessory – Battery Belt	122
Cordless Fan	122
Cordless Hot Air Generator	122
with Rechargeable Battery	
Cordless Automatic Garden Pump	123
Cordless Garden Pump	123
Cordless Submersible Pressure /	125
Rain Barrel Pump	
Cordless Clear Water Pumps	126
Cordless Dirty Water Pumps	127
The Power X-Change Partners	128
Accessories	130
Batteries	130
Twin Packs	132
Starter Kits	133
Chargers	134
Battery Charging Times	137











### **CORDLESS FREEDOM.** FOR TOOL AND GARDEN.

#### At last - no more too short or severed cables.

When you have no longer to worry about extension cables that are too short or sufficient sockets. When the device comes to the project instead of the other way round. When you simply insert the battery and are ready to go, whether it is a lawn mower, garden pump, rotary hammer or wet and dry vacuum cleaner. Than that is the feeling of cordless freedom.



### LATEST TECHNOLOGY. PROVEN QUALITY.

#### For the highest level of safety and performance.

Power X-Change batteries are the core component of our platform. That's why we use only the best components such as highperformance new-generation cells and our intelligent processorcontrolled battery electronics. This makes our PXC battery one of the safest in the industry and ensures efficiency, reliability and durability.

4





### **POWERFUL MACHINES.** LONG-LASTING BATTERIES.

# No matter how large your project – Power X-Change won't let you down.

Less power? No way! As a battery system for real enablers, our cordless machines offer up to 2700 Watt of battery power and 8 Ah of capacity, making them easily a match for corded machines! Whether you just want to hang a shelf or drill through a solid concrete wall, with Power X-Change you are equipped to meet any challenge with power and endurance.





### **1 BATTERY. 1000 POSSIBILITIES.** FOR DIY ENTHUSIASTS AND HOBBY GARDENERS.

#### Just as versatile as you: Battery power for every situation.

Power X-Change is the first rechargeable battery system that provides hobby gardeners and DIY enthusiasts alike with an unrivaled selection of cordless tools. The PXC family already contains over 300 devices. To enable us to offer you cordless freedom in even more areas of life, we have opened our platform to strong partners. Thanks to the versatile Power X-Change system diverse items from partner companies are "powered by Power X-Change".





### ACTIVE BATTERY MANAGEMENT SYSTEM. INTELLIGENT ELECTRONIC CONTROL SYSTEM.

The computer-assisted Active Battery Management System permanently monitors and controls all the safety-related processes of the electrical components and associated hardware. This results in a whole range of advantages:



- MAXIMISED RUNNING TIMES
- OPTIMISED TOOL POWER
- LONGER BATTERY SERVICE LIFE
- INCREASED SAFETY





### **TWIN-PACK TECHNOLOGY.** 18 V + 18 V = 36 V.

If a device needs more power than provided by a single 18 V rechargeable battery, we simply add a second battery so we generate 18 V + 18 V = 36 V. We call that Twin-Pack Technology.

If the voltage (V) gets doubled, the power (W) gets doubled, too. Double Twin-Pack Technology in turn makes it possible to work for even longer still without the nuisance of recharging. In this case, four rechargeable batteries are used. When the power of the first two batteries finally runs out, the system automatically switches over to the two additional batteries.


### **POWER X-CHANGE PLUS.** THE PLUS IN POWER

-CHANGE



Rechargeable batteries vary not just in terms of running time and weight. What is also critically important is the power that they provide. With Power X-Change PLUS Technology you get more power per cell, so that you can work with plenty of power even on challenging applications as well.

If, for example, you want to use your angle grinder for cutting work, the running time (see Ah rating) is generally not critical. Sufficient power, on the other hand, is. A car is a useful comparison. Uphill or when overtaking, more power, in other words more hp respectively kW, is needed.





# **PUREPOWER –** INNOVATIVE DRIVE TECHNOLOGY FOR THE HIGHEST DEMANDS.

Various Power X-Change devices are equipped with brushless motors. They offer significant advantages compared to carbon brush motor:

- MORE POWER
- LONGER RUNNING TIMES
- LONGER SERVICE LIFE
- MORE COMPACT DESIGN
- MAINTENANCE-FREE













"We are incredibly proud to regularly get the best marks in competition with our strongest rivals, underlining our cordless expertise with rechargeable batteries."

Andreas Kroiss, CEO Einhell Germany AG

### CORDLESS EXCELLENCE THAT CONVINCES. ONLY FROM EINHELL.

It became clear to us early on that our customers wanted the freedom of cordless operation. We decided accordingly to concentrate fully on the sector of cordless technology and on the expansion of our Power X-Change system of rechargeable batteries. In numerous product tests carried out by prestigious trade journals and independent experts we have been rewarded with "top marks" and the position of "best in the test", confirming the outstanding quality of our products and underlining Einhell's bundled competence. It is our aim to inspire our customers with Einhell cordless power and to provide them with freedom, fun and enjoyment on all their jobs around the house and garden. This will make Power X-Change a synonym for cordless freedom.



# THIS IS HOW:

**Find out** more at einhell.de, **register** in your customer account and **apply** for the warranty. Further information is available at **www.einhell.de/en/services/ warranties/** 

> einhell.de >>>

### THE EINHELL GUARANTEE PROMISE.

We develop our products so that you can make everything possible. Our priority here is functionality, safety and quality. That is our promise and this is backed up by our guarantees too.

- Einhell Product Warranty Warranty extension for all Einhell products to 3 years.
- 30 Day Money-Back Guarantee
   For 100% satisfaction with your Power X-Change device.
- Power X-Change Battery Warranty
   Warranty extension for Power X-Change batteries to 3 years.

#### PurePOWER Brushless Warranty

Warranty extension for all PurePOWER Brushless products to 10 years.\*



\* This warranty covers only defects in the engine that are due to a material or manufacturing defect!









#### **TP-CD 18/60 Li Brushless**

prolonged operation

POWER

Additional handle

#### PROFESSIONAL

- Idle speed (gear 1 / 2): 0 500 / 0 2000 min<sup>-1</sup>
   Torque (hard): 60 Nm
   Number of torque settings: 21+1

Article only available without battery / charger / case

Art. No. 45.142.10

				3.0 Ah				
<b>)))</b> <sup>2)</sup>	265 pcs	350 pcs	440 pcs	530 pcs	700 pcs	920 pcs	1060 pcs	1400 pcs

<sup>1)</sup> Battery capacity <sup>2)</sup> Screwing 6 x 60 mm screws into soft wood – max, quantity per battery charge



#### TP-CD 18/50 Li Brushless

#### PROFESSIONAL

- Idle speed (gear 1 / 2): 0 500 / 0 1800 min<sup>-1</sup>
- Torque (hard): 50 Nm
- Number of torque settings: 19+1

Incl. 2 batteries (18 V | 2.0 Ah | Li-Ion), 1 charger and case E-Box Basic Art. No. 45.138.96

Without batteries / chargers / case

Art. No. 45,138,87

<b>1)</b>	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
<b>&gt;&gt;&gt;&gt;</b> <sup>2)</sup>	240 pcs	320 pcs	400 pcs	480 pcs	640 pcs	830 pcs	960 pcs	1280 pcs





- Brushless motor more power, prolonged operation
- **13 mm quick-change drill chuck**
- 2-speed metal gear box

#### TE-CD 18/40 Li Brushless

- Idle speed (gear 1 / 2): 0 350 / 0 1450 min<sup>-1</sup>
- Torque (hard): 40 Nm
- Number of torque settings: 20+1

Incl. 2 batteries (18 V|2.0 Ah|Li-Ion), 1 charger and case E-Box Basic Art. No. 45.139.95

Without batteries / chargers / case

Art. No. 45.139.97

<b>1)</b>	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
<b>&gt;&gt;&gt;&gt;</b> <sup>2)</sup>	230 pcs	300 pcs	380 pcs	450 pcs	600 pcs	780 pcs	900 pcs	1200 pcs



- Brushless motor more power, prolonged operation
- 2-speed metal gear box
- Lightweight and handy design



Battery capacity
 Screwing 6 x 60 mm screws into soft wood – max. quantity per battery charge



#### TE-CD 18/45 3X-Li

- Idle speed (gear 1 / 2): 0 450 / 0 1600 min<sup>-1</sup>
- Torque (hard): 45 Nm
- Number of torque settings: 20+1

Incl. 1 battery (18 V | 2.0 Ah | Li-Ion), 1 charger, case E-Box Basic and 22-piece accessory set Art. No. 45.139.90

	1.5 Ah							
<b>&gt;&gt;&gt;&gt;</b> <sup>2)</sup>	240 pcs	320 pcs	400 pcs	480 pcs	640 pcs	830 pcs	960 pcs	1280 pcs





Removable drill chuck

- 90° angle extension
- Eccentric extension

#### TE-CD 18/40 Li

- Idle speed (gear 1 / 2): 0 400 / 0 1500 min<sup>-1</sup>
- Torque (hard): 40 Nm
- Number of torque settings: 21+1

Without battorios / chargors / caso

Incl. 2 batteries (18 V|1.5 Ah|Li-Ion), 1 charger and case

Art.	No.	45.	139.	39
Δrt	No	15	139	25

							. 110. 43	
1)	15 Ah	2 0 Ah	25 Ah	3 0 Ah	/ 0 Ab	5 2 Ah	6 0 Ab	8 0 Ah

	1.5 Ah							
<b>&gt;&gt;&gt;&gt;</b> <sup>2)</sup>	230 pcs	305 pcs	380 pcs	460 pcs	610 pcs	770 pcs	920 pcs	1220 pcs

14

 $^{\rm D}$   $\,$  Battery capacity  $^{\rm 2}$   $\,$  Screwing 6 x 60 mm screws into soft wood – max, quantity per battery charge

- 2-speed metal gear box
- LED light
- Quick stop





#### TE-CD 18/2 Li

- Idle speed (gear 1 / 2): 0 350 / 0 1250 min<sup>-1</sup>
- Torque (hard): 44 Nm
- Number of torque settings: 20+1

Incl. 2 batteries (18 V|1.5 Ah|Li-Ion), 1 charger and case Art. No. 45.138.30

	1.5 Ah							
<b>2</b> )	180 pcs	240 pcs	300 pcs	360 pcs	480 pcs	625 pcs	720 pcs	960 pcs



Belt clip



#### TC-CD 18/35 Li

- Idle speed: 0 550 min<sup>-1</sup>
- Torque (hard): 35 Nm
- Number of torque settings: 21+1

Incl. 1 battery (18 V|1.5 Ah|Li-Ion) and 1 charger Art. No. 45.139.14 Without battery / charger / case Art. No. 45.139.27

<b>1)</b>	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
<b>&gt;&gt;&gt;&gt;</b> 2)	220 pcs	295 pcs	366 pcs	440 pcs	590 pcs	760 pcs	880 pcs	1180 pcs



10 mm drill chuck Quick stop LED light

 $^{\rm D}$   $\,$  Battery capacity  $^{\rm 2}$   $\,$  Screwing 6 x 60 mm screws into soft wood – max, quantity per battery charge



### CORDLESS DRILLS WITH IMPACT FUNCTION 18 V

#### TP-CD 18/60 Li-i Brushless

#### PROFESSIONAL

- Idle speed (gear 1 / 2): 0 500 / 0 2000 min<sup>-1</sup>
- Blow rate (gear 1 / 2): 0 8000 / 0 32000 min<sup>-1</sup>
- Torque (hard): 60 Nm

Incl. 2 batteries (18 V|2.0 Ah|Li-lon), 1 charger, case E-Box Basic<br/>and 39-piece accessory setArt. No. 45.142.06Without batteries / chargers / caseArt. No. 45.142.05

<b>IIII</b> ) <sup>1)</sup>	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
<b>&gt;&gt;&gt;&gt;</b> <sup>2)</sup>	265 pcs	350 pcs	440 pcs	530 pcs	700 pcs	920 pcs	1060 pcs	1400 pcs



- Brushless motor more power, prolonged operation
- 13 mm metal drill chuck
- Additional handle



#### **TP-CD 18 Li-i Brushless**

PROFESSIONAL

- Idle speed (gear 1 / 2): 0 500 / 0 1800 min<sup>-1</sup>
- Blow rate (gear 1 / 2): 0 8000 / 0 28800 min<sup>-1</sup>
- Torque (hard): 60 Nm

Incl. 2 batteries (18 V|2.0 Ah|Li-Ion), 1 charger and case E-Box

Art. No. 45.138.61

Without batteries / chargers / case	Art. No. 45.138.60
-------------------------------------	--------------------

<b>IIII</b> <sup>1)</sup>	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
<b>&gt;&gt;&gt;&gt;</b> <sup>2)</sup>	265 pcs	350 pcs	440 pcs	530 pcs	700 pcs	920 pcs	1060 pcs	1400 pcs





- Brushless motor more power, prolonged operation
- 13 mm metal drill chuck
- Additional handle

Battery capacity

<sup>2)</sup> Screwing 6 x 60 mm screws into soft wood – max. quantity per battery charge

16



#### TP-CD 18/50 Li-i Brushless

-CHANGE

#### PROFESSIONAL

- Idle speed (gear 1 / 2): 0 500 / 0 1800 min<sup>-1</sup>
- Blow rate (gear 1 / 2): 0 8000 / 0 28800 min<sup>-1</sup>
- Torque (hard): 50 Nm

Incl. 2 batteries (18 V | 2.0 Ah | Li-Ion), 1 charger and case E-Box Basic Art. No. 45.139.40

Without batteries / chargers / case

Art. No. 45.139.42

	<sup>1)</sup> 1.5 Ah							
<b>&gt;&gt;&gt;</b> <sup>2</sup>	240 pcs	320 pcs	400 pcs	480 pcs	640 pcs	830 pcs	960 pcs	1280 pcs



- Brushless motor more power, prolonged operation
- 13 mm metal drill chuck
- 2-speed metal gear box



#### TE-CD 18/48 Li-i

- Idle speed (gear 1 / 2): 0 400 / 0 1500 min<sup>-1</sup>
- Blow rate (gear 1 / 2): 0 6400 / 0 24000 min<sup>-1</sup>
- Torque (hard): 48 Nm

Incl. 2 batteries (18 V | 2.0 Ah | Li-Ion), 1 charger and case E-Box Basic

Art. No. 45.139.35

Without battery / charger / case	Art. No. 45.139.26
----------------------------------	--------------------

<b>1</b> )	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
<b>XXX</b> <sup>2)</sup>	230 pcs	310 pcs	380 pcs	460 pcs	620 pcs	780 pcs	910 pcs	1240 pcs



13 mm metal drill chuck

- Additional handle
- LED light

Battery capacity
 Screwing 6 x 60 mm screws into soft wood – max. quantity per battery charge



### CORDLESS DRYWALL SCREWDRIVER 18 V

#### TE-DY 18 Li

- Idle speed: 0 4000 min<sup>-1</sup>
- Torque (soft): 6 Nm
- Bit mount: Internal hexagon 6.35 mm (¼")

Article includes case E-Box Basic but no battery / charger Art. No. 42.599.80

<b>IIII)</b> 1)	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
<b>&gt;&gt;&gt;</b> <sup>2)</sup>	800 pcs	1100 pcs	1350 pcs	1600 pcs	2200 pcs	2800 pcs	3300 pcs	4400 pcs

1) Battery capacity

<sup>2)</sup> Screwing 3.9 x 25 mm screws into drywall – max. quantity per battery charge

### **CORDLESS IMPACT WRENCHES 18 V**

#### **IMPAXXO 18/400**

PROFESSIONAL

- Idle speed: 0 1000 / 0 1500 / 0 2000 min<sup>-1</sup>
- Torque (hard): 400 Nm
- Mount: External square drive mount 12.5 mm (½") incl. bit adapter and 3-piece nut-set

Article only available without battery / charger / case

Art. No. 45.100.70

		2.0 Ah						
<b>&gt;&gt;&gt;</b> <sup>2)</sup>	40 pcs	55 pcs	68 pcs	80 pcs	110 pcs	140 pcs	160 pcs	220 pcs

For best performance select a battery with at least 2.5 Ah

1) Battery capacity

<sup>2)</sup> Max. number of wheel bolts (hexagon head, wrench size 22 mm) that can be screwed in and out per battery charge



Continuous operation setting

Toolless depth adjustment

Speed control electronics





- Brushless motor more power, prolonged operation
- Very high torque suitable for changing tyres
- 3 torque settings

# **CORDLESS IMPACT WRENCHES 18 V**

#### **IMPAXXO 18/230**

Idle speed: 0 - 2900 min<sup>-1</sup>

CHANGE

- Torque (hard): 230 Nm
- Mount: External square drive mount 12.5 mm (½") incl. bit adapter

Article only available without battery / charger / case

Art. No. 45.100.80

PROFESSIONAL

			2.5 Ah								
<b>&gt;&gt;&gt;&gt;</b> <sup>2)</sup>	75 pcs	100 pcs	125 pcs	150 pcs	200 pcs	260 pcs	300 pcs	400 pcs			
	Exchange of a second state have a light of the OCEAN										

For best performance select a battery with at least 2.5 Ah

# POWER

- Brushless motor more power, prolonged operation
- Very high torque suitable for changing tyres
- 1/2" external square drive mount



#### **TP-CW 18 Li Brushless**

PROFESSIONAL

- Idle speed: 0 2900 min<sup>-1</sup>
- Torque (hard): 215 Nm
- Mount: External square drive mount 12.5 mm (1/2") incl. bit adapter

Article only available without battery / charger / case

Art. No. 45,100,40

	1.5 Ah							
<b>XXX</b> <sup>2)</sup>	75 pcs	100 pcs	125 pcs	150 pcs	200 pcs	260 pcs	300 pcs	400 pcs

For best performance select a battery with at least 2.5 Ah





- Brushless motor more power, prolonged operation
- Very high torque suitable for changing tyres
- ½" external square drive mount

Battery capacity
 Max. number of wheel bolts (hexagon head, wrench size 22 mm) that can be screwed in and out per battery charge



# **CORDLESS IMPACT DRIVERS 18 V**

#### **TP-CI 18 Li Brushless**

Idle speed: 0 - 2900 min<sup>-1</sup>

- Torque (hard): 180 Nm
- Mount: Internal hexagon 6.35 mm (¼")

Article only available without battery / charger / case

Art. No. 45.100.30

PROFESSIONAL

m	<sup>1)</sup> 1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
<b>&gt;&gt;&gt;</b>	<sup>)</sup> 210 pcs	280 pcs	350 pcs	420 pcs	560 pcs	730 pcs	840 pcs	1120 pcs



- Brushless motor more power, prolonged operation
- Short and lightweight design
- High torque



#### TE-CI 18/1 Li

- Idle speed: 0 2300 min<sup>-1</sup>
- Torque (hard): 140 Nm
- Mount: Internal hexagon 6.35 mm (¼")

Article only available without battery / charger / case

Art. No. 45.100.34

<b>1)</b>	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
<b>333</b> 2)	140 pcs	185 pcs	230 pcs	280 pcs	370 pcs	520 pcs	560 pcs	740 pcs





1) Battery capacity

<sup>2)</sup> Max. number of wheel bolts (hexagon head, wrench size 22 mm) that can be screwed in and out per battery charge





### 🖪 Einhell

### **CORDLESS HAMMER DRILL 18 V**



#### 2 functions

- **13 mm quick-change drill chuck**
- Speed electronics

#### TC-ID 18 Li

- Idle speed: 0 2600 min<sup>-1</sup>
- Blow rate: 0 41600 min<sup>-1</sup>
- Drilling capacity, concrete: 13 mm

Article only available without battery / charger / case

Art. No. 45.139.60

<b>1)</b>	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
<b>&gt;&gt;&gt;&gt;</b> 2)	45 pcs	60 pcs	75 pcs	90 pcs	120 pcs	156 pcs	180 pcs	240 pcs

Battery capacity
 Ø 6 mm / 45 mm into brick – max. quantity per battery charge





# **CORDLESS ROTARY HAMMER 36 V**

#### **HEROCCO 36/28**

- Idle speed: 0 1100 min<sup>-1</sup>
- Impact force: 3.2 |
- Drilling capacity, concrete: 28 mm
- Drill chuck: SDS-plus

Article includes case E-Box but no batteries / chargers

Art. No. 45,139,50

PROFESSIONAL

PROFESSIONAL

<b>IIII</b> <sup>1)</sup>	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
<b>&gt;&gt;&gt;&gt;</b> <sup>2)</sup>	59 holes	79 holes	105 holes	126 holes	169 holes	222 holes	276 holes	338 holes

For best performance select batteries with at least 3.0 Ah

- Battery capacity (2x batteries required)
   Drilling in concrete (ø 8 mm / 50 mm) max. quantity per battery charge

# **CORDLESS ROTARY HAMMERS 18 V**

#### TP-HD 18/26 Li Brushless

- Idle speed: 0 1200 min<sup>-1</sup>
- Impact force: 2.6 |
- Drilling capacity, concrete: 26 mm
- Drill chuck: SDS-plus

Article includes case E-Box but no battery / charger

Art. No. 45.142.65

<b>1</b> )	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
<b>&gt;&gt;&gt;&gt;</b> <sup>2)</sup>	25 holes	32 holes	40 holes	50 holes	65 holes	80 holes	92 holes	125 holes

For best performance select batteries with at least 3.0 Ah

1) Battery capacity

<sup>2)</sup> Drilling in concrete (ø 6 mm / 50 mm) – max. quantity per battery charge







- Brushless motor more power, prolonged operation
- 4 functions
- Twin-Pack Technology: 2x 18 V Power X-Change batteries more power

- Brushless motor more power, prolonged operation
- 4 functions
- Vibration-cushioned handle





## **CORDLESS ROTARY HAMMERS 18 V**

#### **HEROCCO 18/20**

Idle speed: 0 - 1200 min<sup>-1</sup>

-CHANGE

- Impact force: 2.2 |
- Drilling capacity, concrete: 20 mm
- Drill chuck: SDS-plus
- Incl.: Magnetic bit adapter

Article includes case E-Box but no battery / charger

Art. No. 45.139.00

PROFESSIONAL

<b>1)</b>	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
<b>2</b> )	250 pcs	335 pcs	417 pcs	500 pcs	670 pcs	870 pcs	1000 pcs	1340 pcs
<b>&gt;&gt;&gt;&gt;</b> <sup>3)</sup>	65 holes	87 holes	108 holes	130 holes	174 holes	225 holes	260 holes	348 holes

For best performance select batteries with at least 3.0 Ah

#### TE-HD 18/12 Li

- Idle speed: 0 1300 min<sup>-1</sup>
- Impact force: 1.3 |
- Drilling capacity, concrete: 12 mm
- Drill chuck: SDS-plus
- Incl.: Magnetic bit adapter

Article only available without battery / charger / case

Art. No. 45.139.70

<b>1)</b>	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
<b>&gt;&gt;&gt;&gt;</b> <sup>2)</sup>	136 pcs	185 pcs	226 pcs	270 pcs	360 pcs	474 pcs	540 pcs	720 pcs
<b>&gt;&gt;&gt;&gt;</b> 3)	34 holes	45 holes	57 holes	82 holes	96 holes	140 holes	166 holes	182 holes

Battery capacity
 Bcrewing 6 x 60 mm screws into soft wood – max. quantity per battery charge
 Drilling in concrete (ø 6 mm / 50 mm) – max. quantity per battery charge

# POWER

- Brushless motor more power, prolonged operation
- 4+1 functions
- Vibration-cushioned handle





2+1 functions Speed control electronics LED light



# **CORDLESS PAINT/MORTAR MIXERS 18 V**

#### TE-MX 18 Li

- Idle speed: 0 620 min<sup>-1</sup>
- Stirrer mount: M14
- Incl.: 1 mortar stirrer (Ø 100 mm)

Article only available without battery / charger / case

Art. No. 42.587.60

<b>1)</b>	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
<b>&gt;&gt;&gt;&gt;</b> <sup>2)</sup>	18 min	24 min	30 min	36 min	48 min	62 min	72 min	96 min
<b>&gt;&gt;&gt;&gt;</b> <sup>3)</sup>	15 min	20 min	25 min	30 min	40 min	52 min	60 min	80 min
<b>&gt;&gt;&gt;&gt;</b> <sup>4)</sup>	12 min	16 min	20 min	24 min	32 min	42 min	48 min	64 min



- Idle speed: 0 450 / 0 720 min<sup>-1</sup>
- Stirrer mount: M14
- Incl.: 1 mortar stirrer (Ø 120 mm)

Article only available without battery / charger / case

Art. No. 42,587,70

1)	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
<b>2)</b>	13 min	16 min	22 min	26 min	34 min	46 min	52 min	68 min
<b>3</b> )	10 min	14 min	18 min	21 min	28 min	37 min	42 min	56 min
<b>&gt;&gt;&gt;&gt;</b> <sup>4)</sup>	6 min	11 min	14 min	16 min	22 min	28 min	32 min	44 min

24

Battery capacity
 Max, operating time per battery charge in idle mode
 Mixing duration for wall paint per battery charge
 Mixing duration for mortar per battery charge

www.einhell.de





- Brushless motor more power, prolonged operation
- 2-speed gear box
- Speed control electronics
- Soft start



Ergonomic, handy design Speed control electronics

Soft start



### **CORDLESS ANGLE GRINDER 36 V**

#### AXXIO 36/230 O

- Idle speed: 6600 min<sup>-1</sup>
- Wheel diameter: 230 mm
- Max. cutting depth: 70 mm
- Incl.: 1 guick fix nut

Article only available without batteries / chargers / case <sup>3)</sup>

Art. No. 44.311.60

PROFESSIONAL



For best performance select batteries with at least 3.0 Ah

- <sup>1)</sup> Battery capacity (2x batteries required)
- <sup>2)</sup> Cutting through pieces of round steel with 12 mm max, quantity per battery charge
- <sup>3)</sup> Cutting/grinding discs not included

## **CORDLESS ANGLE GRINDERS 18 V**

#### **AXXIO 18/150**

PROFESSIONAL

- Idle speed: 8500 min<sup>-1</sup>
- Wheel diameter: 150 mm
- Max. cutting depth: 40 mm
- Incl.: 1 cutting disc and 1 cutting guard

Article only available without battery / charger / case

Art. No. 44.311.44

	1.5 Ah							
<b>&gt;&gt;&gt;</b> <sup>2)</sup>	22 pcs	33 pcs	37 pcs	46 pcs	61 pcs	85 pcs	92 pcs	122 pcs

For best performance select a battery with at least 2.5 Ah

- 1) Battery capacity
- Cutting through pieces of round steel with 12 mm max. quantity per battery charge
   Cutting/grinding discs not included





Disc guard with quick adjust facility



# **CORDLESS ANGLE GRINDERS 18 V**

#### TP-AG 18/125 CE Q Li

- Idle speed: 3000 10500 min<sup>-1</sup>
- Wheel diameter: 125 mm
- Max. cutting depth: 33 mm
- Incl.: 1 quick fix nut

Article only available without battery / charger / case <sup>3)</sup>

Art. No. 44.311.55

PROFESSIONAL

<b>1)</b>	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
<b>&gt;&gt;&gt;&gt;</b> <sup>2)</sup>	29 pcs	38 pcs	48 pcs	57 pcs	76 pcs	98 pcs	113 pcs	151 pcs

For best performance select a battery with at least 2.5 Ah



Constant electronics enables high load without speed loss

#### AXXIO 18/125

- Idle speed: 8500 min<sup>-1</sup>
- Wheel diameter: 125 mm
- Max. cutting depth: 33 mm

Article only available without battery / charger / case <sup>3)</sup>

Art. No. 44.311.40

PROFESSIONAL

	1.5 Ah							
<b>&gt;&gt;&gt;&gt;</b> <sup>2)</sup>	22 pcs	33 pcs	37 pcs	46 pcs	61 pcs	85 pcs	92 pcs	122 pcs

For best performance select a battery with at least 2.5 Ah





- Brushless motor more power, prolonged operation
- Soft start
- Disc guard with quick adjust facility

1) Battery capacity

<sup>2)</sup> Cutting through pieces of round steel with 12 mm – max. quantity per battery charge

3) Cutting/grinding discs not included





#### Einhell

### **CORDLESS ANGLE GRINDERS 18 V**

#### AXXIO 18/125 Q

#### PROFESSIONAL

- Idle speed: 8500 min<sup>-1</sup>
- Wheel diameter: 125 mm
- Max. cutting depth: 33 mm
- Incl.: 1 guick fix nut

Article only available without battery / charger / case <sup>3)</sup>

Art. No. 44.311.51

				3.0 Ah				
<b>XXX</b> <sup>2)</sup>	23 pcs	29 pcs	37 pcs	52 pcs	63 pcs	92 pcs	108 pcs	126 pcs
a 1 .	(	1	1.1 × 1	0.5.11				

For best performance select a battery with at least 2.5 Ah



Disc guard with quick adjust facility

#### AXXIO 18/115 Q

- Idle speed: 8500 min<sup>-1</sup>
- Wheel diameter: 115 mm
- Max. cutting depth: 28 mm
- Incl.: 1 guick fix nut

Article only available without battery / charger / case <sup>3)</sup>

Art. No. 44.311.50

PROFESSIONAL

		2.0 Ah						
<b>&gt;&gt;&gt;</b> <sup>2)</sup>	23 pcs	29 pcs	37 pcs	52 pcs	63 pcs	92 pcs	108 pcs	126 pcs

For best performance select a battery with at least 2.5 Ah



- Brushless motor more power, prolonged operation
- Quick fix nut easy disc change
- Disc guard with quick adjust facility

- 1) Battery capacity
- Cutting through pieces of round steel with 12 mm max. quantity per battery charge
   Cutting/grinding discs not included



# **CORDLESS ANGLE GRINDERS 18 V**

#### AXXIO 18/115

- Idle speed: 8500 min<sup>-1</sup>
- Wheel diameter: 115 mm
- Max. cutting depth: 28 mm

Article only available without battery / charger / case <sup>3)</sup>

Art. No. 44.311.54

			2.5 Ah							
<b>&gt;&gt;&gt;&gt;</b> <sup>2)</sup>	23 pcs	29 pcs	37 pcs	52 pcs	63 pcs	92 pcs	108 pcs	126 pcs		
E. d. e. e	Each and a fear and a share when the state of D EAC									

For best performance select a battery with at least 2.5 Ah

- Brushless motor more power, prolonged operation
- Soft start

DOW

Disc guard with quick adjust facility

#### TE-AG 18/115 Q Li

- Idle speed: 8500 min<sup>-1</sup>
- Wheel diameter: 115 mm
- Max. cutting depth: 28 mm
- Incl.: 1 cutting guard and 1 quick fix nut

Article only available without battery / charger / case <sup>3)</sup>

Art. No. 44.311.65

		2.0 Ah						
<b>&gt;&gt;&gt;&gt;</b> <sup>2)</sup>	23 pcs	29 pcs	38 pcs	52 pcs	63 pcs	92 pcs	104 pcs	126 pcs

For best performance select a battery with at least 2.5 Ah



1) Battery capacity

<sup>2)</sup> Cutting through pieces of round steel with 12 mm – max. quantity per battery charge

3) Cutting/grinding discs not included





### **CORDLESS ANGLE GRINDERS 18 V**

#### TE-AG 18/115 Li

- Idle speed: 8500 min<sup>-1</sup>
- Wheel diameter: 115 mm
- Max. cutting depth: 28 mm

Incl. 1 cutting disc, 1 grinding disc, 1	cutting guard, case E-Box
Basic but no battery / charger	Art. No. 44.311.23
Without battery / charger / case <sup>3)</sup>	Art. No. 44.311.10

<b>IIII)</b> 1)	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
<b>&gt;&gt;&gt;&gt;</b> <sup>2)</sup>	15 pcs	20 pcs	25 pcs	30 pcs	40 pcs	60 pcs	70 pcs	80 pcs

For best performance select a battery with at least 2.5 Ah



#### TC-AG 18/115 Li

- Idle speed: 8500 min<sup>-1</sup>
- Wheel diameter: 115 mm
- Max. cutting depth: 28 mm

Article only available without battery / charger / case <sup>3)</sup>

Art. No. 44.311.30

<b>1)</b>	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah		
<b>&gt;&gt;&gt;&gt;</b> <sup>2)</sup>	15 pcs	20 pcs	25 pcs	30 pcs	40 pcs	60 pcs	70 pcs	80 pcs		
F 1 .	Each and a fear and a share barren of the share of the									

For best performance select a battery with at least 2.5 Ah



Battery capacity
 Cutting through pieces of round steel with 12 mm – max. quantity per battery charge
 Cutting/grinding discs not included





### **CORDLESS ROUTER/PALM ROUTER 18 V**

- Brushless motor more power, prolonged operation
- Electronic speed control
- Two attachments for maximum flexibility
- Depth adjustment with multi-step turret stop

LED







#### **TP-RO 18 Set Li Brushless**

- Idle speed: 10000 30000 min<sup>-1</sup>
- Stroke height: 40 mm / 35 mm
  Clamp: 6 + 8 mm
- Max. form cutter: 30 mm

Article only available without battery / charger

Art. No. 43.504.10

PROFESSIONAL

	<sup>0</sup> 1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
<b>&gt;&gt;&gt;&gt;</b> <sup>2</sup>	22 m	29 m	37 m	44 m	58 m	77 m	88 m	118 m

Battery capacity
 <sup>20</sup> Grooving in soft wood (depth: 3 mm, milling cutter Ø 6 mm), maximum length in meters per battery charge



### **CORDLESS ROUTER 18 V**

#### **TP-RO 18 Li Brushless**

- Idle speed: 10000 30000 min<sup>-1</sup>
- Stroke height: 35 mm
- Clamp: 6 + 8 mm
- Max. form cutter: 30 mm

Article only available without battery / charger Art. No. 43.504.11

PROFESSIONAL

PROFESSIONAL

	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
<b>&gt;&gt;&gt;&gt;</b> <sup>2)</sup>	22 m	29 m	37 m	44 m	58 m	77 m	88 m	118 m



- Brushless motor more power, prolonged operation
- Electronic speed control
- Two-hand attachment with infinitely adjustable routing depth
- LED



### **CORDLESS PALM ROUTER 18 V**

TP-ET 18 Li Brus	shless
Idle speed: 10	000 - 30000 min <sup>-1</sup>

- Stroke height: 40 mm
- Clamp: 6 + 8 mm
- Max. form cutter: 30 mm

Article only available without battery / charger Art. No. 43.504.12

		2.0 Ah						
<b>XXX</b> <sup>2)</sup>	22 m	29 m	37 m	44 m	58 m	77 m	88 m	118 m





Battery capacity
 Grooving in soft wood (depth: 3 mm, milling cutter Ø 6 mm), maximum length in meters per battery charge



### **CORDLESS BISCUIT JOINTER 18 V**

#### TE-BI 18 Li

- Idle speed: 6500 min<sup>-1</sup>
- Max. cutting depth: 20 mm
- Tilt angle adjustment: 90°
- Channel cutter: ø 100 x 22 x 4 mm

Article only available without battery / charger Art. No. 43.506.30

	1.5 Ah							
<b>&gt;&gt;&gt;&gt;</b> <sup>2)</sup>	212 pcs	283 pcs	353 pcs	424 pcs	566 pcs	735 pcs	840 pcs	1132 pcs

1) Battery capacity

<sup>2)</sup> Max. number of cuts in pinewood for Type 10 flat dowels per battery charge



# **CORDLESS PLANER 18 V**

#### TE-PL 18/82 Li

- Idle speed: 15000 min<sup>-1</sup>
- Planing width: 82 mm
- Chip depth max.: 2 mm
- Max. rebate depth: 8 mm

Article only available without battery / charger Art. No. 43.454.00

		2.0 Ah						
<b>XXX</b> <sup>2)</sup>	16 m	25 m	28 m	37 m	48 m	58 m	78 m	96 m

For best performance select a battery with at least 2.5 Ah

1) Battery capacity

<sup>2)</sup> Planing of spruce wood (depth: 1 mm / width: 50 mm), maximum length in meters per battery charge



- Suitable for standard biscuit dowel sizes up to type 20
- Complete with dust bag for dust-free working

- Powerful with a planing depth up to 2 mm
- Automatic park rest for added safety
- Incl. parallel guide for precise planing results



### **CORDLESS CIRCULAR SAWS 18 V**

#### TP-CS 18/190 Li Brushless

PROFESSIONAL

- Idle speed: 3800 min<sup>-1</sup>
- Saw blade: ø 190 x ø 20/30 mm
- Cutting depth at 45° / 90°: 45 mm / 65 mm

Article only available without battery / charger / case

Art. No. 43.312.10

<b>1)</b>	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
<b>&gt;&gt;&gt;&gt;</b> <sup>2)</sup>	18 m	24 m	30 m	37 m	49 m	63 m	73 m	98 m

For best performance select a battery with at least 2.5 Ah

1) Battery capacity

<sup>2)</sup> Cutting capacity for 19 mm chipboard – max. cutting capacity per battery charge



- Brushless motor more power, prolonged operation
   Adjustment without tools
- Adjustment without tools (depth/angle)
- LED light
- Aluminium sawing table





#### TE-CS 18/165-1 Li

- Idle speed: 4200 min<sup>-1</sup>
- Saw blade: ø 165 x ø 20 mm
- Cutting depth at 45° / 90°: 35 mm / 54 mm

Article only available without battery / charger / case

Art. No. 43.312.07

		2.0 Ah						
<b>&gt;&gt;&gt;&gt;</b> 2)	25 m	33 m	40 m	49 m	64 m	82 m	98 m	128 m

- Adjustment without tools (depth/angle)
- LED light
- Aluminium sawing table



<sup>2)</sup> Cutting capacity for 19 mm chipboard – max. cutting capacity per battery charge



### **CORDLESS CIRCULAR SAWS 18 V**

#### TE-CS 18/150 Li

- Idle speed: 4200 min<sup>-1</sup>
- Saw blade: ø 150 x ø 10/16 mm
- Cutting depth at 45° / 90°: 32 mm / 48 mm

Article only available without battery / charger / case

Art. No. 43.312.20

<b>IIII</b> <sup>1)</sup>	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
<b>&gt;&gt;&gt;&gt;</b> <sup>2)</sup>	23 m	30 m	38 m	45 m	60 m	78 m	90 m	120 m



- Adjustment without tools (depth/angle)
- LED light
- Aluminium sawing table

# **CORDLESS MINI CIRCULAR SAW 18 V**

#### TE-CS 18/89 Li

- Idle speed: 2500 min<sup>-1</sup>
- Saw blade: ø 89 x ø 10 mm
- Cutting depth 90°: 28 mm

Incl. 1 TCT sawblade, 1 HSS sawblade, 1 parallel stop but no battery / charger / case Art. No. 43.311.00

<b>1</b> )	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
<b>&gt;&gt;&gt;</b> <sup>2)</sup>	26 m	36 m	50 m	57 m	72 m	104 m	120 m	144 m

1) Battery capacity

<sup>2)</sup> Cutting capacity for 19 mm chipboard – max. cutting capacity per battery charge

- Toolless cutting depth adjustment
- Aluminium sawing table
- Dust extraction device



### **CORDLESS JIGSAWS 18 V**

#### TP-JS 18/135 Li Brushless

#### PROFESSIONAL

Stroke speed: 0 - 3500 min<sup>-1</sup>

-CHANGE

- Cutting depth (wood / plastic / steel): 135 / 20 / 10 mm
- Product weight: 2.1 kg (excl. battery)

Article includes high quality saw blade but no battery / charger / case Art. No. 43.212.60

		2.0 Ah						
<b>&gt;&gt;&gt;&gt;</b> <sup>2)</sup>	11 m	14 m	18 m	21 m	29 m	37 m	43 m	57 m



- Brushless motor more power, prolonged operation
- Speed adjustment wheel
- Pendulum action (4 settings)
- Sturdy inner housing and base plate made of aluminium



#### TE-JS 18/80 Li

- Stroke speed: 0 2400 min<sup>-1</sup>
- Cutting depth (wood / plastic / steel): 80 / 12 / 10 mm
- Product weight: 1.8 kg (excl. battery)

Article only available without battery / charger / case

Art. No. 43.212.00

<b>1)</b>	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
<b>2</b> )	7 m	9.5 m	11 m	14 m	20 m	30 m	32 m	40 m

- Universal blade holder
- Pendulum action (4 settings)
- Blade change without tools
- LED light



<sup>2)</sup> Cutting capacity for 19 mm chipboard – max. cutting capacity per battery charge



## **CORDLESS JIGSAWS 18 V**

#### TC-JS 18 Li

- Stroke speed: 0 2700 min<sup>-1</sup>
- Cutting depth (wood / plastic / steel): 70 / 10 / 8 mm
- Product weight: 1.8 kg (excl. battery)

 Incl. 1 battery (18 V | 2.5 Ah | Li-Ion), 1 charger, 3 saw blades (wood),

 2 saw blades (metal) and case E-Box Basic

 Art. No. 43.212.28

 Article includes high quality saw blade but no battery / charger / case

 Art. No. 43.212.09

<b>1)</b>	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
<b>&gt;&gt;&gt;&gt;</b> <sup>2)</sup>	7 m	9.5 m	11 m	14 m	20 m	30 m	32 m	40 m

1) Battery capacity

<sup>2)</sup> Cutting capacity for 19 mm chipboard – max. cutting capacity per battery charge



Anti-vibration function

Pendulum action (4 settings)

- Blade change without tools
- Dust-blower function

# **CORDLESS ALL PURPOSE SAWS 18 V**

#### TP-AP 18/28 Li Brushless

PROFESSIONAL

- Stroke speed / height: 0 2500 min<sup>-1</sup> / 28 mm
- Cutting depth (wood / steel): 200 / 12 mm
- Saw blade thickness: 0.8 1.6 mm

Article includes high quality saw blade but no battery / charger / case Art. No. 43.263.10

<b>IIII)</b> 1)	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
<b>&gt;&gt;&gt;&gt;</b> <sup>2)</sup>	170 pcs	226 pcs	332 pcs	417 pcs	556 pcs	723 pcs	834 pcs	1112 pcs

For best performance select a battery with at least 2.5 Ah

1) Battery capacity

<sup>2)</sup> Round timber 35 mm – max. number of cuts per battery charge





## **CORDLESS ALL PURPOSE SAWS 18 V**

**TE-AP 18/26 Li** 

- Stroke speed / height: 0 2600 min<sup>-1</sup> / 26 mm
- Cutting depth (wood / steel): 180 / 12 mm
   Saw blade thickness: 0.7 1.8 mm

Incl. high quality saw blade but no battery / charger / case Art. No. 43.262.90

	1.5 Ah							
<b>&gt;&gt;&gt;&gt;</b> <sup>2)</sup>	155 pcs	207 pcs	260 pcs	311 pcs	414 pcs	572 pcs	640 pcs	854 pcs





#### TE-AP 18/22 Li

- Stroke speed / height: 0 2600 min<sup>-1</sup> / 22 mm
- Cutting depth (wood / steel): 100 / 6 mm
- Saw blade thickness: 0.6 1.6 mm

Article only available without battery / charger / case

Art. No. 43.263.00

		2.0 Ah						
<b>2</b> )	140 pcs	185 pcs	240 pcs	290 pcs	370 pcs	570 pcs	580 pcs	740 pcs



- Soleplate adjustment without tools
- Ergonomic, compact design

Battery capacity
 Round timber 35 mm – max. number of cuts per battery charge



## **CORDLESS BANDSAWS 18 V**

#### TE-MB 18/127 Li-Solo

- Blade speed: 120 m/min
- Saw band dimension: 1141 x 13 x 0.65 mm
- Number of teeth: 10/14 TPI variable tooth pitch
- Incl.: 2 saw bands

Article only available without batteries / chargers Art. No. 45.042.16

<b></b> 1)	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
<b>2</b> )	23 pcs	30 pcs	35 pcs	45 pcs	60 pcs	78 pcs	90 pcs	120 pcs

- High cutting capacity of 115 mm x 127 mm
- Cutting metal, wood,
- plastic etc. possible LED light



#### TE-MB 18/127 U Li-Solo

- Blade speed: 120 m/min
- Saw band dimension: 1141 x 13 x 0.65 mm
- Number of teeth: 10/14 TPI variable tooth pitch
- Mitre cut: 0° to 47° to the left
- Incl.: 2 saw bands and workbench

Article only available without batteries / chargers Art. No. 45.042.15

<b>1</b> )	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
<b>&gt;&gt;&gt;&gt;</b> <sup>2)</sup>	23 pcs	30 pcs	35 pcs	45 pcs	60 pcs	78 pcs	90 pcs	120 pcs





- High cutting capacity of 115 mm x 127 mm
- Cutting metal, wood, plastic etc. possible
- For flexible use with or without the base frame

<sup>1)</sup> Battery capacity

<sup>2)</sup> Square steel tube 40 x 40 x 2 mm – max. number of cuts per battery charge





TWIN-PACK

18V ) + 18V ) 36 \

## **CORDLESS SLIDING MITRE SAW 36 V**

#### TE-SM 36/210 Li

- Speed: 3800 min<sup>-1</sup>
- Saw blade / number of teeth: TCT ø 210 x ø 30 x 1.8 mm / T40
- Swivelling range: -47° to +47°
- Mitre cut: 0° to 45° to the left
- Cutting capacity 90° x 90°: 310 x 65 mm

Article only available without batteries / chargers Art. No. 43.008.80

<b>1)</b>	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
<b>&gt;&gt;&gt;&gt;</b> <sup>2)</sup>	140 pcs	185 pcs	230 pcs	275 pcs	370 pcs	480 pcs	555 pcs	740 pcs
<b>&gt;&gt;&gt;&gt;</b> <sup>3)</sup>	263 pcs	350 pcs	435 pcs	525 pcs	700 pcs	910 pcs	1050 pcs	1400 pcs

- Battery capacity (2x batteries required)
   Square timber 60 x 60 mm (soft wood) max. number of cuts per battery charge
   Laminate 195 x 8 mm max. number of cuts per battery charge

## **CORDLESS MITRE SAW 18 V**

#### TE-MS 18/210 Li

- Speed: 3000 min<sup>-1</sup>
- Saw blade / number of teeth: TCT ø 210 x ø 30 x 1.8 mm / T40
- Swivelling range: -47° to +47°
- Mitre cut: 0° to 45° to the left
- Cutting capacity: 120 x 60 mm

Article only available without battery / charger Art. No. 43.008.90

<b>1</b> )	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
<b>2</b> )	72 pcs	103 pcs	120 pcs	154 pcs	190 pcs	250 pcs	304 pcs	400 pcs

For best performance select a battery with at least 2.5 Ah

1) Battery capacity

<sup>2)</sup> Square timber 60 x 60 mm (soft wood) – max. number of cuts per battery charge



- Specially developed high-quality precision saw blade
- Laser and LED for easy and safe use
- X-Tend work supports with single hand operation facility and integrated limit stop for repeat cutting





## **CORDLESS TABLE SAW 36 V**

#### TE-TS 36/210 Li

- Speed: 3800 min<sup>-1</sup>
- Saw blade / number of teeth: TCT ø 210 x ø 30 x 1.8 mm / T40
- Cutting height 90° / 45°: 70 mm / 45 mm
- Cutting capacity (on the right side): 625 mm

Article only available without batteries / chargers Art. No. 43.404.50

	1.5 Ah							
<b>&gt;&gt;&gt;&gt;</b> <sup>2)</sup>	45 m	60 m	71 m	92 m	122 m	160 m	184 m	244 m

For best performance select batteries with at least 2.5 Ah

<sup>1)</sup> Battery capacity (2x batteries required)

<sup>2)</sup> OSB panel 19 mm – max. cutting range per battery charge





- Specially developed high-quality precision saw blade
- Sturdy aluminium table
- Holders for stowing away all the attachments

## **CORDLESS TILE CUTTING MACHINE 18 V**

#### TE-TC 18/115 Li

- Speed: 3800 min<sup>-1</sup>
- Cutting wheel: ø 115 x ø 22.2 mm
- Cutting height 90° / 45°: 24 mm / 16 mm

Article only available without battery / charger Art. No. 43.011.90

<b>1)</b>	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
<b>XXX</b> <sup>2)</sup>	37 pcs	50 pcs	63 pcs	75 pcs	100 pcs	130 pcs	150 pcs	200 pcs

Battery capacity
 Ceramic tile 15 x 15 cm – max. cutting range per battery charge

- Excellent diamond cutting disc
- for perfect cuts
- Very powerful engine
- Integrated water tank





## **CORDLESS MULTIFUNCTIONAL TOOLS 18 V**

#### VARRITO

- Oscillating speed: 22000 40000 min<sup>-1</sup>
- Oscillation angle: 3.2°
- Abrasive paper size: 93 x 93 x 93 mm
- Incl.: 15-piece accessory set

Article only available without battery / charger / case

Art. No. 44.651.60

<b>1)</b>	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
<b>2</b> )	23 min	30 min	38 min	45 min	60 min	78 min	90 min	120 min
<b>3</b> )	540 pcs	720 pcs	900 pcs	1080 pcs	1440 pcs	1880 pcs	2160 pcs	2880 pcs
<b>&gt;&gt;&gt;</b> <sup>4)</sup>	100 pcs	134 pcs	166 pcs	200 pcs	268 pcs	340 pcs	400 pcs	536 pcs



#### TC-MG 18 Li

- Oscillating speed: 22000 40000 min<sup>-1</sup>
- Oscillation angle: 3.2°
- Abrasive paper size: 93 x 93 x 93 mm
- Incl.: 13-piece accessory set

Article only available without battery / charger / case

Art. No. 44,651,70

<b>1</b> )	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
<b>2</b> )	23 min	30 min	38 min	45 min	60 min	78 min	90 min	120 min
<b>3</b> )	540 pcs	720 pcs	900 pcs	1080 pcs	1440 pcs	1880 pcs	2160 pcs	2880 pcs
<b>&gt;&gt;&gt;</b> <sup>4)</sup>	100 pcs	134 pcs	166 pcs	200 pcs	268 pcs	340 pcs	400 pcs	536 pcs

- Battery capacity
   Max. operating time per battery charge in idle mode
   Round plastics 10 mm max. number of cuts per battery charge
   Round steel 6 mm max. number of cuts per battery charge

- Magnetic tool mounting
- Speed control electronics
- Ergonomic, handy design



41



## **CORDLESS ROTATING SANDER 18 V**

#### TE-RS 18 Li

- Oscillating speed: 14000 22000 min<sup>-1</sup>
- Oscillating circuit ø: 2.0 mm
- Abrasive paper ø: 125 mm
- Incl.: Abrasive paper (1 pc)

Article only available without battery / charger / case

Art. No. 44.620.10

<b>IIII)</b> 1)	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
<b>&gt;&gt;&gt;</b> <sup>2)</sup>	15 min	20 min	25 min	30 min	40 min	52 min	60 min	80 min



Small, compact and handy
 Hook and loop fastening
 Dust extraction

Speed control electronics
 Hook and loop fastening
 Dust extraction

## **CORDLESS MULTI SANDER 18 V**

#### TE-OS 18/150 Li

- Oscillating speed: 24000 min<sup>-1</sup>
- Oscillating circuit ø: 1.6 mm
- Abrasive paper: 150 x 150 x 100 mm
- Incl.: Abrasive papers (6 pcs)

Article only available without battery / charger / case

Art. No. 44.607.08

<b>1)</b>	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
2) <sup>2)</sup>	23 min	27 min	34 min	40 min	55 min	70 min	80 min	110 min



1) Battery capacity



## **CORDLESS ORBITAL SANDERS 18 V**

#### TE-OS 18/230 Li

- Oscillating speed: 14000 22000 min<sup>-1</sup>
- Oscillating circuit ø: 2.5 mm
- Abrasive paper: 230 x 115 mm
- Incl.: Abrasive papers (3 pcs)

Article only available without battery / charger / case

Art. No. 44.607.20

<b>IIII)</b> 1)	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
<b>&gt;&gt;&gt;&gt;</b> <sup>2)</sup>	20 min	27 min	33 min	40 min	54 min	70 min	80 min	108 min



- Speed control electronics
- Hook and loop fastening
- Aluminium sole plate
- Dust extraction

#### TC-OS 18/187 Li

- Oscillating speed: 24000 min<sup>-1</sup>
- Oscillating circuit ø: 2.0 mm
   Abrasive paper: 187 x 94 mm
- Incl.: Abrasive paper (1 pc)

Article only available without battery / charger / case

Art. No. 44.607.25

<b>IIII)</b> 1)	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
<b>&gt;&gt;&gt;</b> <sup>2)</sup>	25 min	34 min	42 min	50 min	67 min	87 min	100 min	134 min

Hook and loop fastening Dust extraction



Battery capacity
 Max. operating time per battery charge in idle mode







## **CORDLESS BAND SANDER 18 V**



- Brushless motor more power, prolonged operation
- Belt run adjustment
- Belt change without tools
- Dust extraction
- Integrated storage surface for stationary use

#### TP-BS 18/457 Li Brushless

#### PROFESSIONAL

- Grinding/sanding belt speed: 120 250 m/min
  Grinding/sanding area: 75 x 126 mm
  Grinding/sanding belt size: 75 x 457 mm
  Incl.: 3 pcs grinding/sanding belts

Article only available without battery / charger / case

Art. No. 44,662,70

			2.0 Ah						
<b>}</b> }	2)	15 min	22 min	18 min	22 min	30 min	38 min	44 min	59 min

For best performance select a battery with at least 2.5 Ah

Battery capacity
 Max. operating time per battery charge in idle mode

## **CORDLESS DRYWALL POLISHER 18 V**

#### TP-DWS 18/225 Li Brushless

-CHANGE

#### PROFESSIONAL

- Oscillating speed: 600 1200 min<sup>-1</sup>
- Abrasive paper ø: 225 mm
- Incl.: 6x sheets of abrasive paper and 1x sheet of abrasive mesh

Article only available without battery / charger / case

Art. No. 42.599.95

<b>IIII)</b> 1)	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
<b>&gt;&gt;&gt;&gt;</b> <sup>2)</sup>	18 min	24 min	29 min	35 min	47 min	61 min	70 min	93 min

- Brushless motor more power, prolonged operation
- Speed control electronics
- Spring-loaded sanding plate
- Fixable sanding plate, e.g. for sanding wood
- Dust extraction





#### TP-DW 18/225 Li

PROFESSIONAL

- Oscillating speed: 600 1200 min<sup>-1</sup>
- Abrasive paper ø: 225 mm
- Incl.: 6x sheets of abrasive paper and 1x sheet of abrasive mesh

Article includes case but no battery / charger Art. No. 42.599.90

<b>1)</b>	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
<b>2</b> )	21 min	26 min	33 min	44 min	55 min	68 min	78 min	110 min



1) Battery capacity





## CORDLESS GRINDING AND ENGRAVING **TOOL 18 V**



#### TE-MT 18/34 Li

- Speed: 5000 34000 min<sup>-1</sup>

- Clamping sleeves ø: 1.6 / 2.4 / 3.2 mm
  Length of flexible shaft: 92 cm
  Incl.: 55-piece accessory set and carrying strap

Article only available without battery / charger / case

Art. No. 44.193.60

<b>1)</b>	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
<b>&gt;&gt;&gt;&gt;</b> <sup>2)</sup>	30 min	40 min	49 min	59 min	79 min	102 min	118 min	157 min

Battery capacity
 Max. operating time per battery charge in idle mode



## **CORDLESS CAR POLISHING MACHINE 18 V**

#### CE-CB 18/254 Li

Idle speed: 2500 min<sup>-1</sup>

Diameter: 254 mm

Article only available without battery / charger / case

Art. No. 20.933.01

<b></b> <sup>1)</sup>	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
<b>2</b> )	56 min	81 min	93 min	112 min	127 min	200 min	222 min	254 min

For best performance select a battery with at least 2.5 Ah

#### Handy and robust

- Soft grip for comfortable operation
- Incl. 1 textile polishing bonnet and 1 synthetic polishing bonnet



## CORDLESS **POLISHING/SANDING MACHINE 18 V**

#### **CE-CP 18/180 Li E Brushless**

- Idle speed: 500 3000 min<sup>-1</sup>
- Diameter: 180 mm

Article only available without battery / charger / case

Art. No. 20.933.20

	1.5 Ah							
<b>&gt;&gt;&gt;&gt;</b> <sup>2)</sup>	17 min	20 min	25 min	35 min	43 min	54 min	65 min	86 min

For best performance select a battery with at least 2.5 Ah





- Brushless motor more power, prolonged operation
- Speed control electronics
- Hook and loop fastening for changing the attachments guickly

1) Battery capacity



## **CORDLESS BLOWER 18 V**

#### TE-CB 18/180 Li

- Blow velocity (step 1 / 2): 130 km/h / 180 km/h
- Idle speed (step 1 / 2): 11500 min<sup>-1</sup> / 15500 min<sup>-1</sup>
- Incl.: 3 inflation nozzles

Article only available without battery / charger / case

Art. No. 34.080.01

<b>IIII)</b> 1)	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
<b>&gt;&gt;&gt;&gt;</b> <sup>2)</sup>	31 min	39 min	48 min	62 min	68 min	100 min	124 min	136 min
<b>&gt;&gt;&gt;&gt;</b> <sup>3)</sup>	18 min	24 min	26 min	36 min	48 min	56 min	65 min	96 min

Battery capacity

Performance at setting 1 per battery charge in idle mode
 Performance at setting 2 per battery charge in idle mode



- 2-step speed adjustment
- Lightweight
- Small and handy

## CORDI ESS SEALING GUN 18 V

#### TE-SG 18/10 Li

- Feed speed: 0 10 mm/s
- Dispensing force: 2000 N

Article only available without battery / charger / case

Art. No. 45.222.50

	1.5 Ah							
<b>XXX</b> <sup>2)</sup>	128 pcs	170 pcs	213 pcs	255 pcs	340 pcs	442 pcs	510 pcs	680 pcs

1) Battery capacity

<sup>2)</sup> Number of cartridges per battery charge



- No dripping due to reversing mechanism
- With bright LED for an optimum view of the work area



## **CORDLESS PAINT SPRAY SYSTEM 18 V**

#### TC-SY 18/60 Li

- Delivery rate: 650 ml/min
- Tank volume: 800 ml
- Max. viscosity: 60 DIN-sec
- Incl.: 2 nozzles for different viscosities
- Incl.: purification needle and purification brush

Article only available without battery / charger Art. No. 42.600.25

	1.5 Ah							
<b>2)</b>	22 m <sup>2</sup>	30 m²	38 m²	45 m <sup>2</sup>	60 m <sup>2</sup>	78 m <sup>2</sup>	90 m²	120 m <sup>2</sup>

1) Battery capacity

<sup>2)</sup> Max. area coverage per battery charge with viscosity 60 DIN-sec with single paint application

- Hand-held system for small and medium-sized working areas
- Spraying of lacquers and glazes
- Removable spray cap
- Paint flow regulation
- Adjustable air cap



Cinhell

## **USB BATTERY ADAPTER 18 V**

#### TC-CP 18 Li USB

- USB connections: 2
- Output current USB 1: 1.0 A
- Output current USB 2: 2.1 A

Article only available without battery / charger / case

Art. No. 45.141.20

<b>1)</b>	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
<b>&gt;&gt;&gt;&gt;</b> <sup>2)</sup>	8 h	12 h	13.5 h	16 h	24 h	32 h	36 h	48 h

Battery capacity
 Charging time per battery charge

- 2 USB ports
- Charging mobile phones or tablets
- LED operating status indicator





## **CORDLESS HOT GLUE GUN 18 V**

#### TE-CG 18 Li

- Warm-up period: 120 s
- Max. glueing temperature: 170°C
- Glue stick length / diameter: 200 mm / 11 mm
- Incl.: 5 glue sticks and flat glueing nozzle

Article only available without battery / charger / case

Art. No. 45.222.00

>>>>>>>>>>>>>>>>>>>>>>>>>>>>			2.0 Ah						
	<b>2)</b>	14 pcs	18 pcs	22 pcs	28 pcs	36 pcs	44 pcs	50 pcs	72 pcs

Battery capacity
 Glue sticks 11 mm, length 200 mm – max. number per battery charge



LED heat level indicator Disengageable LED light Changeable glueing nozzle

## **CORDLESS HOT AIR GUN 18 V**

#### TE-HA 18 Li

- Temperature setting 1 / setting 2: 350 °C / 550 °C
- Air rate: 200 l/min

Incl. reducer nozzle, wide nozzle, reflector nozzle but no battery / charger / case Art. No. 45.205.00

<b>1)</b>	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
<b>&gt;&gt;&gt;&gt;</b> <sup>2)</sup>	7 min	9 min	11 min	13 min	17 min	22 min	26 min	34 min

Battery capacity
 Max. operating time per battery charge – setting 2

- 2 temperature settings
- Mechanical nozzle ejector
- Overheating protection for safe operation
- LED display





## **CORDLESS NAILER 18 V**

#### **FIXETTO 18/50 N**

PROFESSIONAL

Max. working speed: 60 min<sup>-1</sup>

CHANGE

Nail length: 15 - 50 mm

Incl. 500 nails; Article only available without battery / charger / case Art. No. 42,577.95

<b>1)</b>	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
2)	630 pcs	840 pcs	1050 pcs	1260 pcs	1679 pcs	2183 pcs	2519 pcs	3358 pcs
<b>3</b> )	514 pcs	685 pcs	857 pcs	1028 pcs	1370 pcs	1781 pcs	2055 pcs	2740 pcs

Battery capacity
 Mumber of nails (32 mm) in softwood – max. number per battery charge
 Number of nails (50 mm) in softwood – max. number per battery charge



- PressAir means: Maintenance-free. without extra costs and equipment
- Single or serial shots
- Cutting depth adjustment
- LED lighting on both sides
- Magazine with level indicator





## **CORDLESS STAPLER 18 V**

#### **FIXETTO 18/38 S**

- Max. working speed: 60 min<sup>-1</sup>
- Staple length: 10 38 mm
- Staple width: 5.7 mm

Incl. 500 staples; article only available without battery / charger / case Art. No. 42.577.85

<b>1)</b>	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
<b>2)</b>	585 pcs	780 pcs	975 pcs	1170 pcs	1560 pcs	2028 pcs	2340 pcs	3120 pcs
<b>&gt;&gt;&gt;&gt;</b> 3)	638 pcs	850 pcs	1063 pcs	1275 pcs	1700 pcs	2210 pcs	2250 pcs	3400 pcs

Battery capacity
 Number of nails (38 mm) in softwood – max. number per battery charge

<sup>3)</sup> Number of staples (22 mm) in softwood – max. number per battery charge

#### PROFESSIONAL

- PressAir means: Maintenance-free. without extra costs and equipment
- Single or serial shots
- Cutting depth adjustment
- LED lighting on both sides
- Magazine with level indicator









## **CORDLESS STAPLER/NAILER 18 V**

#### TE-CN 18 Li

- Max. working speed: 20 min<sup>-1</sup>
- Staple length: 16 22 mm
- Nail length: 15 32 mm

Incl. 300 nails + 300 staples; article only available without battery / charger / case Art. No. 42.577.90

<b>1</b> )	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
<b>2)</b>	1472 pcs	2030 pcs	2670 pcs	3204 pcs	4272 pcs	5554 pcs	6408 pcs	8544 pcs
<b>3</b> )	1459 pcs	1995 pcs	2642 pcs	3171 pcs	4228 pcs	5496 pcs	6342 pcs	8456 pcs

1) Battery capacity

<sup>2)</sup> 32 mm nails in softwood at maximum depth setting – max. number per battery charge

22 mm staples in softwood at maximum depth setting – max. number per battery charge



- **2**-in-1 stapler and nailer combination tool
- Cutting depth adjustment
- Magazine with level indicator
- Allows stapling close to the edge

## **CORDLESS LIGHTS 18 V**

#### TE-CL 18/2500 LiAC

- Luminosity: 1000 lm / 2500 lm
- Light range: 640 m
- Colour temperature: 6500 K

Article only available without battery / charger / case

Art. No. 45.141.45

<b>1</b> )	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
<b>&gt;&gt;&gt;</b> <sup>2)</sup>	69 min	85 min	107 min	137 min	183 min	238 min	274 min	366 min
<b>3</b> )	229 min	291 min	341 min	458 min	611 min	794 min	916 min	1222 min

<sup>1)</sup> Battery capacity

<sup>2)</sup> Luminous period per battery charge – 2500 lm

<sup>3)</sup> Luminous period per battery charge – 1000 lm

## 

- 2-step luminosity adjustment
- Hybrid function for use from a 12 V cigarette lighter socket or with a rechargeable battery
- 7 bright LEDs
- ¼" tripod thread







## **CORDLESS LIGHTS 18 V**

#### **TE-CL 18/2000 LIAC**

- Mains connection: 100-240 V ~ 50-60 Hz
- Cable length: 2 m
- Luminosity: 1000 lm / 1500 lm / 2000 lm
- Light source: 20 LEDs

Article only available without battery / charger / case

Art. No. 45.141.14

<b>1)</b>	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
<b>2)</b>	87 min	115 min	145 min	174 min	230 min	300 min	345 min	460 min

#### TC-CL 18/1800 Li

- Luminosity: 1800 lm
- Light source: 1 LED

Article only available without battery / charger / case

Art. No. 45.141.15

						5.2 Ah		
<b>&gt;&gt;&gt;&gt;</b> <sup>2)</sup>	95 min	118 min	140 min	191 min	243 min	300 min	350 min	468 min

#### TC-CL 18 Li H

- Luminosity: 280 lm
- Light source: 1 LED

Article only available without battery / charger / case

Art. No. 45.141.30

						5.2 Ah		
<b>&gt;&gt;&gt;&gt;</b> <sup>2)</sup>	8 h	10 h	12 h	16 h	22 h	32 h	33 h	44 h

Battery capacity
 Luminous period per battery charge



360° swivelling lamp head

Folding foot

Infinitely variable luminosity



A ↑ G

- Hvbrid function for use with a power cable or a rechargeable battery
- **3**-step luminosity adjustment
- 360° swivelling lamp head



- High-quality LED of the company Cree Ltd.
- Swivelling lamp head
- Metal hook



## **CORDLESS RADIO 18 V**

#### TC-RA 18 Li BT

- AM Frequency: 522 1620 kHz
- FM Frequency: 87.5 108 MHz
- Station memory (AM / FM): 10 / 10

Article only available without battery / charger / case

Art. No. 34.080.17

	1.5 Ah							
<b>&gt;&gt;&gt;&gt;</b> <sup>2)</sup>	12 h	16 h	20.5 h	24.5 h	32.5 h	42.5 h	49 h	65 h

## 😵 Bluetooth

- LCD display
- External antenna
- Bluetooth connection for
- wireless music listening



## **CORDLESS SPEAKER 18 V**

#### TC-SR 18 Li BT

- Power rating: 2x 3 W
- Max. volume: 85 dB
- Product weight: 0.3 kg (excl. battery)

Article only available without battery / charger / case

Art. No. 45.141.50

<b>1)</b>	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
<b>&gt;&gt;&gt;&gt;</b> <sup>2)</sup>	43 h	57 h	72 h	86 h	114 h	148 h	171 h	228 h





- Bluetooth connection for wireless music listening
- USB connection for charging mobile phones etc.
- AUX connection

1) Battery capacity

<sup>2)</sup> Max. operating time per battery charge

www.einhell.de

54

## **ACCESSORIES – CASES**

-CHANGE

#### E-Box L70

- Items supplied: 1 universal case
- Internal dimensions: 670 x 190 x 300 mm
- External dimensions: 700 x 250 x 350 mm
- Load capacity: 50 kg

Art. No. 45.300.54



## **ACCESSORIES – BAGS**

#### Einhell Bag 45/29

- Items supplied: 1 universal bag
- Internal dimensions: 420 x 270 x 200 mm
- External dimensions: 450 x 290 x 220 mm
- Load capacity: 20 kg

Art. No. 45.300.74



#### E-Box M55

- Items supplied: 1 universal case
- Internal dimensions: 510 x 327 x 124 mm
- External dimensions: 550 x 400 x 150 mm
- Load capacity: 30 kg

Art. No. 45.300.49



#### Einhell Bag 45/22

- Items supplied: 1 universal bag
- Internal dimensions: 390 x 200 x 190 mm
- External dimensions: 450 x 220 x 350 mm
- Load capacity: 15 kg

Art. No. 45.300.37



#### E-Box S35

- Items supplied: 1 universal case
- Internal dimensions: 310 x 250 x 89.5 mm
- External dimensions: 350 x 330 x 110 mm
- Load capacity: 12 kg

Art. No. 45.300.45





## E-CASE-SYSTEM SYSTEM CASES E-CASE

- Accessories available to create individual arrangements
- 2x fold-in ergonomic handles for comfortable carrying



#### E-Case S-F

- Items supplied: 1x E-Case S + 2x foam inlays
- Internal dimensions: 421 x 281 x 96 mm
- External dimensions: 444 x 330 x 131 mm

Art. No. 45.400.11

- Large 15 cm all-terrain rubberized wheels
- Telescopic handle for easy transport
- For storing and transporting large tools



#### E-Case L

56

- Items supplied:
  - 1x E-Case L + 1x tray for hand tools + 2x spacer clips
- Internal dimensions: 421 x 273 x 320 mm
- External dimensions: 444 x 406 x 355 mm

Art. No. 45.400.14

- Inner height of 25 cm is optimised for bulky einhell products
- Foldable, ergonomic handle for comfortable carrying



#### E-Case M

- Items supplied: 1x E-Case M + 1x hand tool insert
- Internal dimensions: 415 x 280 x 250 mm
- External dimensions: 444 x 330 x 295 mm

Art. No. 45.400.21

 Complete modular storage solution for the ambitious handyman



#### E-Case Tower

Items supplied:

1x E-Case S + 2x foam inlays,

1x E-Case S + 1x set of plastic compartments (2x long,

- 3x mid-length, 4x short dividers),
- 1x E-Case L + 1x tray for hand tools + 2x spacer clips

Art. No. 45.400.15



#### **UNMATCHED FOR RUGGEDNESS!**



Maximum loading of a single case when carried by the handle on the side




Maximum loading of several cases when carried by the handle on the top



Maximum permissible loading of the case at the bottom of the stack





Art. No. 45.400.12

## **Grid Foam** Items supplied:



1x adjustable grid foam inlay Height: 65 mm

Art. No. 45.400.13







Max. total load E-Case L + stacked cases

#### STACKABLE AND CONNECTABLE







## CORDLESS WET AND DRY VACUUM CLEANERS 36 V

#### **TP-VC 36/30 S Auto**

#### PROFESSIONAL

- Suction power: 150 mbar / 100 mbar (BOOST / ECO)
- Tank: Stainless steel, 30 l
- Nozzles: Crevice, upholstery and combination nozzle (1x each)
- Accessories: Foam filter, pleated filter and dirt bag (1x each)

Article only available without batteries / chargers Art. No. 23.471.43

<b>1)</b>	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
<b>&gt;&gt;&gt;&gt;</b> <sup>2)</sup>	8 min	11 min	13 min	16 min	22 min	28 min	33 min	44 min
<b>3</b> )	6 min	8 min	10 min	12 min	16 min	21 min	24 min	32 min

For best performance select batteries with at least 3.0 Ah

- Auto Start function automatic dust extraction when the connected cordless tool is started
- 2 speeds
- Twin-Pack Technology







#### TE-VC 36/30 Li S

- Suction power: 150 mbar / 100 mbar (BOOST / ECO)
- Tank: Stainless steel, 30 l
- Nozzles: Crevice, upholstery and combination nozzle (1x each)
- Accessories: Foam filter, pleated filter and dirt bag (1x each)

Article only available without batteries / chargers Art. No. 23.471.40

<b>1)</b>	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
<b>&gt;&gt;&gt;&gt;</b> <sup>2)</sup>	8 min	11 min	13 min	16 min	22 min	28 min	33 min	44 min
<b>3</b> )	6 min	8 min	10 min	12 min	16 min	21 min	24 min	32 min

For best performance select batteries with at least 3.0 Ah



Date y capacity (2x batches required)
 Max. operating time per battery charge in idle mode (ECO mode)
 Max. operating time per battery charge in idle mode (BOOST mode)



TWIN-PACK 18V ) + 18V ) 36 V TECHNOLOGY

2 speeds Heavy-duty suction hose Twin-Pack Technology





-CHANGE

#### TE-VC 36/25 Li S

- Suction power: 150 mbar / 100 mbar (BOOST / ECO)
- Tank: Stainless steel, 25 l
- Nozzles: Crevice, upholstery and combination nozzle (1x each)
- Accessories: Foam filter, pleated filter and dirt bag (1x each)

Article only available without batteries / chargers Art. No. 23.471.70

<b>1)</b>	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
<b>&gt;&gt;&gt;&gt;</b> <sup>2)</sup>	8 min	11 min	13 min	16 min	22 min	28 min	33 min	44 min
<b>3</b> )	6 min	8 min	10 min	12 min	16 min	21 min	24 min	32 min

For best performance select batteries with at least 3.0 Ah

<sup>1)</sup> Battery capacity (2x batteries required)

- <sup>2)</sup> Max. operating time per battery charge in idle mode (ECO mode)
- <sup>3)</sup> Max. operating time per battery charge in idle mode (BOOST mode)



## CORDLESS WET AND DRY VACUUM CLEANERS 18 V

#### TC-VC 18/20 Li S

- Suction power: 80 mbar
- Tank: Stainless steel, 20 l
- Nozzles: Crevice, upholstery and combination nozzle (1x each)
- Accessories: Foam filter, pleated filter and dirt bag (1x each)

Article only available without battery / charger Art. No. 23.471.30

<b>1)</b>	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
<b>&gt;&gt;&gt;</b> <sup>2)</sup>	8 min	10 min	11 min	16 min	20 min	25 min	32 min	40 min

For best performance select a battery with at least 2.5 Ah

1) Battery capacity

- Stainless steel tank, rustproof and sturdy
- Blow connector
- Incl. extensive accessories







# CORDLESS WET AND DRY VACUUM CLEANERS 18 V

#### TC-VC 18/15 Li

- Suction power: 80 mbar
- Tank: Plastic, 15 l
- Nozzles: Crevice, combination nozzle (1x each)
- Accessories: Foam filter, permanent filter and dirt bag (1x each)

Article only available without battery / charger Art. No. 23.471.45

<b>1)</b>	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
<b>XXX</b> <sup>2)</sup>	8 min	10 min	11 min	16 min	20 min	25 min	32 min	40 min

For best performance select a battery with at least 2.5 Ah

- Plastic tank light-weight but impact-proof
- Blow connector
- Incl. extensive accessories







- Suction power: 90 mbar
- Tank: Plastic, 10 l
- Nozzles: 2-in-1 crevice/brush nozzle and 2-in-1 upholstery/universal nozzle (1x each)
- Accessories: Foam filter, permanent filter and dirt bag (1x each)

Article only available without battery / charger Art. No. 23.471.60

	<sup>0</sup> 1.5 Ah							
<b>&gt;&gt;&gt;</b> 2	8 min	10 min	12 min	17 min	21 min	26 min	30 min	42 min

For best performance select a battery with at least 2.5 Ah



- Extendable hose
- Lightweight and mobile
- Compact design



1) Battery capacity

<sup>2)</sup> Max. operating time per battery charge in idle mode

www.einhell.de

## CORDLESS HANDHELD **VACUUM CLEANERS 18 V**

-CHANGE

#### TE-HV 18/06 Li

- Suction power: 72 mbar / 50 mbar (BOOST / ECO)
- Tank: Plastic, 0.60 l
- Nozzles: Crevice, upholstery, floor nozzle (1x each)
- Accessories: Wall bracket, extension tubes, synthesis filter (1x each)

Article only available without battery / charger Art. No. 23.471.90

<b>1)</b>	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
<b>&gt;&gt;&gt;&gt;</b> <sup>2)</sup>	16 min	22 min	26 min	33 min	44 min	54 min	65 min	88 min
<b>3</b> )	9 min	12 min	15 min	19 min	25 min	32 min	39 min	50 min

1) Battery capacity

<sup>2)</sup> Max. operating time per battery charge in idle mode (ECO mode)
 <sup>3)</sup> Max. operating time per battery charge in idle mode (BOOST mode)



- Incl. extensive accessories
- Wall bracket





#### TE-VC 18 Li

- Suction power: 42 mbar
- Tank: Plastic, 0.54 |
- Nozzles: Crevice, upholstery, floor nozzle (1x each)
- Accessories: Wall bracket, extension tube, washable synthesis filter (1x each)

Article only available without battery / charger Art. No. 23.471.20

<b>1)</b>	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
<b>2</b> )	12 min	16 min	18 min	23 min	31 min	40 min	46 min	62 min


1) Battery capacity



- Easy cleaning
- Incl. extensive accessories
- Wall bracket







## **CORDLESS STICK VAC CLEANER 18 V**

#### TE-SV 18 Li

- Tank volume: 0.6 l
- Speed settings: 2 (ECO/BOOST)
- Cyclone separator: changeable and washable

Article only available without battery / charger Art. No. 23.471.80

<b>IIII)</b> 1)	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah	
<b>&gt;&gt;&gt;</b> <sup>2)</sup>	8 min	11 min	13 min	18 min	22 min	28 min	35 min	44 min	
<b>&gt;&gt;&gt;&gt;</b> <sup>3)</sup>	19 min	25 min	31 min	38 min	50 min	65 min	80 min	100 min	
1) Detter constitu									

Battery capacity
 Max. operating time per battery charge in idle mode (BOOST mode)
 Max. operating time per battery charge in idle mode (ECO mode)

#### EXTENSIVE ACCESSORIES



3

#### Wall bracket for storing the device

reach-areas in the car

for slits on the sofa

2-in-1 nozzle

- and the accessories Flexible crevice nozzle for vacuuming hard-to-
- 2-in-1 device: hand-held vacuum cleaner + upright vacuum cleaner
- No dirt bag: empty the dust collection container at the push of a button
- Well illuminated work area thanks to 4 spotlight LEDs

#### ALSO AVAILABLE: ACCESSORY SET (23.512.67)

#### Hose and universal nozzle


for user-friendly cleaning in the livingroom / car / etc.

#### Upholstery nozzle for cushions





5 Akku-Stau









## **CORDLESS ASH VACUUM CLEANER 18 V**

#### TE-AV 18/15 Li C

- Suction power: 100 mbar
- Tank: Stainless steel, 15 I
- Accessories: Crevice nozzle, pleated filter (1 of each)

Article only available without battery / charger Art. No. 23.517.00

<b>IIII)</b> 1)	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
<b>&gt;&gt;&gt;&gt;</b> <sup>2)</sup>	11 min	15 min	18 min	22 min	30 min	37 min	44 min	60 min

1) Battery capacity

<sup>2)</sup> Max. operating time per battery charge in idle mode

## **CORDLESS PUSH SWEEPER 18 V**

#### TE-SW 18/610 Li

- Max. area coverage: 1800 m<sup>2</sup>/h
- Sweeping width: 610 mm
- Dirt tank: 20 l

Article only available without battery / charger Art. No. 23.520.40

<b>1)</b>	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
<b>&gt;&gt;&gt;&gt;</b> <sup>2)</sup>	650 m <sup>2</sup>	850 m <sup>2</sup>	1050 m <sup>2</sup>	1300 m <sup>2</sup>	1700 m <sup>2</sup>	2200 m <sup>2</sup>	2550 m <sup>2</sup>	3400 m <sup>2</sup>
<b>&gt;&gt;&gt;&gt;</b> <sup>3)</sup>	21 min	27 min	34 min	41 min	55 min	72 min	83 min	110 min

1) Battery capacity

64



<sup>&</sup>lt;sup>2)</sup> Area coverage at walking speed (3.0 km/h)



## **CORDLESS DRAIN CLEANER 18 V**



- Easy retraction/extension of spiral with battery-powered motor
- Right/left rotation for release when the spiral is blocked
- Galvanised spiral

#### TE-DA 18/760 Li

- Spiral length / diameter: 7.6 m / 7 mm
  Pipe diameter: 16-55 mm
  Speed: 560 min<sup>-1</sup>

Article only available without battery / charger Art. No. 45.141.60

<b>1)</b>	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
<b>&gt;&gt;&gt;&gt;</b> <sup>2)</sup>	42 min	56 min	68 min	84 min	112 min	143 min	188 min	224 min

Battery capacity
 Max. operating time per battery charge in idle mode







## **CORDLESS PRESSURE CLEANER 18 V**





- Different types of jet, including a rotating nozzle for power cleaning
- The suction function means you can use it everywhere
- Three different lengths made easy to use thanks to the extension lances

#### HYPRESSO 18/24 Li

- Working pressure max./ECO Mode: 24 bar / 14 bar
- Suction hose length: 500 cm
- Suction height: 3 m
   Incl.: Suction hose with water filter, 2 extensioin lances, foam spray bottle, 4-in-1 nozzle, splash water protection, accessory bag

Article only available without battery / charger Art. No. 41.401.30

<b>IIII)</b> 1)	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
<b>&gt;&gt;&gt;</b> <sup>2)</sup>	10 min	13 min	15 min	20 min	27 min	35 min	45 min	55 min
<b>3</b> )	6 min	7 min	8 min	11 min	15 min	18 min	23 min	30 min

Battery capacity
 Max. operating time per battery charge (ECO mode)
 Max. operating time per battery charge (BOOST mode)



## **CORDLESS WINDOW CLEANER 18 V**

#### BRILLIANTO

- Nozzle width: 280 mm
- Dirt water tank: 100 ml

Article only available without battery / charger Art. No. 34.371.00

<b>IIII)</b> 1)	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
<b>&gt;&gt;&gt;</b> <sup>2)</sup>	120 min	160 min	200 min	240 min	320 min	415 min	480 min	640 min

Battery capacity
 Max. operating time per battery charge in idle mode

- Removable dirt water tank
- One-piece silicone peel-off lip
- Softgrip aread f
  ür optimum grip
- Including wall mount and spray bottle



#### ALSO AVAILABLE: ACCESSORY

- Telescopic Pole Set (34.371.01) 2 telescopic poles (1 complete with microfiber cloth for precleaning the glass surface, and 1 complete with tilt adjustment for BRILLIANTO) – both poles infinitely adjustable in length up to approx. 120 cm
- 2 Nozzle Set (34.371.02)

1x slim suction nozzle (165 mm) and 1x wide suction nozzle (350 mm)









## 6-IN-1 CORDLESS HYBRID COMPRESSORS 18 V

#### PRESSITO 18/25 Hybrid

- Mains connection: 220-240 V ~ 50/60 Hz
- Max. output rate at 0 | 4 | 7 bar: 19 | 12 | 10 l/min
- Max. operating pressure: 11 bar
- Incl.: High-pressure hose (71 cm), low-pressure hose (160 cm) and several adapters

Article only available without battery / charger Art. No. 40.204.30

<b>IIII</b> <sup>1)</sup>	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
<b>&gt;&gt;&gt;&gt;</b> <sup>2)</sup>	17 min	22 min	28 min	34 min	44 min	58 min	68 min	88 min

- Hybrid function for use with a power cable or a rechargeable battery
- Manual inflating function (high-pressure)
- High pressure pumping, low pressure pumping/suction
- Integrated emergency light for illuminating the place of use





#### PRESSITO

- Mains connection: 220-240 V ~ 50 Hz
- Max. output rate at 0 | 4 | 7 bar: 16 | 10 | 8 l/min
- Max. operating pressure: 11 bar
- Incl.: High-pressure hose (71 cm), low-pressure hose (31 cm) and several adapters

Article only available without battery / charger Art. No. 40.204.60

<b></b> 1)	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
<b>2</b> )	20 min	30 min	37 min	45 min	60 min	85 min	90 min	120 min





- Hybrid function for use with a power cable or a rechargeable battery
- High pressure pumping, low pressure pumping/suction
- Incl. extensive accessories

1) Battery capacity

## **3-IN-1 CORDLESS COMPRESSORS 18 V**

#### PRESSITO 18/25

Suction power: 25 l/min

-CHANGE

- Max. output rate at 0 | 4 | 7 bar: 17 | 11 | 9 l/min
- Max. operating pressure: 11 bar
- Incl.: High-pressure hose (71 cm), low-pressure hose (160 cm) and several adapters

Article only available without battery / charger Art. No. 40.204.20

<b>IIII)</b> 1)	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
<b>&gt;&gt;&gt;&gt;</b> <sup>2)</sup>	17 min	22 min	28 min	34 min	44 min	58 min	68 min	88 min

- High pressure pumping, low pressure pumping/suction
- Manual inflating function (high-pressure)
- Two-line pressure display for set and actual pressure
- Incl. extensive accessories







- pressure pumping/suction
- Manual inflating function (high-pressure)
- Incl. extensive accessories

- Suction power: 21 l/min
- Max. output rate at 0 | 4 | 7 bar: 14 | 9 | 6 l/min
- Max. operating pressure: 10.5 bar
- Incl.: High-pressure hose (71 cm), low-pressure hose (31 cm) and several adapters

Article only available without battery / charger Art. No. 40.204.67

		2.0 Ah						
<b>2)</b>	20 min	30 min	37 min	45 min	60 min	85 min	90 min	120 min



<sup>1)</sup> Battery capacity



## CORDLESS COMPRESSOR 36 V

#### TE-AC 36/6/8 Li OF Set

- Suction power: 130 l/min
- Max. output rate at 0 | 4 | 7 bar: 90 | 55 | 38 l/min
- Tank capacity: 6 l
- Max. operating pressure: 8 bar
- Incl.: Compressed air hose, blow-out adapter, tyre pressure gauge and several adapters

Article only available without batteries / chargers Art. No. 40.204.50

<b>1</b> )	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
<b>&gt;&gt;&gt;&gt;</b> <sup>2)</sup>	20 pcs	25 pcs	29 pcs	40 pcs	50 pcs	60 pcs	80 pcs	100 pcs
<b>3</b> )	330 pcs	400 pcs	435 pcs	660 pcs	800 pcs	900 pcs	1320 pcs	1600 pcs

Battery capacity (2x batteries required)
 Tank pressure build-up cycles per battery charge
 Soft wood – max. number of staples (13 mm staples) per battery charge

## **CORDLESS PORTABLE COMPRESSOR 18 V**

#### TE-AC 36/8 Li OF Set

- Suction power: 130 l/min
- Max. output rate at 0 | 4 | 7 bar: 90 | 55 | 38 l/min
- Max. operating pressure: 8 bar
- Incl.: Compressed air hose, blow-out adapter, tyre pressure gauge and several adapters

Article only available without batteries / chargers Art. No. 40.204.40

<b>1)</b>	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
<b>&gt;&gt;&gt;&gt;</b> <sup>2)</sup>	6 min	8 min	10 min	12 min	16 min	21 min	24 min	32 min
<b>&gt;&gt;&gt;&gt;</b> 3)	4.5 min	6 min	7.5 min	9 min	12 min	15 min	18 min	24 min

<sup>1)</sup> Battery capacity (2x batteries required)

<sup>2)</sup> Max. running time when using a blow-out pistol

<sup>3)</sup> Max, running time when inflating a car tire to 2.5 bar



- Twin-Pack Technology
- Incl. extensive accessories









- Twin-Pack Technology
- Incl. extensive accessories







## CORDLESS CAR COMPRESSOR

#### CE-CC 18 Li

- Max. output rate at 0 | 4 | 7 bar: 12 | 10 | 8 l/min
- Max. operating pressure: 11 bar
- Incl.: 60 cm compressed air hose and several adapters

Article only available without battery / charger Art. No. 20.710.10

<b>1)</b>	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
<b>2</b> )	32 min	42 min	53 min	63 min	84 min	109 min	126 min	168 min



#### Ideal for inflating car tyres, cycle tyres and balls

- Digital pressure display for simple setting of the required pressure up to max. 11 bar
- Manual and automatic pumping with switch-off function

## CORDLESS AIR PUMP

#### CE-AP 18 Li

- Max. delivery rate: 670 l/min
- Max. operating pressure: 0.5 bar
- Incl.: 2 inflation adapters

Article only available without battery / charger Art. No. 20.701.10

_	1.5 Ah							
<b>&gt;&gt;&gt;&gt;</b> <sup>2)</sup>	49 min	65 min	81 min	98 min	130 min	169 min	195 min	260 min

- Ideal for inflating rubber dinghies,
- air mattresses, leisure articles
- Suitable for deflation by simply replacing the adapter
- Can be used as a workshed blower for cleaning the worktop



Battery capacity
 Max. operating time per battery charge in idle mode



## **ROBOT LAWN MOWERS**





#### **FREELEXO CAM**

- For lawn areas of up to approx.: 500 m<sup>2</sup>
- Cutting width: 18 cm
- Cutting height adjustment: infinitely / 20 60 mm / central
- Suitable for slopes: up to 25 %
- Included in delivery: Charging station, magnetic band

Incl. 1 battery (18 V|3.0 Ah|Li-ion)

Art. No. 34.139.91



- Brushless motor more power, prolonged operation
- True cordless freedom no perimeter wire required
- Recognises the mowing area by means of physical and visual lawn boundaries
- Including magnetic tape accessory for short-term demarcation of lawn areas
- Intuitive keypad
- Programmable operating times





## TRUE CORDLESS FREEDOM

No perimeter wire required



## **RAIN SENSOR** for lawn-friendly operation



#### SEPARATE AREAS OF THE GARDEN

Mowing mode for areas of lawn separate from the main garden



#### INTUITIVE KEYPAD

Easy to operate thanks to the mowing time programmer for lawn care every day or every two days



### CHECKLIST: IS MY GARDEN SUITABLE?




Lawn area of uniformly green colour



Clearly defined and recognisable lawn edges\*



Simple design, uniform shape



X

Irregularities in colour (e.g. leaves, scorched areas)



No clearly recognisable lawn edges



Many separate areas, bottlenecks and recesses



A Lay the supplied magnetic tape in the garden and it will act like a virtual fence. The magnet sensors installed in the FREELEXO CAM detect the magnetic tape and turn away at its limits. In this way you can create off-limit areas at short notice.



### A TEMPORARY OFF-LIMITS AREA

When you want to hold a garden party and need to keep the robot lawn mower at a distance for the duration of the celebrations.

## A NEWLY PLANTED TREE

A tree has been newly planted in the lawn area and is still sensitive. To protect it from collisions with the robot lawn mower you can use the virtual fence.

### A FLOWER MEADOW IN THE GARTEN

A flower meadow in the garden is just beginning to grow and is attracting the first insects. Now is the wrong time for the robot lawn mower to pass through.

### LAWN EDGES MADE BETTER

Lawn edges that are poorly defined or hard to recognise by the robot lawn mower can be upgraded by the magnetic tape for optimum demarcation of the mowing area in the garden.



## **ROBOT LAWN MOWERS**

### FREELEXO BT

- Cutting width: 18 cm
- Cutting height adjustment: infinitely / 20 60 mm / central
- Suitable for slopes: up to 35 %
- Included in delivery: Charging station

Incl. installation accessories (600 m<sup>2</sup>) and 1 battery (18 V|2.5 Ah| Li-ion) Art. No. 34.139.46



- Brushless motor more power, prolonged operation
- Individual programming/control via smartphone/APP (Bluetooth)
- Intuitive keypad
- Multi area mowing for complex gardens



### FREELEXO LCD BT

- Cutting width: 18 cm
- Cutting height adjustment: infinitely / 20 60 mm / central
- Suitable for slopes: up to 35 %
- Included in delivery: Charging station

Incl. installation accessories (900 m²) and 1 battery (18 V | 3.0 Ah |Li-ion)Art. No. 34.139.55

Incl. installation accessories (1200 m<sup>2</sup>) and 1 battery (18 V|5.2 Ah| Li-ion) Art. No. 43.263.68

- Brushless motor more power, prolonged operation
- Individual programming/control via smartphone/APP (Bluetooth)
- Intuitive keypad with LCD display
- Multi area mowing for complex gardens





🔁 Einhell



### **ROBOT LAWN MOWERS**



## POWER

- Brushless motor more power, prolonged operation
- Individual programming/control via APP (Bluetooth 5.0 with longer range)
- Intuitive keypad with LCD display
- Multi area mowing for complex gardens
- Special mowing program: Spot Mowing and Border Area Mode

### **FREELEXO LCD BT+**

- Cutting width: 18 cm
- Cutting height adjustment: infinitely / 20 60 mm / central
- Suitable for slopes: up to 35 %
  Included in delivery: Charging station

Incl. installation accessories (500 m<sup>2</sup>) and 1 battery (18 V | 2.5 Ah | Art. No. 34.139.82 Li-ion)









- Brushless motor more power, prolonged operation
- 3-in-1 function: mowing, mulching, catching
- Telescopic long handle



### **RASARRO 36/42**

### PROFESSIONAL

- Cutting width: 42 cm
- For lawn areas of up to approx.: 725 m<sup>2</sup>
- Cutting height adjustment: 6 levels / 25 75 mm / central

Incl. 2 batteries (18 V|5.2 Ah|Li-Ion) and 1 Twincharger Art. No. 34.132.72

					4.0 Ah			
<b>)))</b> 2)	250 m²	300 m²	350 m <sup>2</sup>	450 m <sup>2</sup>	550 m <sup>2</sup>	725 m <sup>2</sup>	875 m²	1100 m <sup>2</sup>

For best performance select batteries with at least 2.5 Ah

Battery capacity (2x batteries required)
 Max. lawn area that can be mown per battery charge (The stated area coverage is based on the assumption of ideal conditions)



### TWIN-PACK TECHNOLOGY

If a device needs more power than provided by a single 18 V rechargeable battery, we simply add a second battery so we generate 18 V + 18 V = 36 V. We call that Twin-Pack Technology. If the voltage (V) gets doubled, the power (W) gets doubled, too.



76





### **RASARRO 36/40**

### PROFESSIONAL

### Cutting width: 40 cm

- For lawn areas of up to approx.: 500 m<sup>2</sup>
- Cutting height adjustment: 6 levels / 25 75 mm / central

Incl. 2 batteries (18 V|4.0 Ah|Li-Ion) and 1 Twincharger

Art. No. 34.132.78

Without batteries / chargers

Art. No. 34.132.75

<b>IIII)</b> 1)	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
<b>2</b> )	220 m²	280 m²	330 m <sup>2</sup>	425 m <sup>2</sup>	500 m <sup>2</sup>	700 m <sup>2</sup>	850 m <sup>2</sup>	1000 m <sup>2</sup>

For best performance select batteries with at least 2.5 Ah



POW

TWIN-PACK 18V ] + 18V ] 36 V TECHNOLOGY

- Brushless motor more power, prolonged operation
- Individually adjustable long handle
- Grass box with level indicator

### **RASARRO 36/38**

- Cutting width: 38 cm
- For lawn areas of up to approx.: 450 m<sup>2</sup>
- Cutting height adjustment: 6 levels / 25 75 mm / central

Incl. 2 batteries (18 V | 4.0 Ah | Li-Ion) and 1 Twincharger

Art. No. 34.131.80

		2.0 Ah						
<b>&gt;&gt;&gt;</b> <sup>2)</sup>	250 m <sup>2</sup>	300 m²	330 m <sup>2</sup>	400 m <sup>2</sup>	450 m <sup>2</sup>	700 m <sup>2</sup>	800 m <sup>2</sup>	900 m <sup>2</sup>

For best performance select batteries with at least 2.5 Ah

PROFESSIONAL

- Brushless motor more power,
- prolonged operation 3-in-1 function: mowing,
- mulching, catching

TWIN-PACK

18V ) + 18V ) 36 V

Telescopic long handle



Battery capacity (2x batteries required)
 Max. lawn area that can be mown per battery charge (The stated area coverage is based on the assumption of ideal conditions)





### **RASARRO 36/36**

- Cutting width: 36 cm
- For lawn areas of up to approx.: 400 m<sup>2</sup>
- Cutting height adjustment: 6 levels / 25 75 mm / central

Incl. 2 batteries (18 V|3.0 Ah|Li-Ion) and 2 chargers

Art. No. 34.132.82

Without batteries / chargers

Art. No. 34.131.72

						5.2 Ah		
<b>&gt;&gt;&gt;</b> <sup>2)</sup>	200 m²	250 m²	290 m <sup>2</sup>	400 m <sup>2</sup>	450 m <sup>2</sup>	650 m <sup>2</sup>	800 m <sup>2</sup>	900 m <sup>2</sup>
	(	1	11 × 1					

For best performance select batteries with at least 2.5 Ah

### **RASARRO 36/34**

- Cutting width: 34 cm
- For lawn areas of up to approx.: 300 m<sup>2</sup>
- Cutting height adjustment: 5 levels / 25 65 mm / central

Incl. 2 batteries (18 V|3.0 Ah|Li-Ion) and 2 chargers

Art. No. 34.132.22 Without batteries / chargers

Art. No. 34.132.26

		2.0 Ah						
<b>2</b> )	150 m²	200 m²	250 m <sup>2</sup>	300 m <sup>2</sup>	400 m <sup>2</sup>	500 m <sup>2</sup>	600 m <sup>2</sup>	800 m <sup>2</sup>

For best performance select batteries with at least 2.5 Ah

78

www.einhell.de

Battery capacity (2x batteries required)
 Max. lawn area that can be mown per battery charge (The stated area coverage is based on the assumption of ideal conditions)



- Ergonomic handle
- Individually adjustable long handle
- Grass box with level indicator

TWIN-PACK

18V ) + 18V ) 36 V

ECHNOLOGY

Ergonomic handle

Individually adjustable long handle

Grass box with level indicator

## -CHANGE

## **CORDLESS LAWN MOWERS 36 V**

### GP-CM 36/52 S Li Brushless

PROFESSIONAL

- Cutting width / for lawn areas of up to approx.: 52 cm / 1200 m<sup>2</sup>
   Cutting height adjustment: 9 levels / 25 80 mm / central
- Debris bag volume: 65 l

Incl. 4 batteries (18 V|5.0 Ah|Li-Ion) and 2 Twinchargers

Art. No. 34.133.20

<b>1)</b>	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
<b>&gt;&gt;&gt;&gt;</b> <sup>2)</sup>	225 m²	275 m²	315 m²	350 m²	450 m <sup>2</sup>	600 m <sup>2</sup>	700 m <sup>2</sup>	800 m <sup>2</sup>
<b>3</b> )	450 m <sup>2</sup>	550 m <sup>2</sup>	630 m <sup>2</sup>	700 m <sup>2</sup>	900 m <sup>2</sup>	1200 m <sup>2</sup>	1400 m <sup>2</sup>	1600 m <sup>2</sup>

For best performance select batteries with at least 2.5 Ah

### PROFESSIONAL

- Cutting width / for lawn areas of up to approx.: 47 cm / 700 m<sup>2</sup>
- Cutting height adjustment: 9 levels / 25 80 mm / central
- Debris bag volume: 65 l

Incl. 4 batteries (18 V | 4.0 Ah | Li-Ion) and 2 Twinchargers

Art. No. 34.133.10

<b>1)</b>	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
<b>&gt;&gt;&gt;&gt;</b> <sup>2)</sup>	125 m²	175 m²	215 m²	250 m²	350 m²	500 m <sup>2</sup>	600 m²	700 m <sup>2</sup>
<b>&gt;&gt;&gt;&gt;</b> 3)	250 m <sup>2</sup>	350 m²	430 m <sup>2</sup>	500 m <sup>2</sup>	700 m <sup>2</sup>	1000 m <sup>2</sup>	1200 m <sup>2</sup>	1400 m <sup>2</sup>

For best performance select batteries with at least 2.5 Ah

1)	Batten	/ capacity	(2x	batteries	required

<sup>2)</sup> Max. lawn area that can be mown per battery charge with 2 batteries

3) Max, lawn area that can be mown per battery charge with 4 batteries (The stated area coverage is based on the assumption of ideal conditions)







### DOUBLE TWINPACK TECHNOLOGY

Double Twinpack devices have slots for two additional rechargeable batteries. If, for example, two additional batteries are inserted in the GP-CM 36/47 S HW Li lawn mower, such that all four rechargeable battery slots are filled, you can mow double the area without recharging.

### Beispiel

GP-CM 36/47 S HW Li Brushless: Twinpack 2x 18 V = 350 m<sup>2</sup> Double Twinpack  $2 \times 18 V + 2 \times 18 V =$  $350 \text{ m}^2 + 350 \text{ m}^2 = 700 \text{ m}^2$ 



## **CORDLESS LAWN MOWERS 36 V**

- Brushless motor more power, prolonged operation
- Side ejector perfect for high grass
- No catch bag included natural fertilisation
- Vario-Speed optimum adjustment of the speed
- Steel deck sturdy, robust, long-lasting





### GP-CM 36/47 S HW Li Brushless

Cutting width / for lawn areas of up to approx.: 47 cm / 700 m<sup>2</sup>

PROFESSIONAL

- Cutting height adjustment: 6 levels / 30 65 mm / central
- Debris bag volume: 75 l

Incl. 4 batteries (18 V | 4.0 Ah | Li-Ion) and 2 Twinchargers Art. No. 34.132.00

<b>1)</b>	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
<b>&gt;&gt;&gt;&gt;</b> <sup>2)</sup>	125 m²	175 m²	215 m <sup>2</sup>	250 m <sup>2</sup>	350 m <sup>2</sup>	500 m <sup>2</sup>	600 m <sup>2</sup>	700 m <sup>2</sup>
<b>&gt;&gt;&gt;&gt;</b> 3)	250 m²	350 m²	430 m <sup>2</sup>	500 m <sup>2</sup>	700 m <sup>2</sup>	1000 m <sup>2</sup>	1200 m <sup>2</sup>	1400 m <sup>2</sup>

For best performance select batteries with at least 2.5 Ah

Battery capacity (2x batteries required)
 Max, lawn area that can be mown per battery charge with 2 batteries
 Max, lawn area that can be mown per battery charge with 4 batteries (The stated area coverage is based on the assumption of ideal conditions)



### GE-CM 36/48 Li M Brushless

- Cutting width: 48 cm
- For lawn areas of up to approx.: 1000 m<sup>2</sup>
- Cutting height adjustment: 6 levels / 30 75 mm / axial

Article only available without batteries / chargers Art. No. 34.130.54

<b>1</b> )	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
<b>&gt;&gt;&gt;&gt;</b> <sup>2)</sup>	150 min	250 m²	260 m <sup>2</sup>	300 m <sup>2</sup>	500 m <sup>2</sup>	600 m <sup>2</sup>	700 m <sup>2</sup>	1000 m <sup>2</sup>
<b>3</b> )	300 m²	500 m²	520 m <sup>2</sup>	600 m <sup>2</sup>	1000 m <sup>2</sup>	1200 m <sup>2</sup>	1400 m <sup>2</sup>	2000 m <sup>2</sup>

For best performance select batteries with at least 2.5 Ah



### GE-CM 36/43 Li M Brushless

- Cutting width: 43 cm
- For lawn areas of up to approx.: 600 m<sup>2</sup>
- Cutting height adjustment: 6 levels / 25 75 mm / central

Incl. 2 batteries (18 V|4.0 Ah|Li-Ion) and 2 chargers

-	Art.	No.	34.132.40	
	Art.	No.	34.132.46	

	1.5 Ah							
2) <sup>2)</sup>	225 m <sup>2</sup>	300 m²	350 m <sup>2</sup>	450 m <sup>2</sup>	600 m <sup>2</sup>	750 m <sup>2</sup>	900 m <sup>2</sup>	1200 m <sup>2</sup>

For best performance select batteries with at least 2.5 Ah

Article without batteries / chargers

- Battery capacity (2x batteries required)
   Max, lawn area that can be mown per battery charge with 2 batteries
   Max, lawn area that can be mown per battery charge with 4 batteries (The stated area coverage is based on the assumption of ideal conditions)

- Brushless motor more power, prolonged operation
- 3-in-1 function: mowing, mulching, catching
- Individually adjustable long handle









### GE-CM 36/36 Li Brushless

- Cutting width: 36 cm
- For lawn areas of up to approx.: 400 m<sup>2</sup>
- Cutting height adjustment: 6 levels / 25 75 mm / central

Incl. 2 batteries (18 V|4.0 Ah|Li-Ion) and 2 chargers

Art. No. 34.132.30

<b>IIII)</b> 1)	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
<b>&gt;&gt;&gt;&gt;</b> 2)	175 m²	250 m²	270 m <sup>2</sup>	350 m <sup>2</sup>	400 m <sup>2</sup>	600 m <sup>2</sup>	700 m <sup>2</sup>	960 m <sup>2</sup>
For head and a man and a the thering with a the set 2 C Ab								

For best performance select batteries with at least 2.5 Ah





- Brushless motor more power, prolonged operation
- Individually adjustable long handle
- Grass box with level indicator

### GE-CM 36/33 Li

- Cutting width: 33 cm
- For lawn areas of up to approx.: 250 m<sup>2</sup>
- Cutting height adjustment: 5 levels / 25 65 mm / central

Incl. 2 batteries (18 V|2.5 Ah|Li-Ion) and 2 chargers

Art. No. 34,132,10

	1.5 Ah							
<b>&gt;&gt;&gt;&gt;</b> <sup>2)</sup>	150 m²	200 m²	250 m <sup>2</sup>	300 m <sup>2</sup>	400 m <sup>2</sup>	500 m <sup>2</sup>	600 m <sup>2</sup>	800 m <sup>2</sup>

For best performance select batteries with at least 2.5 Ah



82

Battery capacity (2x batteries required)
 Max. lawn area that can be mown per battery charge (The stated area coverage is based on the assumption of ideal conditions)



- Individually adjustable long handle
- Integrated carry handle
- Grass box with level indicator





### GE-CM 18/33 Li Brushless

- Cutting width: 33 cm
- For lawn areas of up to approx.: 200 m<sup>2</sup>
- Cutting height adjustment: 5 levels / 25 65 mm / central

Incl. 1 battery (18 V | 4.0 Ah | Li-lon) and 1 chargerArt. No. 34.132.60Without battery / chargerArt. No. 34.132.66

		2.0 Ah						
<b>&gt;&gt;&gt;&gt;</b> <sup>2)</sup>	50 m²	100 m²	140 m <sup>2</sup>	180 m <sup>2</sup>	250 m <sup>2</sup>	300 m <sup>2</sup>	350 m <sup>2</sup>	500 m <sup>2</sup>

For best performance select a battery with at least 2.5 Ah





- Brushless motor more power, prolonged operation
- Individually adjustable long handle
- Grass box with level indicator

### **GE-CM 18/32 Li Brushless**

- Cutting width: 32 cm
- For lawn areas of up to approx.: 180 m<sup>2</sup>
- Cutting height adjustment: 3 levels / 30 70 mm / axial

Article only available without battery / charger Art. No. 34.132.56

	1.5 Ah							
<b>&gt;&gt;&gt;&gt;</b> <sup>2)</sup>	50 m²	100 m²	140 m <sup>2</sup>	180 m <sup>2</sup>	250 m <sup>2</sup>	300 m <sup>2</sup>	350 m <sup>2</sup>	500 m <sup>2</sup>

For best performance select a battery with at least 2.5 Ah

Battery capacity

<sup>2</sup> Max, lawn area that can be mown per battery charge (The stated area coverage is based on the assumption of ideal conditions)



- Brushless motor more power, prolonged operation
- Individually adjustable long handle
- Grass box with level indicator





POWE

## **CORDLESS LAWN MOWERS 18 V**

### **GE-CM 18/30 Li Brushless**

- Cutting width: 30 cm
- For lawn areas of up to approx.: 150 m<sup>2</sup>
- Cutting height adjustment: 3 levels / 30 70 mm / axial

Incl. 1 battery (18 V 3.0 Ah Li-lon) and 1 charger	Art. No. 34.131.55
Without battery / charger	Art. No. 34.131.57

	1.5 Ah							
<b>&gt;&gt;&gt;&gt;</b> <sup>2)</sup>	30 m²	70 m²	100 m <sup>2</sup>	150 m <sup>2</sup>	210 m <sup>2</sup>	270 m <sup>2</sup>	300 m <sup>2</sup>	420 m <sup>2</sup>

For best performance select a battery with at least 2.5 Ah



## **CORDLESS PUSH REEL MOWER 18 V**

### GE-HM 18/38 Li

- Cutting width: 38 cm
- Cutting height adjustment: 4 levels / 14 38 mm
- Grass box capacity: 45 l

Article only available without battery / charger Art. No. 34.142.00

	1.5 Ah							
<b>&gt;&gt;&gt;&gt;</b> <sup>2)</sup>	100 m²	150 m²	190 m <sup>2</sup>	250 m <sup>2</sup>	300 m <sup>2</sup>	400 m <sup>2</sup>	450 m <sup>2</sup>	600 m <sup>2</sup>
<b>F</b> 1	(		24	1254				

For best performance select a battery with at least 2.5 Ah

Battery capacity
 Max. lawn area that can be mown per battery charge (The stated area coverage is based on the assumption of ideal conditions)

- Contactless cutting technology
- Adjustable rear deflector
- 2-in-1 function: battery + manual







## PETROL LAWN MOWERS (POWER X-CHANGE ELECTRIC START)



### GC-PM 51/3 S HW-E Li

- Engine / displacement / power: 4-stroke, 170 cm<sup>3</sup>, 2.7 kW
   Cutting width: 51 cm

- For lawn areas of up to approx.: 1800 m<sup>2</sup>
   Cutting height adjustment: 6 levels / 30 80 mm / central

Incl. 1 battery (18 V | 2.0 Ah | Li-Ion) and 1 charger (3 A)

Art. No. 34.048.70

<b>1)</b>	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
<b>&gt;&gt;&gt;&gt;</b> <sup>2)</sup>	130	174	218	261	347	452	522	695
	starts							

1) Battery capacity

<sup>2)</sup> Number of starts per battery charge (The possible number of starts is dependent on various influencing factors, e.g. temperature of the motor, ambient temperature, etc.)







### GC-PM 46 SM HW-E Li

- Engine / displacement / power: 4-stroke, 146 cm<sup>3</sup>, 2.0 kW
- Cutting width: 46 cm
- For lawn areas of up to approx.: 1400 m<sup>2</sup>
- Cutting height adjustment: 9 levels / 25 80 mm / central

Incl. 1 battery (18 V|2.0 Ah|Li-Ion) and 1 charger (3 A)

Art. No. 34.075.60

<b>1)</b>	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
<b>)))</b> 2)	145	193	242	290	386	502	580	772
	starts							

Battery capacity

Number of starts per battery charge (The possible number of starts is dependent on various influencing factors, e.g. temperature of the motor, ambient temperature, etc.) 2)



### **POWER X-CHANGE ELECTRIC START**

Easy-to-start petrol engine thanks to the electric start function with the assistance of the Power X-Change battery system – at just the push of a button:

- None of the hassle of starting up with a pull starter
- The rechargeable battery can also be used for other Power X-Change products





## **CORDLESS SCARIFIERS/AERATORS 36 V**

### GE-SC 36/35 Li Brushless

- Working width: 35 cm
- For lawn areas of up to approx.: 550 m<sup>2</sup>
- Working depth adjustment: 3 levels (-3 / -6 / -9 mm) + transport position (+3 mm)
- Number of scarifying blades: 16 pcs

Article only available without batteries / chargers Art. No. 34.206.80

						5.2 Ah		
<b>&gt;&gt;&gt;&gt;</b> <sup>2)</sup>	100 m <sup>2</sup>	150 m <sup>2</sup>	190 m²	225 m <sup>2</sup>	300 m <sup>2</sup>	400 m <sup>2</sup>	450 m <sup>2</sup>	550 m <sup>2</sup>





- Brushless motor more power, prolonged operation
- Optional extensible with aerator roller and catch bag
- Toolless roller change
- Easy maintenance housing

### GE-SA 36/35 Li Brushless

- Working width: 35 cm
- For lawn areas of up to approx.: 550 m<sup>2</sup>
- Working depth adjustment: 3 levels (-3 / -6 / -9 mm) + transport position (+3 mm)
- Number of scarifying blades: 16 pcs
- Number of aerator roller claws: 24 pcs
- Grass box capacity: 28 litres

Article only available without batteries / chargers Art. No. 34.206.85

<b>IIII)</b> 1	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
<b>&gt;&gt;&gt;</b> <sup>2)</sup>	100 m <sup>2</sup>	150 m <sup>2</sup>	190 m <sup>2</sup>	225 m <sup>2</sup>	300 m <sup>2</sup>	400 m <sup>2</sup>	450 m <sup>2</sup>	550 m <sup>2</sup>

<sup>1)</sup> Battery capacity (2x batteries required)

Max. Jawn area that can be scarified per battery charge (The stated area coverage is based on the assumption of ideal conditions)



- Brushless motor more power, prolonged operation
- 3-in-1 combination tool: Scarifying, aeration and grass collection
- Toolless roller change
- Easy maintenance housing





## CORDLESS SCARIFIERS/AERATORS 36 V

### GC-SC 36/31 Li

- Working width: 31 cm
- For lawn areas of up to approx.: 350 m<sup>2</sup>
- Working depth adjustment: 3 levels (-3 / -6 / -9 mm) + transport position (+3 mm)
- Number of scarifying blades: 8 double-knives

Article only available without batteries / chargers Art. No. 34.206.60

		2.0 Ah						
<b>2</b> )	80 m²	100 m²	130 m <sup>2</sup>	200 m <sup>2</sup>	250 m <sup>2</sup>	300 m <sup>2</sup>	350 m <sup>2</sup>	500 m <sup>2</sup>

For best performance select batteries with at least 2.5 Ah

- Battery capacity (2x batteries required)
   Max. lawn area that can be scarified per battery charge

(The stated area coverage is based on the assumption of ideal conditions)

## **CORDLESS SCARIFIERS/AERATOR 18 V**

### GC-SC 18/28 Li Brushless

- Working width: 28 cm
- For lawn areas of up to approx.: 200 m<sup>2</sup>
- Working depth adjustment: 3 levels (-2 / -4 / -6) mm) + transport position (+2 mm)
- Number of scarifying blades: 12 rotating blades

Article only available without battery / charger Art. No. 34.206.04

<b>1)</b>	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
<b>2</b> )	60 m²	80 m²	100 m <sup>2</sup>	120 m <sup>2</sup>	160 m <sup>2</sup>	210 m <sup>2</sup>	240 m <sup>2</sup>	350 m <sup>2</sup>

For best performance select a battery with at least 2.5 Ah

1) Battery capacity

<sup>2)</sup> Max, lawn area that can be scarified per battery charge (The stated area coverage is based on the assumption of ideal conditions)





- Optional extensible with
- aerator roller and catch bag
- Height-adjustable handlebar
- Integrated carry handle



- Brushless motor more power, prolonged operation
- Optional extensible with aerator
- roller and catch bag
- Individually adjustable long handle





## **CORDLESS TILLER 36 V**

### GE-CR 30 Li

- Working width: 30 cm
- Working depth: 20 cm
- Number of blades: 4 pcs

Article only available without batteries / chargers Art. No. 34.312.00

<b>1</b> )	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
<b>&gt;&gt;&gt;&gt;</b> <sup>2)</sup>	15 min	20 min	21 min	25 min	35 min	50 min	60 min	70 min

For best performance select batteries with at least 2.5 Ah

Battery capacity (2x batteries required)
 Max. operating time per battery charge in idle mode





- Height-adjustable wheels for easy transportation
- Ergonomic handlebar
- Folding handlebar

## **CORDLESS TILLER 18 V**

### GE-CR 18/20 Li E

- Working width: 20 cm
- Working depth: 20 cm
- Number of blades: 4 pcs

Article only available without battery / charger Art. No. 34.312.10


<b>1</b> )	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
<b>&gt;&gt;&gt;&gt;</b> <sup>2)</sup>	20-25	20-35	30-40	40-50	50-70	70-90	80-100	100-140
	min							

1) Battery capacity

<sup>2)</sup> Max. operating time per battery charge in idle mode



- Height adjustable additional handle
- Split shaft



## **CORDLESS EARTH AUGER 18 V**



- Brushless motor more power, prolonged operation
- Clockwise and counter-clockwise operation
- Robust steel frame



### GP-EA 18/150 Li Brushless

#### PROFESSIONAL

- Drilling diameter: 150 mm
  Drill bit length: 800 mm
  Speed: 125 min<sup>-1</sup>

Article only available without battery / charger Art. No. 34.370.00

						5.2 Ah		
<b>&gt;&gt;&gt;&gt;</b> <sup>2)</sup>	10 pcs	15 pcs	20 pcs	30 pcs	40 pcs	50 pcs	60 pcs	80 pcs

For best performance select a battery with at least 2.5 Ah

Battery capacity
 Max. number of drill holes (depth 40 cm, mixed soil) per battery charge



## **CORDLESS SNOW THROWER 18 V**



## POWER

- Brushless motor more power, prolonged operation
- Snow ejection direction adjustable
- Electronic speed control (6 settings)
- Integrated carry handle



### **GE-ST 36/40 Li E Brushless**

- Working width: 40 cm
- Max. snow height: 20 cm
   Throwing distance max.: 6 m

Article only available without batteries / chargers Art. No. 34.170.11

		2.0 Ah						
<b>2</b> )	15 min	20 min	25 min	30 min	40 min	50 min	60 min	80 min

For best performance select batteries with at least 4.0 Ah

Battery capacity (2x batteries required)
 Max. operating time per battery charge in idle mode







## **CORDLESS UNIVERSAL SPREADER 18 V**

Electronic speed control (6 settings) Flow rate adjustment (8-stage) Adjustable spread width



### GE-US 18 Li

- Capacity: 3.3 l
  Spread width: max. 5 m
  Suitable for: Fertiliser, grass seed and salt

Article only available without battery / charger Art. No. 34.154.10

<b>1)</b>	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
<b>&gt;&gt;&gt;&gt;</b> <sup>2)</sup>	2 h	3 h	4 h	6 h	7 h	9 h	10 h	14 h

Battery capacity
 Max. operating time per battery charge



## 🖪 Einhell

## **CORDLESS SCYTHE 36 V**

### **AGILLO 36/255**

- Cutting width blade / thread: 25.5 cm / 30 cm
- Thread diameter: 2.0 mm
- Thread length: 8 m
- Incl.: Line spool and 3-teeth blade

Article only available without batteries / chargers Art. No. 34.113.20

<b>1</b> )	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
<b>&gt;&gt;&gt;&gt;</b> <sup>2)</sup>	20 min	30 min	35 min	45 min	65 min	80 min	90 min	130 min
<b>&gt;&gt;&gt;&gt;</b> <sup>3)</sup>	15 min	25 min	28 min	35 min	45 min	60 min	70 min	90 min

For best performance select batteries with at least 2.5 Ah



Spindle lock

## **CORDLESS SCYTHE 18 V**

### **AGILLO 18/200**

- Cutting width blade / thread: 20 cm / 30 cm
- Thread diameter: 2.0 mm
- Thread length: 8 m
- Incl.: Line spool and 3-teeth blade

Article only available without battery / charger Art. No. 34.113.10

<b>1)</b>	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
<b>2)</b>	15 min	20 min	25 min	35 min	50 min	65 min	75 min	100 min
<b>3</b> )	10 min	12 min	15 min	20 min	30 min	45 min	55 min	60 min

For best performance select a battery with at least 2.5 Ah

Battery capacity (AGILLO 36/255: 2x batteries required)
 Max. operating time per battery charge in idle mode (blade)
 Max. operating time per battery charge in idle mode (thread spool)



## **CORDLESS LAWN TRIMMERS 36 V**

### GP-CT 36/35 Li Brushless

Cutting width: 35 cm

- Thread diameter: 2.0 mm
- Thread length: 8 m

Article only available without batteries / chargers Art. No. 34.113.30

<b>1)</b>	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
<b>&gt;&gt;&gt;&gt;</b> <sup>2)</sup>	25 min	30 min	35 min	45 min	60 min	70 min	95 min	120 min
<b>3</b> )	15 min	20 min	25 min	35 min	45 min	55 min	65 min	90 min

Battery capacity (2x batteries required)
 Max. running time in ECO mode per battery charge
 Max. operating time per battery charge (BOOST mode)



### GE-CT 36/30 Li E

- Cutting width: 30 cm
- Thread diameter: 2.0 mm
- Thread length: 8 m

Article only available without batteries / chargers Art. No. 34.113.00

		2.0 Ah						
<b>XXX</b> <sup>2)</sup>	20 min	30 min	38 min	45 min	60 min	75 min	90 min	120 min

For best performance select batteries with at least 2.5 Ah

- <sup>1)</sup> Battery capacity (2x batteries required)
- <sup>2)</sup> Max. operating time per battery charge in idle mode



### 🖪 Einhell

NEW

## **CORDLESS LAWN TRIMMERS 18 V**

### GE-CT 18/33 Li

- Cutting width: 33 cmThread diameter: 2.0 mm
- Thread length: 8 m

Article only available without battery / charger Art. No. 34.112.70

	1)	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
<b>}})</b>	2)	15 min	20 min	25 min	30 min	40 min	50 min	60 min	80 min

- Double-curved, ergonomic guide bar Bump feed system
- Split shaft

Telescopic long handle Motor head rotatable and tiltable

Bump feed system



- Cutting width: 30 cmThread diameter: 1.6 mm
- Thread length: 5 m

Article only available without battery / charger Art. No. 34.112.50

**1**) 1.5 Ah 2.0 Ah 2.5 Ah 3.0 Ah 4.0 Ah 5.2 Ah 6.0 Ah 8.0 Ah 2) <sup>2)</sup> 20 min 30 min 38 min 45 min 60 min 75 min 90 min 120 min

1) Battery capacity

<sup>2)</sup> Max. operating time per battery charge in idle mode



## **CORDLESS LAWN TRIMMERS 18 V**

### GE-CT 18/28 Li TC

- Cutting width: 28 cmThread diameter: 1.6 mm
- Thread length: 5 m

Article only available without battery / charger Art. No. 34.112.12

	1)	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
X	2)	30 min	40 min	45 min	50 min	60 min	70 min	90 min	120 min

# Incl. trimmer cart ("City" Lawn Mower) Motor head rotatable and tiltable Automatic feeding line spool

### GE-CT 18/28 Li

- Cutting width: 28 cm
- Thread diameter: 1.6 mm
- Thread length: 5 m

1.5 Ah

30 min

Article only available without battery / charger Art. No. 34.112.42 3.0 Ah

50 min

4.0 Ah

60 min

5.2 Ah

70 min

6.0 Ah

90 min

8.0 Ah

120 min

Telescopic long handle	е

- Motor head rotatable and tiltable
- Automatic feeding line spool

1) Battery capacity

**()** ()

2) <sup>2)</sup>

<sup>2)</sup> Max. operating time per battery charge in idle mode

2.0 Ah

40 min

2.5 Ah

45 min



## **CORDLESS LAWN TRIMMERS 18 V**

### GE-CT 18 Li

- Cutting width: 24 cm
- Incl.: Box with 20 plastic blades

Incl. 1 battery (18 V|2.0 Ah|Li-lon) and 1 charger Art. No. 34.111.97 Without battery / charger Art. No. 34.111.72

<b>IIII)</b> 1)	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
<b>XXX</b> <sup>2)</sup>	40 min	55 min	65 min	80 min	125 min	160 min	180 min	250 min

### GC-CT 18/24 Li

- Cutting width: 24 cm
- Incl.: 20 plastic blades

Incl. 1 battery (18 V 2.0 Ah Li-Ion) and 1 charger	Art. No. 34.111.25
Without battery / charger	Art. No. 34.111.23

<b>1</b> )	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
<b>2</b> )	40 min	55 min	65 min	80 min	125 min	160 min	180 min	250 min

### GC-CT 18/24 Li P

- Cutting width: 24 cmIncl.: 20 plastic blades

Incl. 1 battery (18 V|1.5 Ah|Li-lon) and 1 charger Art. No. 34.111.02 Without battery / charger Art. No. 34.111.04

					4.0 Ah			
<b>&gt;&gt;&gt;&gt;</b> <sup>2)</sup>	40 min	55 min	65 min	80 min	125 min	160 min	180 min	250 min





## CORDLESS LAWN EDGE TRIMMER 18 V

### GE-LE 18/190 Li

- Min. cutting depth: 36.5 mm
- Max. cutting depth: 45 mm
- Blade length: 190 mm
- Cutting depth settings: 36.5 / 40 / 45 mm

Article only available without battery / charger Art. No. 34.243.00

<b>IIII</b> <sup>1)</sup>	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
<b>2)</b>	20 min	25 min	33 min	45 min	55 min	65 min	75 min	110 min

## **CORDLESS GROUT CLEANER 18 V**

### GC-CC 18 Li

- Charging time / running time: 40 / 45 min
- Diameter of brush: 10 cm
- Incl.: 1 steel brush (15 mm) and 1 nylon brush (10 mm)

Incl. 1 battery (18 V|2.0 Ah|Li-Ion) and 1 charger Art. No. 34.240.51

Without battery / charger

Art. No. 34.240.50

		2.0 Ah						
2) <sup>2)</sup>	30 min	45 min	50 min	60 min	90 min	120 min	135 min	180 min

1) Battery capacity

98

<sup>2)</sup> Max. operating time per battery charge in idle mode

- 3-steps cutting depth adjustment
- Split shaft
- Guide wheels accurate working progress







## **CORDLESS SURFACE BRUSH 18 V**

### PICOBELLA 18/215

- Max. working width: 215 mm
- Diameter of brush: 115 mm
- Idle speed: 800 1400 min<sup>-1</sup>
- 2-in-1 function: Wet and dry cleaning

Incl. brush MEDIUM but no battery / charger Art. No. 34.242.00

Incl. brush SOFT but no battery / charger

Art. No. 34.242.01

<b>1)</b>	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
<b>)))</b> <sup>2)</sup>	8-25	10-30	12-34	17-46	20-55	25-70	29-90	40-110
	min							

<sup>1)</sup> Battery capacity

<sup>2)</sup> Max. operating time per battery charge in idle mode – dependent on the selected speed

- Just one work step for thorough, complete wet cleaning thanks to the integrated garden hose connection
- A special side brush is suitable for perimeter work right up to the edge
- Changeable brushes





### PERFECT BRUSHES FOR EVERY SURFACE.



Surface Brush SOFT Wood / WPC / BPC Artificial turf



**Surface Brush MEDIUM** (incl. side brush)

Smooth stone

 e.g. tiles/concrete

 Incl. side brush for
 machining edges



Surface Brush ULTRA Rough stone Robust stone e.g. granite/porphyry



Surface Brush ULTRA (incl. side brush)

- Rough stone
- Robust stone
- e.g. granite/porphyry Incl. side brush for
- machining edges



## **CORDLESS HEDGE TRIMMERS 36 V**

### GE-CH 36/65 Li

- Bar length / cutting length: 720 mm / 650 mm
- Spacing between teeth: 30 mm

Article only available without batteries / chargers Art. No. 34.109.60

<b>IIII</b> <sup>1)</sup>	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
<b>&gt;&gt;&gt;&gt;</b> <sup>2)</sup>	60 min	75 min	93 min	120 min	150 min	180 min	225 min	300 min




### GE-CH 36/61 Li

- Bar length / cutting length: 670 mm / 610 mm
- Spacing between teeth: 26 mm

Article only available without batteries / chargers Art. No. 34.109.65

<b>1)</b>	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
<b>&gt;&gt;&gt;&gt;</b> <sup>2)</sup>	54 min	72 min	80 min	105 min	144 min	168 min	210 min	288 min





Battery capacity (2x batteries required)
 Max. operating time per battery charge in idle mode





## **CORDLESS HEDGE TRIMMERS 18 V**

### GE-CH 18/60 Li

- Bar length / cutting length: 670 mm / 600 mm
- Spacing between teeth: 22 mm

Article only available without battery / charger Art. No. 34.109.30

<b>IIII)</b> 1	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
<b>&gt;&gt;&gt;</b> <sup>2)</sup>	35 min	45 min	53 min	70 min	90 min	110 min	135 min	180 min



### **ARCURRA 18/55**

- Bar length / cutting length: 620 mm / 550 mm
- Spacing between teeth: 18 mm

Article only available without battery / charger Art. No. 34.109.20

<b>IIII)</b> 1)	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
<b>2</b> )	35 min	45 min	53 min	70 min	90 min	110 min	135 min	180 min





## **CORDLESS HEDGE TRIMMERS 18 V**

### GC-CH 1855/1 Li

- Bar length / cutting length: 620 mm / 550 mm
- Spacing between teeth: 18 mm

Incl. 1 battery (18 V|2.5 Ah|Li-Ion) and 1 charger Art. No. 34.105.06 Without battery / charger Art. No. 34.105.02

<b>1</b> )	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
<b>&gt;&gt;&gt;&gt;</b> <sup>2)</sup>	60 min	80 min	100 min	120 min	160 min	210 min	240 min	360 min



### GC-CH 18/50 Li

- Bar length / cutting length: 550 mm / 500 mm
- Spacing between teeth: 17 mm

Article only available without battery / charger Art. No. 34.109.45

		2.0 Ah						
<b>&gt;&gt;&gt;&gt;</b> <sup>2)</sup>	40 min	53 min	67 min	80 min	106 min	139 min	160 min	212 min







## **CORDLESS HEDGE TRIMMERS 18 V**

### GC-CH 1846 Li

- Bar length / cutting length: 520 mm / 460 mm
- Spacing between teeth: 15 mm

Incl. 1 battery (18 V|2.0 Ah|Li-Ion) and 1 charger Art. No. 34.106.83 Without battery / charger Art. No. 34.106.42

<b>1)</b>	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
<b>2</b> )	60 min	80 min	100 min	120 min	160 min	210 min	240 min	320 min




### GC-CH 18/40 Li

- Bar length / cutting length: 475 mm / 400 mm
- Spacing between teeth: 13 mm

Article only available without battery / charger Art. No. 34.109.40

	1.5 Ah							
<b>2</b> )	40 min	53 min	67 min	80 min	106 min	139 min	160 min	212 min







## **CORDLESS MULTIFUNCTIONAL TOOL 36 V**

POWE



- Brushless motor more power, prolonged operation
- Attachment change without tools
- Adjustable second handle
- Laser-cut and diamond-ground blades



### **GE-LM 36/4in1 Li Brushless**

- Bar length (chainsaw): 200 mm

- Chain cutting speed: 10 m/s
  Blade length of hedge trimmer: 450 mm
  Spacing between teeth (hedge trimmer): 24 mm
  Cutting width line spool / 3-teeth blade: 33 cm / 25.5 cm

Article only available without batteries / chargers Art. No. 34.109.01

<b>1)</b>	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
<b>&gt;&gt;&gt;</b> <sup>2)</sup>	26 min	34 min	41 min	54 min	68 min	86 min	108 min	136 min
<b>3</b> )	20 min	27 min	33 min	44 min	54 min	66 min	88 min	108 min
<b>&gt;&gt;&gt;</b> <sup>4)</sup>	20 min	28 min	33 min	40 min	56 min	66 min	80 min	112 min
<b>5</b> )	60 pcs	80 pcs	100 pcs	120 pcs	160 pcs	200 pcs	240 pcs	320 pcs

Battery capacity (2x batteries required)
 Max, operating time per battery charge in idle mode (scythe)
 Max, operating time per battery charge in idle mode (lawn trimmer)
 Max, operating time per battery charge in idle mode (telescopic hedge trimmer)
 Max, cuts through 70 x 70 mm square timber per battery charge (pole-mounted pruner)



## **CORDLESS MULTIFUNCTIONAL TOOL 18 V**

### GE-HC 18 Li T

- Bar length (chainsaw): 200 mm
- Chain cutting speed: 3.76 m/s
- Max. cutting length (hedge trimmer): 450 mm
- Spacing between teeth (hedge trimmer): 16 mm

Incl. 1 battery (18 V|3.0 Ah|Li-lon) and 1 charger Art. No. 34.108.05 Without battery / charger Art. No. 34.108.00

<b>1)</b>	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
<b>2</b> )	30 pcs	40 pcs	48 pcs	60 pcs	75 pcs	100 pcs	120 pcs	150 pcs
<b>3</b> )	20 min	30 min	35 min	40 min	60 min	75 min	80 min	120 min

For best performance select a battery with at least 2.5 Ah

- 1) Battery capacity
- <sup>12</sup> Max, cuts through 70 x 70 mm square timber per battery charge (pole-mounted pruner)
   <sup>13</sup> Max, operating time per battery charge in idle mode (telescopic hedge trimmer)



## CORDLESS **POLE-MOUNTED** PRUNERS ACCESSORIES

### **Hedge Trimmer**

Can be used for: GE-LC 18 Li T

Art. No. 34.108.18



## CORDLESS TELESCOPIC **HEDGE TRIMMERS** ACCESSORIES


### **Pole Pruner**

Can be used for: GE-HH 18/45 Li T

Art. No. 34.108.35







Max. cuts through 70 x 70 mm square timber per battery charge

106





## CORDLESS TELESCOPIC HEDGE TRIMMERS 18 V

### GE-HH 18/45 Li T

- Bar length / cutting length: 450 mm / 400 mm
- Spacing between teeth: 16 mm

Article only available without battery / charger Art. No. 34.108.66

<b>1)</b>	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
<b>&gt;&gt;&gt;&gt;</b> <sup>2)</sup>	20 min	30 min	35 min	40 min	60 min	75 min	80 min	120 min



### GC-HH 18/45 Li T

- Bar length / cutting length: 450 mm / 410 mm
- Spacing between teeth: 18 mm

Article only available without battery / charger Art. No. 34.105.85

<b>1)</b>	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
<b>&gt;&gt;&gt;&gt;</b> <sup>2)</sup>	20 min	28 min	33 min	40 min	56 min	66 min	80 min	112 min



Continuously telescopic aluminium handle Speed control for optimal adjustment of

Continuous running for comfortable work

5.2 Ah

69 min

6.0 Ah

80 min

117 min | 136 min

8.0 Ah

108 min

181 min

NEW

the speed

3.0 Ah

40 min

68 min

4.0 Ah

54 min

90 min

1.5 Ah

20 min

34 min

2.0 Ah


27 min

45 min

2.5 Ah

34 min

56 min





## **CORDLESS PRUNING CHAINSAW 18 V**





- Brushless motor more power, prolonged operation
- Slim and lightweight design for ergonomic operation
- Suitable for pruning and shaping trees and bushes, shredding green cuttings and cutting squared timber

#### **GE-PS 18/15 Li Brushless**

- Bar length / cutting length: 150 mm / 125 mm
- Cutting speed: 4.8 m/s
  Product weight: 1.1 kg (excl. battery)

Article only available without battery / charger Art. No. 46.000.40

<b>1</b> )	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
2) <sup>2)</sup>	95 pcs	127 pcs	158 pcs	190 pcs	254 pcs	329 pcs	380 pcs	506 pcs

Battery capacity
 Max. cuts per battery charge through soft roundwood (ø 50 mm)





## **TOP-HANDLED CORDLESS CHAINSAW 18 V**

#### FORTEXXA 18/20 TH

PROFESSIONAL

- Bar length / cutting length: 200 mm / 140 mm
- Cutting speed: 7 m/s
- Oil tank capacity: 75 ml

Article only available without battery / charger Art. No. 46.000.20

	1.5 Ah							
<b>&gt;&gt;&gt;&gt;</b> <sup>2)</sup>	60 pcs	80 pcs	100 pcs	120 pcs	160 pcs	210 pcs	240 pcs	320 pcs

For best performance select a battery with at least 2.5 Ah

1) Battery capacity

- <sup>2)</sup> Max. cuts through 70 x 70 mm square timber per battery charge
- WARNING: This chainsaw may only be used by trained tree care workers. Misactions in compliance with safety instructions may cause serious injuries.



Perfectly suited for branch removal and tree maintenance



Automatic chain lubrication

## **CORDLESS CHAINSAW 36 V**

#### GP-LC 36/35 Li Brushless

PROFESSIONAL

- Bar length / cutting length: 350 mm / 330 mm
- Cutting speed: 15 m/s
- Oil tank capacity: 115 ml

Article only available without batteries / chargers Art. No. 45.017.80

	1.5 Ah							
<b>&gt;&gt;&gt;&gt;</b> <sup>2)</sup>	120 pcs	160 pcs	200 pcs	240 pcs	320 pcs	420 pcs	480 pcs	640 pcs

For best performance select batteries with at least 3.0 Ah

- <sup>1)</sup> Battery capacity (2x batteries required)
- <sup>2)</sup> Max. cuts through 70 x 70 mm square timber per battery charge





#### 🔁 Einhell

## **CORDLESS CHAINSAWS 18 V**

#### FORTEXXA 18/30

- Bar length / cutting length: 300 mm / 270 mm
- Cutting speed Eco/High: 6.0 / 8.9 m/s
- Oil tank capacity: 160 ml

Article only available without battery / charger Art. No. 46.000.10

	<b>II</b> ) <sup>1)</sup>	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
X	2)	53 pcs	70 pcs	88 pcs	105 pcs	140 pcs	182 pcs	210 pcs	280 pcs
X	3)	59 pcs	78 pcs	98 pcs	117 рся	156 pcs	203 pcs	234 pcs	312 pcs

For best performance select a battery with at least 4.0 Ah

1) Battery capacity

<sup>2)</sup> Max. cuts through 70 x 70 mm square timber per battery charge in HIGH POWER mode

<sup>3)</sup> Max. cuts through 70 x 70 mm square timber per battery charge in ECO mode



- Adjustable chain speed, depending on the application
- Toolless chain tensioning and changing

#### GE-LC 18/25-1 Li

- Bar length / cutting length: 250 mm / 230 mm
- Cutting speed: 4.5 m/s

Without battery / charger

Oil tank capacity: 200 ml

#### Incl. 1 battery (18 V | 3.0 Ah | Li-Ion) and 1 charger Art. No. 45.017.60

Art. No. 45.017.61

		2.0 Ah						
<b>2</b> )	50 pcs	70 pcs	85 pcs	100 pcs	130 pcs	180 pcs	200 pcs	260 pcs

For best performance select a battery with at least 2.5 Ah

<sup>1)</sup> Battery capacity

<sup>2)</sup> Max. cuts through 70 x 70 mm square timber per battery charge



Sturdy stop claws made of metal

111



## **CORDLESS CHAIN SHARPENER 18 V**

#### GE-CS 18 Li

- Grinding wheel diameter (inside): 23 mm
- Grinding wheel diameter (outside): 108 mm
- Grinding wheel thickness: 3.2 mm

Article only available without battery / charger Art. No. 44.999.40

	1)	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
<b>}}</b>	2)	180 min	240 min	300 min	390 min	480 min	660 min	780 min	960 min

1) Battery capacity

<sup>2)</sup> Max. operating time per battery charge in idle mode

- Depth stop
- Scale for precise setting
- of the grinding angle
- Clamping device



## **CORDLESS LEAF BLOWER 36 V**

#### GP-LB 36/210 Li E Brushless

Max. blow velocity: 210 km/h

- Max. blowing air flow: 816 m<sup>3</sup>/h
- Product weight: 2.5 kg (excl. batteries)

Article only available without batteries / chargers Art. No. 34.336.20

<b>1)</b>	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
<b>&gt;&gt;&gt;&gt;</b> <sup>2)</sup>	7-40 min	10-55 min	11-63 min	16-92 min	20-116 min	26-138 min	30-165 min	40-232 min
<b>&gt;&gt;&gt;&gt;</b> <sup>3)</sup>	3 min	4 min	5 min	8 min	10 min	12 min	14 min	20 min


For best performance select batteries with at least 2.5 Ah

- <sup>1)</sup> Battery capacity (2x batteries required)
- Max. operating time per battery charge in idle mode dependent on the selected speed
   Max. operating time per battery charge in idle mode in TURBO mode



PROFESSIONAL





- Turbo function
- Electronic speed control





## **CORDLESS LEAF BLOWERS 18 V**

#### **GP-LB 18/200 Li GK Brushless**

#### PROFESSIONAL

- Max. blow velocity: 200 km/h
- Max. blowing air flow: 670 m<sup>3</sup>/h
- Product weight: 2.2 kg (excl. battery)

Article only available without batteries / chargers Art. No. 34.335.50

<b>1</b> )	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
<b>&gt;&gt;&gt;&gt;</b> <sup>2)</sup>	1-11 min	5-13 min	8-15 min	10-21 min	15-27 min	18-33 min	20-37 min	30-54 min
<b>3</b> )	-	-	3 min	5 min	6 min	10 min	12 min	15 min

For best performance select a battery with at least 3.0 Ah

- Brushless motor more power, prolonged operation
- Turbo function
- Electronic speed control
- Incl. gutter cleaning set





#### GP-LB 18/200 Li E Brushless

- Max. blow velocity: 200 km/h
- Max. blowing air flow: 670 m<sup>3</sup>/h
- Product weight: 2.2 kg (excl. battery)

Article only available without batteries / chargers Art. No. 34.335.55

<b>1)</b>	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
<b>&gt;&gt;&gt;</b> <sup>2)</sup>	1-11 min	5-13 min	8-15 min	10-21 min	15-27 min	18-33 min	20-37 min	30-54 min
<b>3</b> )	-	-	3 min	5 min	6 min	10 min	12 min	15 min

For best performance select a battery with at least 3.0 Ah

#### PROFESSIONAL

- Brushless motor more power,
- prolonged operation
- Turbo function
- Electronic speed control





- 1) Battery capacity
- Max. operating time per battery charge in idle mode dependent on the selected speed
   Max. operating time per battery charge in idle mode in TURBO mode



## **CORDLESS LEAF BLOWERS 18 V**

#### GC-CL 18 Li E

- Max. blow velocity: 210 km/h
- Max. blowing air flow: 105 m<sup>3</sup>/h
- Idle speed: 1400 12000 min<sup>-1</sup>

Incl. 1 battery (18 V | 2.0 Ah | Li-lon) and 1 charger Art. No. 34.335.33 Without battery / charger Art. No. 34.335.32

<b>1</b> )	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
<b>&gt;&gt;&gt;&gt;</b> <sup>2)</sup>	10-180	14-240	16-300	20-390	26-480	40-660	42-720	52-960
	min							

#### Electronic speed control Soft grip

Lightweight and handy design



## **CORDLESS UNIVERSAL BLOWER 18 V**

#### GE-UB 18/250 Li E

- Max. blow velocity: 250 km/h
- Max. blowing air flow: 120 m<sup>3</sup>/h
- Idle speed: 4500 15000 min<sup>-1</sup>
- Product weight: 1.1 kg

Article only available without battery / charger Art. No. 34.335.42

	<sup>1)</sup> 1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
<b>&gt;&gt;&gt;</b>	2) 7-48	10-65	12-80	14-96	20-130	24-166	28-192	40-260
	min	min	min	min	min	min	min	min

For best performance select a battery with at least 2.5 Ah



1) Battery capacity

<sup>2)</sup> Max. operating time per battery charge in idle mode – dependent on the selected speed





## **CORDLESS LEAF VACUUMS 36 V**

- Brushless motor more power, prolonged operation
- Toolless change between suction and blowing function
- Turbo function



#### TWIN-PACK 18V ) + 18V ) 36 V TECHNOLOGY



#### **VENTURRO 36/240**

- Max. blow velocity: 240 km/h
- Max. suction power: 740 m<sup>3</sup>/h
- Shredding function: 10:1
- Product weight: 4.0 kg

Article only available without batteries / chargers Art. No. 34.336.40

<b>1)</b>	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
<b>&gt;&gt;&gt;&gt;</b> <sup>2)</sup>	7-17 min	9-23 min	10-27 min	14-35 min	17-46 min	21-56 min	27-70 min	34-92 min
<b>&gt;&gt;&gt;&gt;</b> <sup>3)</sup>	4 min	5 min	6 min	8 min	10 min	13 min	16 min	20 min
<b>&gt;&gt;&gt;&gt;</b> <sup>4)</sup>	7-19 min	9-25 min	10-28 min	14-37 min	18-49 min	21-58 min	28-74 min	36-98 min
<b>&gt;&gt;&gt;&gt;</b> <sup>5)</sup>	4 min	5 min	6 min	8 min	10 min	13 min	16 min	20 min

For best performance select a battery with at least 2.5 Ah

- Battery capacity (2x batteries required)
   Max. operating time per battery charge in idle mode (vacuuming mode) dependent on the selected speed
   Max. operating time per battery charge in idle mode (TURBO vacuuming mode)
   Max. operating time per battery charge in idle mode (blowing mode) dependent on the selected speed
   Max. operating time per battery charge in idle mode (TURBO blowing mode)





## **CORDLESS LEAF VACUUMS 36 V**

#### **GE-CL 36 Li E Brushless**

- Max. blow velocity: 210 km/h
- Max. suction power / max. blowing air flow: 720 / 195 m<sup>3</sup>/h
- Shredding function: 10:1

Article only available without batteries / chargers Art. No. 34.336.00

<b>1</b> )	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
<b>&gt;&gt;&gt;&gt;</b> <sup>2)</sup>	9-20	10-30	13-35	17-45	22-65	27-90	30-100	44-130
	min							
<b>&gt;&gt;&gt;&gt;</b> <sup>4)</sup>	10-30	13-35	16-40	21-60	27-75	32-105	39-120	54-150
	min							

For best performance select batteries with at least 2.5 Ah

#### GE-CL 36/230 Li E

- Max. blow velocity: 230 km/h
- Max. suction power / max. blowing air flow: 700 / 225 m<sup>3</sup>/h
- Shredding function: 10:1
- Product weight: 3.1 kg (blow) and 4.4 kg (vacuum)

Article only available without batteries / chargers Art. No. 34.336.30

<b>1)</b>	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
<b>&gt;&gt;&gt;&gt;</b> <sup>2)</sup>	10-22 min	12-28 min	14-34 min	20-45 min	24-55 min	30-75 min	35-85 min	48-110 min
<b>&gt;&gt;&gt;&gt;</b> <sup>3)</sup>	4 min	5 min	7 min	11 min	13 min	17 min	20 min	26 min
<b>&gt;&gt;&gt;&gt;</b> <sup>4)</sup>	11-24 min	13-29 min	16-35 min	24-50 min	27-58 min	37-79 min	43-91 min	54-116 min
<b>333</b> <sup>5)</sup>	6 min	7 min	8 min	13 min	15 min	20 min	23 min	30 min

For best performance select batteries with at least 2.5 Ah



- Brushless motor more power, prolonged operation
- Toolless change between suction and blowing function
- Electronic speed control



1	TWIN-PACK
	18V)+ 18V) 36 V
	TECHNOLOGY



- Incl. one wide suction tube and one narrow blowing tube
- Toolless change between suction and blowing function
- Electronic speed control with turbo function

- Battery capacity (2x batteries required)
- Max. operating time per battery charge in idle mode (vacuuming mode) dependent on the selected speed
   Max. operating time per battery charge in idle mode (TURBO blowing mode)

- <sup>3)</sup> Max. operating time per battery charge in idle mode (TURBO vacuuming mode)
- 4) Max. operating time per battery charge in idle mode (blowing mode) dependent on the selected speed





## **CORDLESS LEAF VACUUM 18 V**



- Toolless change between suction and blowing function
- Electronic speed control



#### **VENTURRO 18/210**

Cinhell

- Max. blow velocity: 210 km/h
- Max. suction power: 500 m<sup>3</sup>/h
- Shredding function: 10:1
- Product weight: 3.0 kg

Article only available without battery / charger Art. No. 34.336.25

<b>1</b> )	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
<b>&gt;&gt;&gt;&gt;</b> 2)	0-12	0-14	5-18	7-20	9-30	11-42	15-45	18-60
	min							
<b>&gt;&gt;&gt;&gt;</b> 3)	3-10	4-15	5-19	7-22	9-32	13-40	14-48	18-64
	min							

For best performance select a battery with at least 3.0 Ah

- Battery capacity
   Max. operating time per battery charge in idle mode (vacuuming mode) dependent on the selected speed
   Max. operating time per battery charge in idle mode (blowing mode) dependent on the selected speed





## **CORDLESS GRASS AND SHRUB SHEARS 18 V**

#### GE-CG 18/100 Li T

- Cutting width with grass shear blade: 100 mm
- Cutting length with shrub cutting blade: 200 mm
- Spacing between teeth of shrub cutting blade: 8 mm

Article only available without battery / charger Art. No. 34.103.10

<b>1)</b>	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
<b>&gt;&gt;&gt; </b> 2)	180 min	240 min	300 min	360 min	480 min	650 min	720 min	960 min

#### GE-CG 18/100 Li

- Cutting width with grass shear blade: 100 mm
- Cutting length with shrub cutting blade: 200 mm
- Spacing between teeth of shrub cutting blade: 8 mm

Article only available without battery / charger Art. No. 34.103.13

<b>1)</b>	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
<b>&gt;&gt;&gt;&gt;</b> <sup>2)</sup>	180 min	240 min	300 min	360 min	480 min	650 min	720 min	960 min

#### Blade change without tools

- Laser-cut and diamond-ground blades
- Telescopic long handle



- Blade change without tools
- Laser-cut and diamond-ground blades
- Covered gearbox protecting customer to get in touch with gear oil

#### GC-CG 18 Li

- Cutting width with grass shear blade: 100 mm
- Cutting length with shrub cutting blade: 200 mm
- Spacing between teeth of shrub cutting blade: 8 mm

Article only available without battery / charger Art. No. 34.103.70

<b>1)</b>	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
<b>&gt;&gt;&gt;&gt;</b> <sup>2)</sup>	180 min	240 min	300 min	360 min	480 min	650 min	720 min	960 min

Battery capacity

<sup>2)</sup> Max. operating time per battery charge in idle mode



- Blade change without tools
- Laser-cut and diamond-ground blades
- Metal gear box







## **CORDLESS GRASS SHEARS 18 V**

#### GC-CG 18/1 Li

Cutting width with grass shear blade: 100 mm

Article only available without battery / charger Art. No. 34.103.82

<b>1)</b>	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah		
<b>&gt;&gt;&gt;&gt;</b> <sup>2)</sup>	180 min	240 min	300 min	360 min	480 min	650 min	720 min	960 min		
1) Detter	1) Patters manually									

- Battery capacity
- <sup>2)</sup> Max. operating time per battery charge in idle mode

## **CORDLESS PRUNING SAW 18 V**

#### GE-GS 18/150 Li

- Saw blade length: 150 mm
- Cutting capacity with / without branch handle: 80 mm / 100 mm

Article only available without battery / charger Art. No. 34.082.90

						5.2 Ah		
<b>&gt;&gt;&gt;&gt;</b> <sup>2)</sup>	70 pcs	90 pcs	115 pcs	140 pcs	180 pcs	240 pcs	280 pcs	360 pcs

1) Battery capacity

<sup>2)</sup> Max. cuts per battery charge through roundwood (ø 60 mm)

## CORDLESS PRUNING SHEARS 18 V

#### GE-LS 18 Li

Max. cutting capacity: 28 mm

Article only available without battery / charger Art. No. 34.083.00

## Imm 1 5.5 Ah 2.0 Ah 2.5 Ah 3.0 Ah 4.0 Ah 5.2 Ah 6.0 Ah 8.0 Ah Imm 1070 pcs 1426 pcs 1783 pcs 2139 pcs 2852 pcs 3708 pcs 4278 pcs 5704 pcs

1) Battery capacity





- Laser-cut and diamond-ground blades
- Metal gear box
- Soft grip perfect handling and grip

- 2x high quality saw bladesBlade change without tools
- Long-life metal gearing





- High-quality bypass blades for efficient cutting work
- Belt clip for optimum carrying comfort
- Slim and ergonomic design for effortless working



## **CORDLESS PRESSURE SPRAYERS 18 V**

#### GE-WS 18/150 Li

- Filling capacity of the tank: 15 l
- Max. spraying pressure: 4.5 bar
- Flow rate: 102 l/h
- Pressure hose length: 140 cm

Article only available without battery / charger Art. No. 34.252.30

<b>IIII</b> P <sup>1)</sup>	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
<b>2)</b>	2 h	2.5 h	3.5 h	4 h	5 h	7 h	8.5 h	10 h



#### Automatic pump, no manual pressure build-up required

- Transparent tank with scale for checking the level
- Individually adjustable brass nozzle

#### GE-WS 18/75 Li

- Filling capacity of the tank: 7.5 l
- Max. spraying pressure: 2.5 bar
- Flow rate: 60 l/h
- Pressure hose length: 140 cm

Article only available without battery / charger Art. No. 34.252.20

	1.5 Ah							
<b>&gt;&gt;&gt;&gt;</b> <sup>2)</sup>	5 h	6 h	7.5 h	10 h	12 h	16 h	20 h	24 h

- Automatic pump, no manual pressure build-up required
- Transparent tank with scale for checking the level
- Individually adjustable brass nozzle



1) Battery capacity

<sup>2)</sup> Max. operating time per battery charge in idle mode



## **CORDLESS PRESSURE SPRAYERS 18 V**

#### GE-WS 18/35 Li

- Filling capacity of the tank: 3.5 l
- Max. spraying pressure: 2.5 bar
- Flow rate: 60 l/h
- Pressure hose length: 140 cm

Article only available without battery / charger Art. No. 34.252.10

<b>1)</b>	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
<b>&gt;&gt;&gt;&gt;</b> <sup>2)</sup>	5 h	6 h	7.5 h	10 h	12 h	16 h	20 h	24 h



- Automatic pump, no manual pressure build-up required
- Transparent tank with scale for checking the level
- Individually adjustable brass nozzle

#### GE-WS 18/10 Li

- Filling capacity of the tank: 1 l
- Max. spraying pressure: 1.3 bar
- Flow rate: 9.6 l/h

Article only available without battery / charger Art. No. 34.252.40

<b>1)</b>	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
<b>XXX</b> <sup>2)</sup>	12 h	16 h	20 h	24 h	32 h	42 h	48 h	64 h

<sup>1)</sup> Battery capacity

<sup>2)</sup> Max. operating time per battery charge in idle mode

- Automatic pump, no manual pressure build-up required
- Transparent tank with scale for checking the level
- Individually adjustable brass nozzle



<sup>2)</sup> Max. operating time per battery charge in idle mode



## **ACCESSORY – BATTERY BELT**

#### GE-PB 36/18 Li

- Number of battery pockets: 2 pcs
- Cable length: 150 cm
- Length of hip belt: 150 cm

Article only available without batteries / chargers Art. No. 34.083.10

## **CORDLESS FAN 18 V**

#### GE-CF 18/2200 Li

- Fan speed: 1200 / 1700 / 2200 rpm
- Wind speed: 15000 m/h
- Fan diameter: 180 mm
- Swiveling range: 0-360°

Article only available without battery / charger Art. No. 34.080.35

	<sup>1)</sup> 1.5 /	\h 🗄	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
<b>}}</b>	2) 5.3	h	7 h	8.8 h	10.6 h	14 h	18.3 h	21.2 h	28 h
<b>}}</b>	<sup>3)</sup> 2 h	1	2.6 h	3.3 h	4 h	5.3 h	7 h	8 h	10.6 h

<sup>1)</sup> Battery capacity

<sup>2)</sup> Max. operating time per battery charge at min. revolutions
 <sup>3)</sup> Max. operating time per battery charge at max. revolutions

## GAS HOT AIR GENERATOR WITH RECHARGEABLE BATTERY

#### GE-HG 18/370 Niro Li

- Heating output: 37 kW
- Hot air flow: 1000 m<sup>3</sup>/h
- Max. gas consumption: 2693 g/h
- Max. operating pressure: 1.5 bar

Article only available without battery / charger Art. No. 23.308.05



<sup>1)</sup> Battery capacity <sup>2)</sup> Max. operating time per battery charge



Multifunctional – for 36 V and 18 V devices


Large buckle for easy opening and closing

Padded carrying strap



- Compact, portable cordless fan for indoor and outdoor use
- Infinitely variable adjustment of the fan head
- 3 settings for adjusting the air flow
- Universal use thanks to numerous fastening options





## 122



- No power supply necessary
- Housing made of stainless steel
- Piezo ignition



## **CORDLESS AUTOMATIC GARDEN PUMP 36 V**

#### **AQUINNA 36/38 F LED AUTOMATIC**

- Max. delivery capacity / height: 3800 l/h / 37 m
- Max. suction height: 6 m
- Suction / pressure connection: 33.3 mm (1") ET / 33.3 mm (1") IT

Article only available without batteries / chargers Art. No. 41.804.20

<b>1)</b>	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah	
<b>&gt;&gt;&gt;&gt;</b> <sup>2)</sup>	12 min	16 min	20 min	20 min   24 min		42 min	48 min	64 min	
<b>3</b> )	24 min	32 min	40 min	48 min	64 min	84 min	96 min	128 min	







- Automatic function and dry running protection
- Integrated: pre-filter and non-return valve
- 2-step switch (ECO/BOOST mode)
- Suction, water filling and dirt indicator

## **CORDLESS GARDEN PUMPS 36 V**

#### AOUINNA 36/38 F LED

- Max. delivery capacity / height: 3800 l/h / 37 m
- Max. suction height: 6 m
- Suction / pressure connection: 33.3 mm (1") ET / 33.3 mm (1") IT

Article only available without batteries / chargers Art. No. 41.804.10

[	<b>1)</b>	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
	<b>)))</b> 2)	12 min	16 min	20 min	24 min	32 min	42 min	48 min	64 min
	<b>3</b> )	24 min	32 min	40 min	48 min	64 min	84 min	96 min	128 min





- Water filling and dirt indicator
- Integrated: pre-filter and
- non-return valve
- 2-step switch (ECO/BOOST mode)





Battery capacity (2x batteries required)
 Max. running time in BOOST mode per battery charge
 Max. running time in ECO mode per battery charge



## **CORDLESS GARDEN PUMPS 36 V**

#### **AQUINNA 36/30**

- Max. delivery capacity / height: 3000 l/h / 26 m
- Max. suction height: 8 m
- Suction / pressure connection: 42 mm (11/4") ET / 33.3 mm (1") IT
- Incl.: Suction side adapter to reduce to 33.3 mm (1") ET

Article only available without batteries / chargers Art. No. 41.804.00

<b>1)</b>	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah	
<b>&gt;&gt;&gt;</b> <sup>2)</sup>	12 min	15 min	23 min	30 min	35 min	45 min	50 min	70 min	
<b>&gt;&gt;&gt;</b> <sup>3)</sup>	30 min	35 min	47 min	55 min	70 min	85 min	100 min	140 min	

<sup>1)</sup> Battery capacity (2x batteries required)

<sup>2)</sup> Max. running time in BOOST mode per battery charge

<sup>3)</sup> Max. running time in ECO mode per battery charge

## **CORDLESS GARDEN PUMP 18 V**

#### AQUINNA 18/30 F LED

- Max. delivery capacity / height: 3000 l/h /28 m
- Max. suction height: 6 m
- Suction / pressure connection: 33.3 mm (1") ET / 33.3 mm (1") IT

Article only available without batteries / chargers Art. No. 41.804.30

<b>1)</b>	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
<b>&gt;&gt;&gt;</b> <sup>2)</sup>	10 min	15 min	17 min	20 min	30 min	36 min	40 min	60 min
<b>3</b> )	14 min	19 min	23 min	28 min	38 min	48 min	56 min	76 min
<b>&gt;&gt;&gt;&gt;</b> <sup>4)</sup>	20 min	30 min	34 min	40 min	60 min	72 min	80 min	120 min
<b>&gt;&gt;&gt;&gt;</b> <sup>5)</sup>	28 min	38 min	46 min	56 min	76 min	96 min	112 min	152 min

1) Battery capacity

174

- <sup>2)</sup> Max. running time in BOOST mode with 1x 18 V battery per battery charge
- <sup>3)</sup> Max. running time in ECO mode with 1x 18 V battery per battery charge
- <sup>4)</sup> Max. running time in BOOST mode with 2x 18 V batteries per battery charge
- <sup>5)</sup> Max. running time in ECO mode with 2x 18 V batteries per battery charge



- Double Runtime Technology –
   2 battery slots double runtime –
   works also with one battery
- Water filling and dirt indicator
- Integrated: pre-filter and nonreturn valve
- 2-step switch (ECO/BOOST mode)





- Water filler screw
- Frost protection due to a water drain screw
- 2-step switch (ECO/BOOST mode)









## **CORDLESS SUBMERSIBLE PRESSURE / RAIN BARREL PUMP 18 V**

- Mobile battery box with integrated cable storage holder
- Infinitely adjustable telescopic connection pipe
- Powerful motor high delivery pressure



#### GE-PP 18 RB Li

- Max. delivery height / pressure: 20 m / 2 bar
  Max. delivery capacity: 3000 l/h
  Max. immersion depth: 4 m

Article only available without battery / charger Art. No. 41.704.29

						5.2 Ah		
<b>2</b> )	12 min	15 min	20 min	25 min	30 min	35 min	45 min	60 min

Battery capacity
 Max. operating time per battery charge in idle mode





## **CORDLESS CLEAR WATER PUMPS 18 V**

#### GE-SP 18 Li

- Max. delivery capacity / height: 5000 l/h / 8 m
  Max. immersion depth: 4 m
- Hose connection: 33.3 mm (G1 ET)

Article only available without battery / charger Art. No. 41.815.00

<b>1)</b>	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
<b>XXX</b> <sup>2)</sup>	20 min	30 min	35 min	40 min	60 min	70 min	80 min	120 min



Mobile battery box with integrated cable storage holder

- Practical mounting options
- Powerful motor high flow rate

#### GE-SP 18 LL Li

- Max. delivery capacity / height: 4500 l/h / 8 m
- Max. immersion depth: 4 m
- Hose connection: 33.3 mm (G1 ET)

Article only available without battery / charger Art. No. 41.815.60

<b></b> 1)	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
<b>2</b> )	20 min	30 min	35 min	40 min	60 min	70 min	80 min	120 min





- Mobile battery box with integrated cable storage holder
- Practical mounting options
- Powerful motor low level suction

1) Battery capacity

<sup>2)</sup> Max. operating time per battery charge in idle mode

126



## **CORDLESS DIRTY WATER PUMPS 18 V**

#### GE-DP 18/25 Li

- Max. delivery capacity / height: 7500 l/h / 5 m
- Max. immersion depth: 4 m
- Hose connection: 42 mm (G 1¼ ET)
- Incl.: Universal connection for 25 mm / 33.3 mm / hoses of up to 1½"

Article only available without battery / charger Art. No. 41.815.80

<b>1)</b>	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
<b>2</b> )	11 min	15 min	19 min	23 min	30 min	40 min	46 min	60 min
<b>3</b> )	16 min	21 min	26 min	32 min	42 min	55 min	64 min	84 min

- Mobile battery box with integrated cable storage holder
- Practical mounting options
- Powerful motor high flow rate
- 2-step switch (ECO/BOOST mode)



#### GE-DP 18/25 LL Li

- Max. delivery capacity / height: 7000 l/h / 5 m
- Max. immersion depth: 4 m
- Hose connection: 42 mm (G 1¼ ET)
- Incl.: Universal connection for 25 mm / 33.3 mm / hoses of up to 1½"

Art. No. 41.815.90 Article only available without battery / charger

<b>1)</b>	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah		
<b>2)</b>	11 min	15 min	19 min	23 min	30 min	40 min	46 min	60 min	
<b>&gt;&gt;&gt;&gt;</b> 3)	16 min	21 min	26 min	32 min	42 min	55 min	64 min	84 min	

1) Battery capacity

<sup>2)</sup> Max. running time in BOOST mode per battery charge
 <sup>3)</sup> Max. running time in ECO mode per battery charge



- Mobile battery box with integrated cable storage holder
- Practical mounting options
- Powerful motor high flow rate
- 2-step switch (ECO/BOOST mode)
- 2-in-1 function: pumping clear water and dirty water



## THE POWER X-CHANGE PARTNERS. STRONG COOPERATIONS WITH STRONG PRODUCTS.

"Cordless freedom for everyone." This is the vision of the Einhell brand. It is widely known already that the cordless screwdrivers, circular saws, lawn mowers and all other members of the Power X-Change team can be operated using one and the same battery. To give our customers access to many more Power X-Change applications beyond the workshop and garden we have opened our cordless platform to cooperation partners from other areas. Diverse platform partners are already using our Power X-Change batteries in their own products – and the number is constantly rising!

#### MISSION GAMING FUN WITH CORDLESS POWER

#### Ride-On Audi R8 Spyder from Jamara

- Dimensions (l x w x h): 106 × 62 × 34 cm
- Top speed: approx. 5 km/h
- Max. weight: 25 kg

Article only available without batteries / chargers Art. No. 60.000.13

Other colors are available at www.Jamara-shop.com

- 2 wheel drives with 2 powerful drive motors
- Bluetooth and USB connection for music
- Chassis suspension at the rear
- Sport type steering wheel and LED headlights



## PROTECTION FROM THE SUN ITH POWER X-CHANGE

#### **Cantilever sunshade from Doppler**

Our platform partner Doppler has developed a high-grade cantilever sunshade with LED lighting. This impressive sunshade with its surface area of 400 x 300 cm can be illuminated by Power X-Change. Thanks to the Power X-Change LED lighting, this sunshade is able to create the ideal ambience even in twilight hours.

To learn more, go to www.dopplerschirme.com











#### **POND CARE WITH POWER X-CHANGE**

#### Pond sludge vacuum cleaner type F636-PXC from Heissner

Heissner, our platform partner and specialist for ponds, pools and garden lighting, has created the perfect cordless garden helper in the form of its F636-PXC pond sludge vacuum cleaner. The wet and dry vac with self-emptying function is perfect for cleaning small ponds and for emptying pools, paddling pools and much more besides.

#### **CAMPING WITH E.POWER TECHNOLOGY**

#### Knaus/Weinsberg - Caravan Charger

Users of select caravan models from Knaus and Weinsberg can operate their refrigerator, water pump and light with our Power X-Change batteries for up to 10 hours. In other words the customer can supply his caravan independently with energy for a whole night. And of course he can remove the battery at any time for use in any one of the other 300+ cordless devices such as a cordless vacuum cleaner or a cordless compressor. What could be more perfect than our Power X-Change battery for your next camping trip!?

#### UNLIMITED SUCTION THANKS TO CORDLESS BATTERY CHANGE-OVER SYSTEM

#### SEPURO stick vacuum cleaner from Severin

Severin trusts in the Power X-Change cordless platform for its SEPURO range of innovative handheld and stick vacuum cleaners. With the 3.0 Ah battery included on delivery, the SEPURO PRO achieves either a running time of up to 60 minutes or uninterrupted suction thanks to its battery changeover system! Plus – the vac guarantees uncompromising cleanliness. Whether you prefer the model with a dust bag or without, this cordless vac sets new standards in terms of hygiene and is also allergy-friendly.





To learn more, go to www.severin.com



## **ACCESSORIES – BATTERIES**

SAH • 300% LIFETIME • 00% RUNTIME 8 AH • 8 AH

## ATTRY CONTROL

#### 5-8 Ah Power X-Change Plus Battery

- Items supplied: 1 battery
- Battery voltage / capacity: 18 V / 8.0 Ah or 5.0 Ah (depending on the application)
- Battery power: max. 1350 W

#### Art. No. 45.116.00



#### 4-6 Ah Power X-Change Plus Battery

- Items supplied: 1 battery
- Battery voltage / capacity: 18 V / 6.0 Ah or 4.0 Ah (depending on the application)
- Battery power: max. 1350 W

Art. No. 45.115.02



#### CLIMATE PROTECTION PROJECTS AT CLIMATEPARTNER

To compensate the CO2 emissions of our Power X-Change batteries we are supporting climate protection projects in the areas of sustainable power generation and marine conservation. The com-



## IT'S YOUR CHOICE.



#### WHAT DOES MULTI-Ah MEAN?

Thanks to MULTI-Ah technology,

switching over from a 5 Ah battery to a 8 Ah battery is really easy and can be done with just the push of a button. The 5 Ah battery has a 3x longer total service life and is suitable for lighter applications (e.g. cordless lamp or cordless screwdriver). The 8 Ah battery offers the maximum running time for more capacity-intensive applications (e.g. cordless lawn mower or cordless wet and dry vacuum cleaners)



<sup>1)</sup> In comparison to every standard lithium-ion battery <sup>2)</sup> In comparison to the 5 Ah battery

pensation covers CO2 emissions of the battery types 3.0 Ah Plus, 4.0 Ah Plus, 4-6 Ah Multi-Ah Plus and 5-8 Ah Multi-Ah Plus from production to sales.

The climate protection projects selected via ClimatePartner are certified in accordance with international standards such as Verified Carbon Standard (VCS) or Gold Standard (GS) and are regularly checked by independent third-parties. This assures and confirms the climate protection impact of the projects (CO2 reduction) on a regular basis.

For detailed information use the QR code.





## **ACCESSORIES – BATTERIES**





#### 5.2 Ah Power X-Change Plus Battery

- Items supplied: 1 battery
- Battery voltage / capacity: 18 V / 5.2 Ah
- Battery power: max. 1260 W

Art. No. 45.114.37





4.0 Ah Power X-Change Plus Battery

- Items supplied: 1 battery
- Battery voltage / capacity: 18 V / 4.0 Ah
- Battery power: max. 900 W

Art. No. 45.115.53





Testsieger

Heimwerker

TAXIS 5/22

#### 3.0 Ah Power X-Change Plus Battery

- Items supplied: 1 battery
- Battery voltage / capacity: 18 V / 3.0 Ah
- Battery power: max. 900 W

Art. No. 45.115.01







4.0 Ah Power X-Change Battery

- Items supplied: 1 battery
- Battery voltage / capacity: 18 V / 4.0 Ah
- Battery power: max. 900 W

Art. No. 45.113.96





#### 2.5 Ah Power X-Change Battery

- Items supplied: 1 battery
- Battery voltage / capacity: 18 V / 2.5 Ah
- Battery power: max. 720 W

Art. No. 45.115.16





#### 2.0 Ah Power X-Change Battery

- Items supplied: 1 battery
- Battery voltage / capacity: 18 V / 2.0 Ah
- Battery power: max. 450 W

Art. No. 45.113.95








## 4.0 Ah BATTERY - 4.0 Ah PLUS BATTERY. WHERE'S THE DIFFERENCE?

By switching to the new "21700" cell format (21 mm diameter, 70.0 mm length) our latest Power X-Change batteries have acquired the best combination of power/running time and weight.

Why? Using this cell technology it is possible to achieve the same power and running time with five cells instead of the previous ten.

Benefits? The new batteries are 12 % lighter and 13 % more compact than their predecessors - at 100 % power and running time.

Results: Light-weight all-rounders for energy-intensive applications such as in cordless chainsaws.



## **ACCESSORIES – TWIN PACKS**





#### 2x 5.2 Ah Power X-Change Twin Pack

- Items supplied: 2 batteries
- Battery voltage / capacity: 2x 18 V / 5.2 Ah
- Battery power: max. 2x 1260 W

Art. No. 45.115.26





#### 2x 4.0 Ah Power X-Change Twin Pack

- Items supplied: 2 batteries
- Battery voltage / capacity: 2x 18 V / 4.0 Ah
- Battery power: max. 2x 900 W

Art. No. 45,114,89

\*) In comparison to the conventional 4 Ah battery



## ACCESSORIES – STARTER KITS





#### 2x 4.0 Ah PXC Twincharger Starter Kit

- Items supplied: 2 batteries + 1 Twincharger
- Battery voltage / capacity: 2x 18 V / 2x 4.0 Ah
- Battery power: max. 2x 900 W

#### Art. No. 45.121.12



#### 4-6 Ah PXC Boost Charger Starter Kit

- Items supplied: 1 battery + 1 Power X-Boostcharger 6 A
- Battery voltage / capacity: 18 V / 6.0 Ah or 4.0 Ah (depending on the application)
- Battery power: max. 1350 W

Art. No. 45.121.43



#### Ready To Go means:

The battery is ready for use. It can remain in the charger for full, low-stress charging up to 100 %.





#### 5.2 Ah PXC Fastcharger Starter Kit

Items supplied: 1 battery + 1 Power X-Fastcharger 4 A

READY TO GO

IN 75 min

- Battery voltage / capacity: 18 V / 5.2 Ah
- Battery power: max. 1260 W

Art. No. 45.121.14





#### 4.0 Ah Power X-Change Starter Kit

- Items supplied: 1 battery + 1 Power X-Charger 3 A
- Battery voltage / capacity: 18 V / 4.0 Ah
- Battery power: max. 900 W

Art. No. 45.120.42



READY TO GO



#### 2.5 Ah Power X-Change Starter Kit

- Items supplied: 1 battery + 1 Power X-Charger 3 A
- Battery voltage / capacity: 18 V / 2.5 Ah
- Battery power: max. 720 W

Art. No. 45.120.97







## **ACCESSORIES – CHARGERS**





#### Power X-Boostcharger 8 A

- Items supplied: 1 charger
- Can be used for: for all Power X-Change batteries
- Charging current: 3 8 A
- Boost mode: 8 A can be selected for lightning speed

Art. No. 45.121.55



- Multi charger for parallel charging of up to 4 batteries
- Always charge two batteries at the same time
- Carrying handle for easy transport

#### 2x2 Power X-Quattro Charger 4 A

- Items supplied: 1 charger
- Can be used for: for all Power X-Change batteries
- Charging current: 4 A per slot (2x2 parallel charging)

Art. No. 45.121.02

#### Integrated wall mount

#### Power X-Boost Charger 6 A

- Items supplied: 1 charger
- Can be used for: for all Power X-Change batteries
- Charging current: 3 6 A
- Boost mode: 6 A can be selected for lightning speed

Art. No. 45.120.64





## ACCESSORIES – CHARGERS

- Always charge two batteries at the same time
- Integrated wall mount

#### Power X-Twincharger 3 A

- Items supplied: 1 charger
- Can be used for: for all Power X-Change batteries
- Charging current: 3 A per slot (parallel charging)

Art. No. 45.120.69



#### **OUT-AND-ABOUT AND NO POWER SOCKET AVAILABLE? NO PROBLEM THANKS TO EINHELL!**

- 12 V-socket enables charging the Power X-Change battery in the car
- Protection electronics for the car battery

#### Power X-Car Charger 3 A

- Items supplied: 1 charger
- Can be used for: for all Power X-Change batteries
- Charging current: 3 A

Art. No. 45.121.13

#### **POWER X-CAR CHARGER**

PROTECTION ELECTRONICS FOR THE CAR BATTERY





## 1. Autobatterie schwach: Charging stops and both indicator lights blink in alternation the car battery is protected from

further discharge. In this state the car can still be started.

2. The car battery is empty: The indicator lights go out - the car battery is protected from exhaustive discharge.

## Integrated wall mount

#### **Power X-Fastcharger 4 A**

- Items supplied: 1 charger
- Can be used for: for all Power X-Change batteries
- Charging current: 4 A

Art. No. 45.121.03







## **POWER X-CHANGE BATTERY ACCESSORY**

#### **Battery Protector**

- Items supplied: 1 battery cover
- Suitable for (batteries): for all Power X-Change batteries
- Can be used for (devices): HYPRESSO 18/24, TE-DA 18/760 Li, GE-WS 18/10 Li

Art. No. 41.401.51



 Protects the battery against dust and moisture



#### **Battery Mounting Gadget**

- Items supplied: 2 battery mounting gadgets, 4 screws, 4 dowels
   Can be used for: for all Power X-Change batteries

Art. No. 45.141.55



Endless extendable to store an unlimited amount of batteries

- Simple assembling due to
- tongue and groove connection Snap-in function for battery
- ensures fixation in any position





BATTERY C	HARGING TIMES TABLE	<b>(</b>	<b>(</b>	<b>()</b>	<b>()</b>	<b>()</b>	<b>1</b>		<b>(</b>
		1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah Shorter
(B)	Power X-Charger 3 A								charging time
	Power X-Twincharger 3 A (parallel charging of 2 batteries)	30 min	40 min	50 min	60 min	75 min	100 min	120 min	160 min
	Power X-Car Charger 3 A								
	Power X-Fastcharger 4 A	24 min	20	27 min	4 <b>F</b>	<b>60</b> min	00 min	00 min	-25%
	<b>2x2 Power X-Quattrocharger 4 A</b> (parallel charging of 2 batteries)	24 min	30 min	37 min	45 min	60 min	80 min	90 min	120 min ◀ 
	Power X-Boostcharger 6 A *	24 min	30 min	27 min	32 min	40 min	50 min	60 min	80 min <b>4</b>
	Power X-Boostcharger 8 A **	24 min	30 min	27 min	32 min	40 min	40 min	45 min	60 min <-60%

\* Only 2.5 Ah - 8.0 Ah batteries can be charged with 6 A. Batteries of lower capacity are charged with a lower current.
\*\* Only 5.2 Ah - 8.0 Ah batteries can be charged with 8 A. Batteries of lower capacity are charged with a lower current.







EINHELL IS PROUD PARTNER OF MERCEDES-AMG PETRONAS F1 TEAM.







**Official Tool Expert** 

PETRONAS FORMULA ONE TEAM





"In the world of soccer, FC Bayern Munich is a global brand with a clear strategy and a DNA characterized by a strong will to succeed. This is an aspiration we also share at Einhell. The partnership with Germany's record champions, who have also won the treble twice, underlines this ambition to rise to the role of market leader in future in all markets in which we are active."

Andreas Kroiss, CEO, Einhell Germany AG

# CORDLESS EXCELLENCE.



### Einhell Germany AG

Wiesenweg 22 94405 Landau/Isar Germany

info@einhell.de www.einhell.de

## **Einhell-Service**

Eschenstr. 6 94405 Landau/Isar Germany

Tel. +49 (0) 9951 959 2000

Service-DE@einhell.com www.einhell-service.de

einhell.de