





Power X-Change	6
Power Tools	10
Cordless Drills with Impact Function	10
Cordless Drills	12
Cordless Angle Drill	14
Cordless Drywall Screwdriver	15
Cordless Impact Driver	15
Cordless Ratchet Screwdriver	16
Cordless Hammer Drill	16
Cordless Rotary Hammer	17
Cordless Paint/Mortar Mixer	18
Cordless Angle Grinders	19
Cordless Biscuit Jointer	21
Cordless Planer	22
Cordless Circular Saws	22
Cordless Mini Circular Saw	23
Cordless Jigsaws	24
Cordless All Purpose Saws	26
Cordless Bandsaws	28
Cordless Sliding Mitre Saws	29
Cordless Mitre Saws	31
Cordless Table Saw	32
Cordless Tile Cutting Machine	32
Cordless Multifunctional Tools	33
Cordless Rotating Sander	35
Cordless Orbital Sanders	35
Cordless Multi Sander	37
Cordless Belt File	38
Cordless Grinding and Engraving Tool	38
Cordless Car Polishing Machine	39
Cordless Polishing/Sanding Machine	39
Cordless Blower	40
Cordless Sealing Gun	41
Cordless Paint Spray Systems	42
Cordless Radios	43

Cordless Lights	44
Cordless Hot Glue Gun	48
Cordless Hot Air Gun	48
Cordless Stapler/Nailer	49
6-in-1 Cordless Hybrid Compressors	50
3-in-1 Cordless Compressors	51
Cordless Compressors	52
Cordless Portable Compressor	53
System Cases E-Case	54
Accessories – Cases / Bags	57
Cleaning	58
Cordless Wet and Dry Vacuum Cleaners	58
Cordless Stick Vac Cleaner	61
Cordless Handheld Vacuum Cleaners	62
Cordless Ash Vacuum Cleaner	63
Cordless High-Pressure Cleaner	63
Cordless Pressure Cleaner	64
Cordless Push Sweeper	65
Cordless Sweeper	65
Cordless Hard Floor Cleaner	66
Cordless Window Cleaner	67
Cordless Drain Cleaner	67
Cordless Grout Cleaner	68
Cordless Surface Brushes	68
Recreation	70
Cordless Coffee Machine	70
Battery-Powered Cool Box	71
Cordless Energy Station and Charger	72
Cordless Energy Station	73
USB Battery Adapters	74
Cordless Speaker	75
Cordless Car Compressors	76
Cordless Air Pump	77
Cordless Fans	78
Cordless Outdoor Light	79

Garden Tools	80
Cordless Robot Lawn Mowers	80
Cordless Lawn Mowers	85
Cordless Cylinder Lawn Mower	91
Petrol Lawn Mower Power X-Change Elektric Start)	92
Cordless Scarifiers/Aerators	92
Cordless Tillers	95
Cordless Snow Thrower	96
Cordless Multipurpose Spreader	97
Cordless Universal Spreader	97
Cordless Skythes	98
Cordless Lawn Trimmers	99
Cordless Lawn Edge Trimmer	105
Cordless Hedge Trimmers	106
Cordless Multifunctional Tools	110
Cordless Pole-Mounted Pruners	112
Cordless Telescopic Hedge Trimmers	113
Cordless Olive and Fruit Harvester	114
Cordless Pruning Chainsaw	115
Cordless Chainsaw	116
Cordless Chain Sharpener	117
Cordless Leaf Vacuums	118
Cordless Leaf Blower	120
Cordless Universal Blower	121
Cordless Knife Shredder	122
Cordless Grass ans Shrub Shears	122
Cordless Shears	124
Cordless Pruning Saw	124
Cordless Pruning Shears	125
Accessories – Battery Belt	125
Cordless Pressure Sprayers	126
Cordless Hose Reel (Water)	128





Pumps	130
Cordless Automatic Garden Pumps	130
Cordless Garden Pumps	131
Cordless Submersible Pressure Pump	134
Cordless Clear Water Pumps	135
Cordless Dirty Water Pumps	136
Accessories	137
Batteries	138
Twin-Packs	140
Starter Kits	141
Chargers	141
Power X-Change Battery Accessory	142
Battery Charging Time Table	143

# **Einhell-Service**

Eschenstr. 6 94405 Landau/Isar Germany

Tel. +49 (0) 9951 959 2000

Service-DE@einhell.com www.einhell-service.de

# **Einhell Germany AG**

Wiesenweg 22 94405 Landau/Isar Germany

info@einhell.de www.einhell.de

# THE EINHELL GUARANTEE PROMISE.

In addition to offering excellent value for money, we also ensure that our products are reliable, high-quality and safe.

This is reflected in our various warranties: take advantage of our warranty extension on Einhell tools and Power X-Change batteries to benefit from our top warranty service for even longer.

- 3 Year Product Warranty Warranty extension for your Power X-Change device to 3 years.
- 30 Day Money Back Guarantee For 100 % satisfaction with your Power X-Change device.
- Power X-Change Battery Warranty
  Warranty extension for Power X-Change batteries to 3 years.
- Einhell Brushless Warranty
  Warranty extension for all PurePOWER Brushless products to 10 years.\*









# **THIS IS HOW**

**Find out more** at einhell.de, **register** in your customer account and **apply** for the warranty.

Further information is available at

www.einhell.de/en/services/warranties/

<sup>\*</sup> This warranty covers only defects in the engine that are due to a material or manufacturing defect!





# A SINGLE BATTERY FOR OVER 350 TOOLS, ELIMINATING SYSTEM CHAOS.

**POWER X-CHANGE** is the only truly standardized battery platform for home, garden and workshop use. While other manufacturers use diverse battery systems, Einhell consistently relies on **a single, universal platform for all purposes. The PXC BATTERY fits in any device**, regardless of whether you are using a drill, lawn mower, wet and dry vacuum cleaner or high-pressure cleaner. **This eliminates system chaos, the need for different chargers and compatibility issues.** 

Other brands offer separate battery platforms for each of their performance ranges. This leads to confusion and additional expense, because different batteries are needed for different devices. With **POWER X-CHANGE**, you won't have this problem! A single system covers the entire range of tools, from garden equipment and household tools to recreational products.

#### FLEXIBILITY AND PERFORMANCE ACCORDING TO YOUR NEEDS

Each situation poses unique challenges in terms of performance. With **POWER X-CHANGE**, you are free to select the precise battery capacity that suits your project's needs. Thanks to battery options ranging from **2.0 Ah to 8.0 Ah**, you are free to choose whether you prefer lightweight tools with low energy needs or high-performance machines with maximum runtime.

For particularly demanding tasks, **two 18 V batteries can be combined to produce 36 V.** 

# Runtime is automatically doubled on certain tools

Selected tools intelligently run on two 18 V batteries, one after the other:

- >> One PXC battery runs while the other waits its turn.
- The tool automatically switches over to the second battery when needed.

This results in double the runtime, with no need for interruptions or manual action.

When combined with tools that use two batteries at once for 36 V, you can have up to four batteries in place, offering 2x 36 V and automatically switching over. Perfect for prolonged use and steady performance.





#### THE BATTERY PLATFORM THAT GROWS WITH YOU.

A single investment in the **POWER X-CHANGE** system offers long-term flexibility. From a cordless screwdriver today to hedge trimmers tomorrow, your PXC battery grows as your projects develop. The platform is designed for expansion, so that you can add new tools at any time without having to worry about battery compatibility.

Featuring over 350 tools, **POWER X-CHANGE** is one of the largest battery platforms on the market. The product range is constantly growing, ensuring not only that you have the right tool for your current project but also that you are well equipped for the challenges to come. **Einhell is focused on the future: once you join the system, you will benefit from new opportunities for years to come.** 

# **COST-EFFICIENT, PRACTICAL AND SUSTAINABLE.**

**POWER X-CHANGE** not only saves you money, but also space and resources. Why buy a different battery for each tool when you can have a single type of battery that fits every purpose? This results in a lower purchase price and also eliminates the need for additional chargers.

Our carefully designed battery technology ensures that PXC batteries afford exceptional durability and efficient energy management. Fewer batteries means fewer raw materials used and less electronic waste. Thus, Einhell makes an important contribution to sustainability and resource preservation while at the same time saving you, the consumer, money.

#### **INNOVATIVE BATTERY TECHNOLOGIES**

For use under the toughest conditions, **SEALED** Technology (rated IP57) protects the PXC battery from water and dust.

With up to 1350 watts of power per PXC battery, PXC tools offer top-rate cordless performance. Thanks to Twin Pack Technology, two 18 V batteries can be combined to produce 36 V, providing up to 2700 watts of power.

Multi-Ah Technology allows you to choose between maximum runtime (+60 %) and a service life that is 3x longer by simply pushing a button.

The Active Battery Management System (ABS) reliably protects the battery from overload, deep discharge and overheating through constant cell monitoring and smart load management. At the same time, ABS optimizes each cell for maximum runtime, extended service life and safe performance. In sleep mode, the system saves energy, keeping the battery ready for use.

With **POWER X-CHANGE Plus**, batteries offer not only more capacity, but also more power, exactly when and where it is needed.





# CORDLESS DRILL WITH IMPACT FUNCTION 18 V

#### TE-CD 18/48 Li-i

- Torque (hard): 48 Nm
- Idle speed (gear 1 / 2): 0 400 / 0 1500 min<sup>-1</sup>
- Blow rate (gear 1 / 2): 0 6400 / 0 24000 min<sup>-1</sup>
- Number of torque settings: 21+1+1
- Drill chuck: 13 mm

Set incl. 2 batteries (2.0 Ah) / 1 charger / E-Box Art. No. 4513935 Art. No. 4513926 Without battery / charger

								8.0 Ah
<b>&gt;&gt;&gt;</b> 2)	230 pcs	310 pcs	380 pcs	460 pcs	620 pcs	780 pcs	910 pcs	1240 pcs

Battery capacity

- Ouick-release metal chuck
- Additional handle
- LED light



# **CORDLESS DRILL WITH IMPACT FUNCTION 18 V**

#### TE-CD 18/44 Li-i

- Torque (hard): 44 Nm
- Idle speed (gear 1 / 2): 0 400 / 0 1500 min<sup>-1</sup>
- Blow rate (gear 1 / 2): 0 6400 / 0 24000 min<sup>-1</sup>
- Number of torque settings: 21+1+1
- Drill chuck: 13 mm

Set incl. 1 battery (2.5 Ah) / 1 charger

Art. No. 4514287

	1.5 Ah							
<b>&gt;&gt;&gt;</b> 2)	230 pcs	305 pcs	380 pcs	460 pcs	610 pcs	770 pcs	920 pcs	1220 pcs



- Quick-release metal chuck
- 2-speed metal gear box
- LED light

<sup>2)</sup> Screwing 6 x 60 mm screws into soft wood – max, quantity per battery charge

Battery capacity
 Screwing 6 x 60 mm screws into soft wood – max. quantity per battery charge



# CORDLESS DRILL WITH IMPACT FUNCTION 18 V

#### TE-CD 18/2 Li-i

- Torque (hard): 44 Nm
- Idle speed (gear 1 / 2): 0 350 / 0 1250 min<sup>-1</sup>
- Blow rate (gear 1 / 2): 0 5250 / 0 18750 min<sup>-1</sup>
- Number of torque settings: 18+1+1
- Drill chuck: 13 mm

Set incl. 2 batteries (2.0 Ah) / 1 charger / case / 64-piece accessory set Art. No. 4514221

Set incl. 1 battery (2.5 Ah) / 1 charger / E-Box / 22-piece accessory set Art. No. 4514220

		2.0 Ah						
<b>&gt;&gt;&gt;</b> 2)	180 pcs	240 pcs	300 pcs	360 pcs	480 pcs	625 pcs	720 pcs	960 pcs

<sup>1)</sup> Battery capacity

- Quick-release metal chuck
- 2-speed metal gear box
- LED light



# **CORDLESS DRILL WITH IMPACT FUNCTION 18 V**

#### TE-CD 18/40 Li-i

- Torque (hard): 40 Nm
- Idle speed (gear 1 / 2): 0 400 / 0 1500 min<sup>-1</sup>
- Blow rate (gear 1 / 2): 0 6400 / 0 24000 min<sup>-1</sup>
- Number of torque settings: 21+1+1
- Drill chuck: 13 mm
- Contents: Case with 64-piece accessory set

 Set incl. 2 batteries (2.0 Ah) / 1 charger
 Art. No. 4513992

 Set incl. 1 battery (2.0 Ah) / 1 charger
 Art. No. 4514325

		2.0 Ah						
<b>&gt;&gt;&gt;</b> 2)	230 pcs	305 pcs	380 pcs	460 pcs	610 pcs	770 pcs	920 pcs	1220 pcs

- 1) Battery capacity
- 2) Screwing 6 x 60 mm screws into soft wood max. quantity per battery charge



- Ouick-release metal chuck
- 2-speed metal gear box
- LED light

<sup>2)</sup> Screwing 6 x 60 mm screws into soft wood – max, quantity per battery charge



# **CORDLESS DRILL 18 V**

#### TE-CD 18/45 3X-Li

- Torque (hard): 45 Nm
- Idle speed (gear 1 / 2): 0 450 / 0 1600 min<sup>-1</sup>
- Number of torque settings: 20+1
- Drill chuck: 13 mm
- Contents: Removable drill chuck, excenter and 90° angle extension in E-Box incl. 22-piece accessory set

Set incl. 1 battery (2.0 Ah) / 1 charger

Art. No. 4513990

	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
<b>&gt;&gt;&gt;</b>	240 pcs	320 pcs	400 pcs	480 pcs	640 pcs	830 pcs	960 pcs	1280 pcs

Battery capacity





- Removable drill chuck
- 90° angle extension
- Eccentric extension

# **CORDLESS DRILL 18 V**

#### TE-CD 18/40 Li Brushless

- Torque (hard): 40 Nm
- Idle speed (gear 1 / 2): 0 350 / 0 1450 min<sup>-1</sup>
- Number of torque settings: 20+1
- Drill chuck: 10 mm

Set incl. 2 batteries (2.0 Ah) / 1 charger / E-Box Art. No. 4513995

Without battery / charger

Art. No. 4513997

								8.0 Ah
<b>&gt;&gt;&gt; </b> 2)	230 pcs	300 pcs	380 pcs	450 pcs	600 pcs	780 pcs	900 pcs	1200 pcs

- <sup>2)</sup> Screwing 6 x 60 mm screws into soft wood max. quantity per battery charge

- Brushless motor more power, prolonged operation
- 2-speed metal gear box
- Lightweight and handy design



**BRUSHLESS** 

<sup>2)</sup> Screwing 6 x 60 mm screws into soft wood – max. quantity per battery charge



# **CORDLESS DRILL 18 V**

#### TE-CD 18/40 Li

Torque (hard): 40 Nm

■ Idle speed (gear 1 / 2): 0 - 400 / 0 - 1500 min<sup>-1</sup>

Number of torque settings: 21+1

Drill chuck: 13 mm

Set incl. 2 batteries (2.0 Ah) / 1 charger / E-Box Art. No. 4514228 Art. No. 4513925 Without battery / charger

1)	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
<b>&gt;&gt;&gt;</b> 2)	230 pcs	305 pcs	380 pcs	460 pcs	610 pcs	770 pcs	920 pcs	1220 pcs

- 2-speed metal gear box
- LED light
- Quick stop



# CORDI ESS DRILL 18 V

#### TC-CD 18/35 Li

- Torque (hard): 35 Nm
- Idle speed: 0 550 min<sup>-1</sup>
- Number of torque settings: 21+1
- Drill chuck: 10 mm

Set incl. 1 battery (1.5 Ah) / 1 charger (0.8 A charger)

Art. No. 4513914

Without battery / charger

Art. No. 4513927

(IIII) 1)	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
<b>&gt;&gt;&gt;</b> 2)	220 pcs	295 pcs	366 pcs	440 pcs	590 pcs	760 pcs	880 pcs	1180 pcs

<sup>1)</sup> Battery capacity



- Quick-action chuck
- Quick stop
- LED light

 $<sup>^{\</sup>rm D}$  Battery capacity  $^{\rm D}$  Screwing 6 x 60 mm screws into soft wood — max. quantity per battery charge

<sup>2)</sup> Screwing 6 x 60 mm screws into soft wood – max. quantity per battery charge





# **CORDLESS ANGLE DRILL 18 V**



- Angle drill for working in narrow places and niches
- Rotatable battery holder
- 10 mm quick-action drill chuck

#### TE-AD 18 Li

- Torque (hard): 45 Nm
   Idle speed: 0 1100 min<sup>-1</sup>

Article only available without battery / charger Art. No. 4514290

				3.0 Ah				
<b>&gt;&gt;&gt; 2</b> )	155 pcs	205 pcs	260 pcs	310 pcs	415 pcs	535 pcs	620 pcs	830 pcs

Battery capacity
Screwing 6 x 60 mm screws into soft wood — max. quantity per battery charge



# **CORDLESS DRYWALL SCREWDRIVER 18 V**

#### TE-DY 18 Li

- Idle speed: 0 4000 min<sup>-1</sup>
- Bit mount: Internal hexagon 6.35 mm (¼")
- Contents: Incl. 1x matching PH2 bit and E-Box

Article only available without battery / charger Art. No. 4259980

		2.0 Ah						
<b>&gt;&gt;&gt;</b> 2)	800 pcs	1100 pcs	1350 pcs	1600 pcs	2200 pcs	2800 pcs	3300 pcs	4400 pcs

Battery capacity



- Toolless depth adjustment
- **■** Pressure coupling



# **CORDLESS IMPACT DRIVER 18 V**

#### TE-CI 18/1 Li

- Idle speed: 0 2300 min<sup>-1</sup>
- Torque (hard): 140 Nm
- Mount: Internal hexagon 6.35 mm (¼")

						5.2 Ah		
<b>&gt;&gt;&gt;</b> 2)	140 pcs	185 pcs	230 pcs	280 pcs	370 pcs	520 pcs	560 pcs	740 pcs

- Battery capacity
- <sup>2)</sup> Screwing 6 x 60 mm screws into soft wood max. quantity per battery charge



- Speed control electronics
- 3 power LEDs
- Belt clip

<sup>2)</sup> Screwing 3.9 x 25 mm screws into drywall – max. quantity per battery charge



# **CORDLESS RATCHET SCREWDRIVER 18 V**

#### TE-RW 18/60 Li

- Idle speed: 0 230 min-1
- Torque (hard): 60 Nm
- Mount: 3/8" external square drive
- Contents: Adapter from 3/8" to 1/2"

Article only available without battery / charger Art. No. 4514320

	1.5 Ah							
<b>&gt;&gt;&gt; 2</b> )	155 pcs	305 pcs	385 pcs	460 pcs	610 pcs	790 pcs	920 pcs	1220 pcs

<sup>1)</sup> Battery capacity

# **NEW** Compact design Speed control electronics LED light

# **CORDLESS HAMMER DRILL 18 V**

#### TE-ID 18 Li

- Idle speed: 0 2600 min<sup>-1</sup>
- Blow rate: 0 41600 min<sup>-1</sup>
- Drilling capacity, concrete: 13 mm
- Contents: Metal depth stop

		2.0 Ah						
<b>&gt;&gt;&gt;&gt;</b> 2)	45 pcs	60 pcs	75 pcs	90 pcs	120 pcs	156 pcs	180 pcs	240 pcs



Max. number of screws (hexagonal head, wrench size 17 mm) that can be screwed in and out per battery

<sup>1)</sup> Battery capacity 2) ø 6 mm / 45 mm into brick – max. quantity per battery charge



# **CORDLESS ROTARY HAMMER 18 V**

#### TE-HD 18/20 Li

Idle speed: 0 - 1300 min<sup>-1</sup>

■ Impact force: 1.8 J

Drilling capacity, concrete: 20 mm

Drill chuck: SDS-plus

Contents: Metal depth stop

Set incl. 1 battery (4.0 Ah) / 1 charger / E-Box Art. No. 4514299 Without battery / charger Art. No. 4514260

<b>(1111)</b> 1)	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
<b>&gt;&gt;&gt;</b> 2)	30 holes	39 holes	49 holes	60 holes	78 holes	103 holes	117 holes	156 holes

For best performance select a battery with at least 2.5 Ah

1) Battery capacity

Speed control electronics

4 functions

LED light





# **CORDLESS ROTARY HAMMER 18 V**

#### TE-HD 18/12 Li

Idle speed: 0 - 1300 min<sup>-1</sup>

■ Impact force: 1.3 |

Drilling capacity, concrete: 12 mm

Drill chuck: SDS-plus

Contents: 1 magnetic bit adapter

Article only available without battery / charger Art. No. 4513970

I	1)	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
7	<sup>2)</sup>	136 pcs	185 pcs	226 pcs	270 pcs	360 pcs	474 pcs	540 pcs	720 pcs
7	3)	34 holes	45 holes	57 holes	82 holes	96 holes	140 holes	166 holes	182 holes

Battery capacity

2) Screwing 6 x 60 mm screws into soft wood – max. quantity per battery charge
3) Drilling in concrete (ø 6 mm / 50 mm) – max. quantity per battery charge



- 2+1 functions
- Speed control electronics
- LED light

<sup>2)</sup> Drilling in concrete (Ø 6 mm / 50 mm) – max. quantity per battery charge





# **CORDLESS PAINT/MORTAR MIXER 18 V**

- Ergonomic, handy design
- Speed control electronics
- Soft start



- Idle speed: 0 620 min<sup>-1</sup>
- Stirrer mount: M14
- Contents: 1x mortar mixer (ø 100 mm)

<b>IIII)</b> 1)	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
<b>&gt;&gt;&gt; 2</b> )	18 min	24 min	30 min	36 min	48 min	62 min	72 min	96 min
<b>&gt;&gt;&gt; </b> 3)	15 min	20 min	25 min	30 min	40 min	52 min	60 min	80 min
<b>&gt;&gt;&gt; </b> 4)	12 min	16 min	20 min	24 min	32 min	42 min	48 min	64 min

- Battery capacity
   Max. operating time per battery charge in idle mode
   Mixing duration for wall paint per battery charge
   Mixing duration for mortar per battery charge



# **CORDLESS ANGLE GRINDER 18 V**

#### TE-AG 18/125-2 Li

Idle speed: 8500 min-1

■ Wheel diameter: 125 mm Max. cutting depth: 33 mm

Contents: Cutting wheel guard

Set incl. 1 battery (4.0 Ah+) / 1 charger

Art. No. 4431190

Without battery / charger / case

Art. No. 4431168

		2.0 Ah						
<b>&gt;&gt;&gt;</b> 2)	25 pcs	34 pcs	42 pcs	50 pcs	67 pcs	87 pcs	100 pcs	133 pcs

For best performance select a battery with at least 2.5 Ah

1) Battery capacity

Cutting through pieces of round steel with 12 mm – max. quantity per battery charge
 Cutting/grinding discs not included



- Dust protection grille easily removable for cleaning
- Disc guard with stepwise locking
- Soft start for user safety and motor protection

# **CORDLESS ANGLE GRINDER 18 V**

#### TE-AG 18/115 Q Li

- Idle speed: 8500 min<sup>-1</sup>
- Wheel diameter: 115 mm
- Max. cutting depth: 28 mm
- Contents: Quick fix nut, cutting wheel guard 3)

Article only available without battery / charger Art. No. 4431165

		2.0 Ah						
<b>&gt;&gt;&gt; 2</b> )	23 pcs	29 pcs	35 pcs	46 pcs	58 pcs	70 pcs	90 pcs	115 pcs

For best performance select a battery with at least 2.5 Ah

1) Battery capacity

<sup>2)</sup> Cutting through pieces of round steel with 12 mm – max. quantity per battery charge

3) Cutting/grinding discs not included



- Quick fix nut toolless change
- Disc guard with stepwise locking
- Dust protection grille easily removable for cleaning



# **CORDLESS ANGLE GRINDER 18 V**

#### TE-AG 18/115-2 Li

Idle speed: 8500 min-1

■ Wheel diameter: 115 mm

Max. cutting depth: 28 mm

■ Contents: Cutting guard <sup>3)</sup>

Article only available without battery / charger Art. No. 4431166

		2.0 Ah						
<b>&gt;&gt;&gt; </b> 2)	23 pcs	29 pcs	35 pcs	46 pcs	58 pcs	70 pcs	90 pcs	115 pcs

For best performance select a battery with at least 2.5 Ah

1) Battery capacity

<sup>2)</sup> Cutting through pieces of round steel with 12 mm – max. quantity per battery charge

3) Cutting/grinding discs not included



- Dust protection grille easily removable for cleaning
- Disc guard with stepwise locking
- Soft start for user safety and motor protection

# **CORDLESS ANGLE GRINDER 18 V**

#### TE-AG 18/115 Li

Idle speed: 8500 min<sup>-1</sup>

Wheel diameter: 115 mm

Max. cutting depth: 28 mmContents: Cutting wheel guard

Set incl. 1 battery (4.0 Ah) / 1 charger / 1 cutting disc / 1 grinding disc / 1 cutting guard / Einhell Bag 45/22 Art. No. 4431134

Without battery / charger / case

Art. No. 4431110

		2.0 Ah						
<b>&gt;&gt;&gt;&gt;</b> 2)	15 pcs	20 pcs	25 pcs	30 pcs	40 pcs	60 pcs	70 pcs	80 pcs

For best performance select a battery with at least 2.5 Ah

Battery capacity

2) Cutting through pieces of round steel with 12 mm – max. quantity per battery charge

3) Cutting/grinding discs not included



- Soft start for user safety and motor protection
- Disc guard with clamping lever
- Protection against accidental restart enhances user safety





# **CORDLESS ANGLE GRINDER 18 V**

#### TC-AG 18/115 Li

Idle speed: 8500 min-1

Wheel diameter: 115 mm.

Max. cutting depth: 28 mm

■ Contents: Cutting guard <sup>3)</sup>

Set incl. 1 battery (4.0 Ah) / 1 charger Art. No. 4431133

Without battery / charger / case

Art. No. 4431130

		2.0 Ah						
<b>&gt;&gt;&gt;</b> 2)	15 pcs	20 pcs	25 pcs	30 pcs	40 pcs	60 pcs	70 pcs	80 pcs

For best performance select a battery with at least 2.5 Ah

1) Battery capacity

Cutting through pieces of round steel with 12 mm – max. quantity per battery charge
 Cutting/grinding discs not included



- Soft start for user safety and motor protection
- Protection against accidental restart enhances user safety
- Additional handle can be mounted in 3 positions

# **CORDLESS BISCUIT JOINTER 18 V**

## TE-BI 18 Li

Idle speed: 6500 min<sup>-1</sup>

Max. cutting depth: 20 mm

■ Tilt angle adjustment: 90° Channel cutter: ø 100 x 22 x 4 mm

Contents: 1x milling blade, dust bag

		2.0 Ah						
<b>&gt;&gt;&gt;</b> 2)	212 pcs	283 pcs	353 pcs	424 pcs	566 pcs	735 pcs	840 pcs	1132 pcs



<sup>&</sup>lt;sup>2)</sup> Max. number of cuts in pinewood for Type 10 flat dowels per battery charge



# **CORDLESS PLANER 18 V**

#### TE-PL 18/82 Li

Idle speed: 15000 min-1

■ Planing width: 82 mm

Chip depth max.: 2 mm

Max. rebate depth: 8 mm

 Contents: Rip fence, folding depth stop, 2 TCT planer blades (reversible)

Article only available without battery / charger Art. No. 4345400

<b>IIII)</b> 1)	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
<b>&gt;&gt;&gt; 2</b> )	16 m	25 m	28 m	37 m	48 m	58 m	78 m	96 m

For best performance select a battery with at least 2.5 Ah

1) Battery capacity

Planing of spruce wood (depth: 1 mm / width: 50 mm), maximum length in meters per battery charge

# Powerful – with a planing depth up to 2 mm Automatic park rest for added safety

# **CORDLESS CIRCULAR SAW 18 V**

#### TE-CS 18/165-2 Li

- Idle speed: 4200 min<sup>-1</sup>
- Saw blade: ø 165 x ø 20 mm
- Cutting depth at 45° / 90°: 39 mm / 57 mm
- Contents: 1x carbide sawblade, parallel stop, hexagon key

Article only available without battery / charger Art. No. 4331230

				3.0 Ah				
<b>&gt;&gt;&gt; 2</b> )	21 m	28 m	35 m	42 m	55 m	72 m	83 m	110 m

Battery capacity

2) 19 mm chipboard – max. cutting capacity per battery charge

- Adjustment without tools (depth/angle)
- LED light
- Aluminium sawing table





# **CORDLESS CIRCULAR SAW 18 V**

#### TE-CS 18/150-2 Li

- Idle speed: 4200 min<sup>-1</sup>
- Saw blade: ø 150 x ø 20 mm
- Cutting depth at 45° / 90°: 33 mm / 49 mm
- Contents: 1x carbide sawblade, parallel stop, hexagon key

Article only available without battery / charger Art. No. 4331235

<b>1)</b>	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
<b>&gt;&gt;&gt;</b> 2)	27 m	35 m	44 m	53 m	70 m	91 m	105 m	140 m

<sup>1)</sup> Battery capacity

# **CORDLESS MINI CIRCULAR SAW 18 V**

#### TE-CS 18/89 Li

- Idle speed: 2500 min<sup>-1</sup>
- Saw blade: ø 89 x ø 10 mm
- Cutting depth 90°: 28 mm
- Contents: 1x TCT saw blade, 1x HSS saw blade, parallel guide, hexagon key

<b>()</b>	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
<b>&gt;&gt;&gt; 2</b> )	26 m	36 m	50 m	57 m	72 m	104 m	120 m	144 m

<sup>)</sup> Battery capacity



<sup>2) 19</sup> mm chipboard – max. cutting capacity per battery charge

<sup>2) 19</sup> mm chipboard — max. cutting capacity per battery charge





# **CORDLESS JIGSAW 18 V**



# TE-JS 18/100 Li

- Stroke speed: 0 3000 min<sup>-1</sup>
- Cutting depth (wood / plastic / steel / aluminium): 100 / 20 / 12 / 20 mm
- Contents: 1x saw blade, parallel guide, plastic shoe cover, extraction adapter, splinter guard, cutting line indicator, hexagon key

								8.0 Ah
<b>&gt;&gt;&gt;</b> 2)	13 m	17 m	21 m	26 m	34 m	44 m	51 m	68 m

<sup>1)</sup> Battery capacity 2) 19 mm chipboard – max. cutting capacity per battery charge



# **CORDLESS JIGSAW 18 V**

#### TE-JS 18/80 Li

- Stroke speed: 0 2400 min<sup>-1</sup>
- Cutting depth (wood / plastic / steel / aluminium): 80 / 12 / 10 / 12 mm
- Contents: 1x saw blade, parallel guide, integrated plastic shoe cover, extraction adapter, splinter guard, cutting line indicator, hexagon key

Article only available without battery / charger Art. No. 4321200

<b>IIII)</b> 1)	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
<b>&gt;&gt;&gt; </b> 2)	7 m	9.5 m	11 m	14 m	20 m	30 m	32 m	40 m

<sup>1)</sup> Battery capacity

- Universal blade holder
- Pendulum action (4 settings)
- Toolless blade change
- LED light



# **CORDLESS JIGSAW 18 V**

# TC-JS 18 Li

- Stroke speed: 0 2700 min<sup>-1</sup>
- Cutting depth (wood / plastic / steel / aluminium): 70 / 10 / 8 / 12 mm
- Contents: 1x saw blade, parallel guide, plastic shoe cover, extraction adapter, splinter guard, hexagon key

Set incl. 1 battery (2.5 Ah) / 1 charger Art. No. 4321280
Without battery / charger Art. No. 4321209

<b>IIII)</b> 1)	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
<b>&gt;&gt;&gt; 2</b> )	7 m	9.5 m	11 m	14 m	20 m	30 m	32 m	40 m

- 1) Battery capacity
- 2) 19 mm chipboard max. cutting capacity per battery charge



- Pendulum action (4 settings)
- Toolless blade change
- Dust-blower function

<sup>2) 19</sup> mm chipboard – max. cutting capacity per battery charge





# **CORDLESS ALL PURPOSE SAW 18 V**

- Anti-vibration function
- Toolless blade change
- Soleplate adjustment without tools



#### TE-AP 18/26 Li

- Stroke speed / height: 0 2600 min<sup>-1</sup> / 26 mm
   Cutting depth (wood / steel): 180 / 12 mm
   Saw blade thickness: 0.7 1.8 mm

- Contents: 1x saw blade for woodworking

							6.0 Ah	
<b>&gt;&gt;&gt; </b> 2)	155 pcs	207 pcs	260 pcs	311 pcs	414 pcs	572 pcs	640 pcs	854 pcs

Battery capacity
Round timber 35 mm — max. number of cuts per battery charge



# **CORDLESS ALL PURPOSE SAW 18 V**

#### TF-AP 18/22 Li

- Stroke speed / height: 0 2600 min<sup>-1</sup> / 22 mm
- Cutting depth (wood / steel): 100 / 6 mm
- Saw blade thickness: 0.6 1.6 mm
- Contents: 1x saw blade for woodworking

Article only available without battery / charger Art. No. 4326300

	1.5 Ah							
<b>&gt;&gt;&gt; </b> 2)	140 pcs	185 pcs	240 pcs	290 pcs	370 pcs	570 pcs	580 pcs	740 pcs



# **CORDLESS ALL PURPOSE SAW 18 V**

#### TE-AP 18/13 Li

- Stroke speed / height: 0 3000 min<sup>-1</sup> / 13 mm
- Cutting depth (wood / steel): 50 / 4 mm
- Saw blade thickness: 0.6 1.6 mm.
- Contents: 1x saw blade for woodworking, 1x saw blade for metalworking, hexagon key, belt clip

								8.0 Ah
<b>&gt;&gt;&gt;</b> 2)	185 pcs	242 pcs	313 pcs	369 pcs	484 pcs	629 pcs	726 pcs	976 pcs

Battery capacity



Battery capacity
Round timber 35 mm – max. number of cuts per battery charge

<sup>2)</sup> Round timber Ø 35 mm – max. number of cuts per battery charge



# **CORDLESS BANDSAW 18 V**

#### TF-MR 18/127 Li

- Cutting height / width: 115 mm / 127 mm
- Blade speed: 120 m/min
- Saw band dimension: 1141 x 13 x 0.65 mm
- Number of teeth: 10/14 TPI combi tooth pitch
- Contents: 2x saw bands

Article only available without battery / charger Art. No. 4504216

<b>()</b>	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
<b>&gt;&gt;&gt; 2</b> )	23 pcs	30 pcs	35 pcs	45 pcs	60 pcs	78 pcs	90 pcs	120 pcs

- Battery capacity
   Square steel tube 40 x 40 x 2 mm max. number of cuts per battery charge

# **CORDLESS BANDSAW 18 V**

#### TE-MB 18/127 U Li

- Cutting height / width: 115 mm / 127 mm
- Blade speed: 120 m/min
- Saw band dimension: 1141 x 13 x 0.65 mm
- Number of teeth: 10/14 TPI combi tooth pitch
- Mitre cut: 0° to 47° to the left
- Contents: 2x saw bands, base

Article only available without battery / charger Art. No. 4504215

		2.0 Ah						
<b>&gt;&gt;&gt;&gt;</b> 2)	23 pcs	30 pcs	35 pcs	45 pcs	60 pcs	78 pcs	90 pcs	120 pcs

- Battery capacity
- 2) Square steel tube 40 x 40 x 2 mm max, number of cuts per battery charge



For sawing metal and wood

Handle adjustable without

■ Work table with quick clamping device

Spark-free cutting

tools

LED

- For sawing metal and wood
- Spark-free cutting
- Handle adjustable without tools
- LED





# **CORDLESS SLIDING MITRE SAW 36 V**

- Specially developed high-quality precision saw blade
- Laser and LED for easy and safe use
- Powerful 36 V motor (2x 18 V)
- X-Tend work supports with single hand operation facility and integrated limit stop for repeat cutting



#### TE-SM 36/10 L Li

- Speed: 3800 min<sup>-1</sup>
- Saw blade / number of teeth: HM ø 254 x ø 30 x 2.5 mm / Z40
- Swivelling range: -47° to +47°
- Mitre cut: 0° to 45° to the left
- Max. cutting capacity at 90° x 90°: 340 x 85 mm

<b>(1111)</b> 1)	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
<b>&gt;&gt;&gt;</b> 2)	131 pcs	175 pcs	219 pcs	263 pcs	350 pcs	456 pcs	526 pcs	701 pcs
<b>&gt;&gt;&gt;</b> 3)	268 pcs	358 pcs	447 pcs	537 pcs	716 pcs	931 pcs	1074 pcs	1432 pcs

- Battery capacity (2x batteries required)
  Square timber 60 x 60 mm (soft wood) max. number of cuts per battery charge
  Laminate 195 x 8 mm max. number of cuts per battery charge





# CORDLESS SLIDING MITRE SAW 36 V

#### TE-SM 36/210 Li

- Speed: 3800 min<sup>-1</sup>
- Saw blade / number of teeth: HM ø 210 x ø 30 x 1.8 mm / 740
- Swivelling range: -47° to +47°
- Mitre cut: 0° to 45° to the left
- Max. cutting capacity at 90° x 90°: 310 x 65 mm

Article only available without battery / charger Art. No. 4300880

(IIII) 1)	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
<b>&gt;&gt;&gt; </b> 2)	140 pcs	185 pcs	230 pcs	275 pcs	370 pcs	480 pcs	555 pcs	740 pcs
<b>&gt;&gt;&gt;</b> 3)	263 pcs	350 pcs	435 pcs	525 pcs	700 pcs	910 pcs	1050 pcs	1400 pcs

- 1) Battery capacity (2x batteries required)
- Square tradity (2x batteries required)

  Square timber 60 x 60 mm (soft wood) max. number of cuts per battery charge

  Laminate 195 x 8 mm max. number of cuts per battery charge



- Specially developed high-quality precision saw blade
- Laser and LED for easy and safe use
- Powerful 36 V motor (2x 18 V)
- X-Tend work supports with single hand operation facility and integrated limit stop for repeat cutting

# **CORDLESS SLIDING MITRE SAW 36 V**

#### TF-SM 36/8 L Li

- Speed: 3000 min<sup>-1</sup>
- Saw blade / number of teeth: HM ø 216 x ø 30 x 1.8 mm / Z40
- Swivelling range: -47° to +47°
- Mitre cut: 0° to 45° to the left
- Max. cutting capacity at 90° x 90°: 305 x 65 mm

Article only available without battery / charger Art. No. 4300882

1)	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
<b>&gt;&gt;&gt; 2</b> )	145 pcs	188 pcs	250 pcs	289 pcs	385 pcs	500 pcs	578 pcs	771 pcs
<b>&gt;&gt;&gt;</b> 3)	278 pcs	370 pcs	466 pcs	556 pcs	741 pcs	964 pcs	1112 pcs	1483 pcs

- 1) Battery capacity (2x batteries required)
- Square timber 60 x 60 mm (soft wood) max. number of cuts per battery charge
   Laminate 195 x 8 mm max. number of cuts per battery charge



Powerful 36 V motor (2x 18 V)

the job easier





# **CORDLESS MITRE SAW 18 V**

#### TE-MS 18/210 Li

- Speed: 3000 min<sup>-1</sup>
- Saw blade / number of teeth: HM ø 210 x ø 30 x 1.8 mm / Z40
- Swivelling range: -47° to +47°
- Mitre cut: 0° to 45° to the left
- Max. cutting capacity at 90° x 90°: 120 x 60 mm

Article only available without battery / charger Art. No. 4300890

		2.0 Ah						
<b>&gt;&gt;&gt; </b> 2)	72 pcs	103 pcs	120 pcs	154 pcs	190 pcs	250 pcs	304 pcs	400 pcs

For best performance select a battery with at least 2.5 Ah

- 1) Battery capacity
- 2) Square timber 60 x 60 mm (soft wood) max, number of cuts per battery charge

- Specially developed high-quality precision saw blade
- Laser and LED for easy and safe use
- X-Tend work supports with single hand operation facility and integrated limit stop for repeat cutting



# **CORDLESS MITRE SAW 18 V**

#### **TE-MS 18/8 Li**

- Speed: 3000 min<sup>-1</sup>
- Saw blade / number of teeth: HM ø 216 x ø 30 x 1.8 mm / Z40
- Swivelling range: -47° to +47°
- Mitre cut: 0° to 45° to the left
- Max. cutting capacity at 90° x 90°: 120 x 60 mm

Article only available without battery / charger Art. No. 4300893

		2.0 Ah						
<b>&gt;&gt;&gt; 2</b> )	98 pcs	131 pcs	170 pcs	197 pcs	262 pcs	341 pcs	393 pcs	524 pcs

For best performance select a battery with at least 2.5 Ah

- 1) Battery capacity
- <sup>2)</sup> Square timber 60 x 60 mm (soft wood) max. number of cuts per battery charge



- Specially developed high-quality precision saw blade
- Chip collector for optimum extraction



# **CORDLESS TABLE SAW 36 V**

#### **TE-TS 36/8 T Li**

- Speed: 3800 min<sup>-1</sup>
- Saw blade / number of teeth: HM ø 210 x ø 30 x 1.8 mm / Z40
- Cutting height 90° / 45°: 70 mm / 45 mm
- Max. cutting capacity on the right: 625 mm

Article only available without battery / charger Art. No. 4340455

								8.0 Ah
<b>&gt;&gt;&gt;</b> 2)	19 m	25 m	32 m	38 m	50 m	65 m	78 m	100 m

For best performance select batteries with at least 2.5 Ah

- 1) Battery capacity (2x batteries required)
- 2) OSB panel 19 mm max. cutting range per battery charge



**NEW** 

- Specially developed high-quality precision saw blade
- Sturdy aluminium table
- Holders for stowing away all the attachments
- Twin-Pack Technology

# **CORDLESS TILE CUTTING MACHINE 18 V**

#### TE-TC 18/115 Li

- Speed: 3800 min<sup>-1</sup>
- Cutting wheel: ø 115 x ø 22.2 x 1.4 mm
- Cutting height 90° / 45°: 24 mm / 16 mm
- Angle stop: 0° to +90°

1)	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
<b>&gt;&gt;&gt; </b> 2)	37 pcs	50 pcs	63 pcs	75 pcs	100 pcs	130 pcs	150 pcs	200 pcs

- 1) Battery capacity
- 2) Ceramic tile 7 mm / length 150 mm max. cutting range per battery charge

- Excellent diamond cutting disc for perfect cuts
- Very powerful engine
- Integrated water tank





# **CORDLESS MULTIFUNCTIONAL TOOL 18 V**



#### **VARRITO**

- Oscillating speed: 22000 40000 min-1
- Oscillation angle: 3.2°
- Abrasive paper size: 93 x 93 x 93 mm
   Contents: 15-piece accessory set

<b>(1111)</b> 1)	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
<b>&gt;&gt;&gt;</b> 2)	23 min	30 min	38 min	45 min	60 min	78 min	90 min	120 min
<b>&gt;&gt;&gt;</b> 3)	540 pcs	720 pcs	900 pcs	1080 pcs	1440 pcs	1880 pcs	2160 pcs	2880 pcs
<b>&gt;&gt;&gt;</b> 4)	100 pcs	134 pcs	166 pcs	200 pcs	268 pcs	340 pcs	400 pcs	536 pcs

- Battery capacity
   Max. operating time per battery charge in idle mode
   Round plastics 10 mm max. number of cuts per battery charge
   Round steel 6 mm max. number of cuts per battery charge





# **CORDLESS MULTIFUNCTIONAL TOOL 18 V**

#### TE-MG 18/1 Li

Oscillating speed: 10000 - 33000 min<sup>-1</sup>

Oscillation angle: 3.2°

Abrasive paper size: 93 x 93 x 93 mm

Contents: 13-piece accessory set

Article only available without battery / charger Art. No. 4465195

<b>()</b>	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
<b>&gt;&gt;&gt;&gt;</b> 2)	26 min	35 min	44 min	52 min	71 min	90 min	105 min	140 min
<b>&gt;&gt;&gt;</b> 3)	540 pcs	721 pcs	901 pcs	1082 pcs	1442 pcs	1875 pcs	2163 pcs	2884 pcs
<b>&gt;&gt;&gt;</b> 4)	100 pcs	134 pcs	166 pcs	200 pcs	268 pcs	340 pcs	400 pcs	536 pcs

Battery capacity

Max. operating time per battery charge in idle mode
 Round plastics 10 mm – max. number of cuts per battery charge
 Round steel 6 mm – max. number of cuts per battery charge

# **CORDLESS MULTIFUNCTIONAL TOOL 18 V**

#### TC-MG 18 Li

Oscillating speed: 22000 - 40000 min<sup>-1</sup>

Oscillation angle: 3.2°

Abrasive paper size: 93 x 93 x 93 mm

Contents: 13-piece accessory set

Article only available without battery / charger Art. No. 4465170

<b>IIII)</b> 1)	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
<b>&gt;&gt;&gt; 2</b> )	23 min	30 min	38 min	45 min	60 min	78 min	90 min	120 min
<b>&gt;&gt;&gt;</b> 3)	540 pcs	720 pcs	900 pcs	1080 pcs	1440 pcs	1880 pcs	2160 pcs	2880 pcs
<b>&gt;&gt;&gt;</b> 4)	100 pcs	134 pcs	166 pcs	200 pcs	268 pcs	340 pcs	400 pcs	536 pcs

1) Battery capacity

2) Max. operating time per battery charge in idle mode

3) Round plastics 10 mm - max. number of cuts per battery charge

4) Round steel 6 mm – max. number of cuts per battery charge







# **CORDLESS ROTATING SANDER 18 V**

#### TE-RS 18 Li

- Oscillating speed: 14000 22000 min<sup>-1</sup>
- Oscillating circuit ø: 2.0 mm
- Abrasive paper ø: 125 mm
- Contents: 1x abrasive paper (P80), dust bag

Article only available without battery / charger Art. No. 4462010

								8.0 Ah
<b>&gt;&gt;&gt; 2</b> )	15 min	20 min	25 min	30 min	40 min	52 min	60 min	80 min

- Battery capacity
   Max. operating time per battery charge in idle mode

- Speed control electronics
- Hook and loop fastening
- Dust extraction



# **CORDLESS ORBITAL SANDER 18 V**

#### TE-OS 18/230 Li

- Oscillating speed: 14000 22000 min<sup>-1</sup>
- Oscillating circuit ø: 2.5 mm
- Abrasive paper: 230 x 115 mm
- Contents: 3x abrasive papers (P60/P80/P120), dust bag

	1.5 Ah							
<b>&gt;&gt;&gt;&gt;</b> 2)	20 min	27 min	33 min	40 min	54 min	70 min	80 min	108 min

- Battery capacity
- 2) Max. operating time per battery charge in idle mode



- Speed control electronics
- Hook and loop fastening
- Aluminium sole plate
- Dust extraction



# **CORDLESS ORBITAL SANDER 18 V**

#### TC-OS 18/187 Li

Oscillating speed: 24000 min-1

Oscillating circuit ø: 2.0 mm

Abrasive paper: 187 x 94 mm

■ Contents: 1x abrasive paper (P80), dust bag

Article only available without battery / charger Art. No. 4460725

		2.0 Ah						
<b>&gt;&gt;&gt;</b> 2)	25 min	34 min	42 min	50 min	67 min	87 min	100 min	134 min

<sup>1)</sup> Battery capacity



# **CORDLESS ORBITAL SANDER 18 V**

#### TE-OS 18/113 3X Li

- Oscillating speed: 22000 min<sup>-1</sup>
- Oscillating circuit ø: 1.8 mm
- Abrasive paper N°1: 101 x 113 mm
- Abrasive paper N°2: 150 x 150 x 100 mm
- Abrasive paper N°3: 130 x 80 mm
- Contents: 3x abrasive papers (P120), interchangeable sanding plates, screwdriver, dust collection box, storage bag

							6.0 Ah	
<b>&gt;&gt;&gt; 2</b> )	34 min	45 min	56 min	67 min	89 min	116 min	133 min	178 min

Battery capacity



- Interchangeable sanding plates
- **■** Compact design
- Hook and loop fastening system
- Dust extraction

<sup>2)</sup> Max. operating time per battery charge in idle mode

<sup>2)</sup> Max. óperating time per battery charge in idle mode



# **CORDLESS ORBITAL SANDER 18 V**

#### TE-OS 18/113 Li

- Oscillating speed: 22000 min<sup>-1</sup>
- Oscillating circuit ø: 1.8 mm
- Abrasive paper: 101 x 113 mm
- Contents: 2x abrasive papers (P120), dust collection box

Article only available without battery / charger Art. No. 4460731

		2.0 Ah						
<b>&gt;&gt;&gt; 2</b> )	34 min	45 min	56 min	67 min	89 min	116 min	133 min	178 min

<sup>1)</sup> Battery capacity

- Compact design
- Hook and loop fastening system
- Dust extraction



# **CORDLESS MULTI SANDER 18 V**

#### TE-OS 18/150 Li

- Oscillating speed: 24000 min<sup>-1</sup>
- Oscillating circuit ø: 1.6 mm
- Abrasive paper: 150 x 150 x 100 mm
- Contents: 6x abrasive papers (P120/P240), dust collection box

					4.0 Ah			
<b>&gt;&gt;&gt;</b> 2)	23 min	27 min	34 min	40 min	55 min	70 min	80 min	110 min



- Small, compact and handy Hook and loop fastening
- Dust extraction

<sup>2)</sup> Max. operating time per battery charge in idle mode

Battery capacity
 Max. operating time per battery charge in idle mode



# **CORDLESS BELT FILE 18 V**

#### TF-RF 18 I i

- Grinding/sanding belt speed: 250 1700 m/min
- Grinding arm width: 9 / 13 mm
- Grinding/sanding belt length: 457 mm
- Contents: 12x abrasive belts (P60/P80/P120), interchangeable grinding arm, dust extraction adapter, storage bag

Article only available without battery / charger Art. No. 4461000

1)	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
<b>&gt;&gt;&gt; 2</b> )	11 min	15 min	18 min	22 min	30 min	39 min	45 min	60 min



- Interchangeable grinding arm 9 mm / 13 mm
- Angle adjustment grinding arm
- Speed control electronics
- Belt run adjustment
- Belt change without tools
- Dust extraction

# CORDLESS GRINDING AND ENGRAVING TOOL 18 V

# TE-MT 18/34 Li

- Speed: 5000 34000 min<sup>-1</sup>
- Clamping sleeves ø: 1.6 / 2.4 / 3.2 mm
- Length of flexible shaft: 92 cm
- Contents: 57-piece accessory set, carrying strap

		2.0 Ah						
<b>&gt;&gt;&gt;</b> 2)	30 min	40 min	49 min	59 min	79 min	102 min	118 min	157 min

<sup>1)</sup> Battery capacity



Battery capacity
Ax. operating time per battery charge in idle mode

<sup>2)</sup> Max. operating time per battery charge in idle mode



# CORDLESS CAR POLISHING MACHINE 18 V

#### CE-CB 18/254 Li

Idle speed: 2500 min<sup>-1</sup>
 Diameter: 254 mm

Article only available without battery / charger Art. No. 2093301

				3.0 Ah				
<b>&gt;&gt;&gt; 2</b> )	56 min	81 min	93 min	112 min	127 min	200 min	222 min	254 min

For best performance select a battery with at least 2.5 Ah

1) Battery capacity

- Handy and robust
- Soft grip for comfortable operation
- Incl. 1 textile polishing bonnet and 1 synthetic polishing bonnet



# **CORDLESS POLISHING/SANDING MACHINE 18 V**

#### **CE-CP 18/180 Li E Brushless**

Idle speed: 500 - 3000 min-1

Diameter: 180 mm

Article only available without battery / charger Art. No. 2093320

								8.0 Ah
<b>&gt;&gt;&gt;&gt;</b> 2)	17 min	20 min	25 min	35 min	43 min	54 min	65 min	86 min

For best performance select a battery with at least 2.5 Ah

1) Battery capacity



<sup>2)</sup> Max. operating time per battery charge in idle mode

<sup>2)</sup> Max. operating time per battery charge in idle mode





# **CORDLESS BLOWER 18 V**



#### TE-CB 18/180 Li

- Blow velocity (step 1 / 2): 130 km/h / 180 km/h
   Idle speed (step 1 / 2): 11500 min<sup>-1</sup> / 15500 min<sup>-1</sup>
   Contents: 3x inflating adapter

		2.0 Ah						
<b>&gt;&gt;&gt;</b> 2)	31 min	39 min	48 min	62 min	68 min	100 min	124 min	136 min
<b>&gt;&gt;&gt;</b> 3)	18 min	24 min	26 min	36 min	48 min	56 min	65 min	96 min

- Battery capacity
   Performance at setting 1 per battery charge in idle mode
   Performance at setting 2 per battery charge in idle mode





#### TE-SG 18/10 Li

- Feed speed: 0 10 mm/sDispensing force: 2000 N

		2.0 Ah						
<b>&gt;&gt;&gt; 2</b> )	128 pcs	170 pcs	213 pcs	255 pcs	340 pcs	442 pcs	510 pcs	680 pcs



Battery capacity
 Number of cartridges per battery charge



## **CORDLESS PAINT SPRAY SYSTEM 18 V**

#### TE-SY 18/90 Li

Delivery rate: 1000 ml/min

■ Tank volume: 1200 ml

Max. viscosity: 90 DIN-sec

 Contents: 3 nozzles, 1 paint container (1200 ml), 1 cleaning needle, 1 cleaning brush, 1 container for testing viscosity

Article only available without battery / charger Art. No. 4260040

1)	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
<b>&gt;&gt;&gt; </b> 2)	24 m²	31 m²	39 m²	50 m <sup>2</sup>	62 m²	81 m²	93 m²	124 m²

1) Battery capacity

- Semi-stationary system for medium to large work areas
- Spraying of lacquers and glazes
- Removable spray cap
- Adjustable air flow rate
- Paint flow regulation
- Adjustable air cap

# **CORDLESS PAINT SPRAY SYSTEM 18 V**

#### TC-SY 18/60 Li

Delivery rate: 650 ml/min

■ Tank volume: 800 ml

Max. viscosity: 60 DIN-sec

 Contents: 2 nozzles, 1 paint container (800 ml), 1 cleaning needle, 1 cleaning brush, 1 container for testing viscosity

Article only available without battery / charger Art. No. 4260025

		2.0 Ah						
<b>&gt;&gt;&gt;</b> 2)	22 m²	30 m²	38 m²	45 m²	60 m <sup>2</sup>	78 m²	90 m²	120 m²

1) Battery capacity

- Hand-held system for small and medium-sized working areas
- Spraying of lacquers and glazes
- Removable spray cap
- Paint flow regulation
- Adjustable air cap



<sup>&</sup>lt;sup>2)</sup> Max. area coverage per battery charge with viscosity 60 DIN-sec with single paint application

<sup>2)</sup> Max. area coverage per battery charge with viscosity 60 DIN-sec with single paint application





# **CORDLESS RADIO 18 V**

#### TE-CR 18 Li DAB+/FM/BT

- Power rating: 2x 10.0 W
- FM Frequency: 87.5 108 MHz
- DAB+ Frequency: 174 MHz 240 MHz
- Station memory DAB+/FM: 30 / 30
- Contents: Power cable 18 V / 1.3 A

Article only available without battery / charger Art. No. 3407995

	1.5 Ah							
<b>&gt;&gt;&gt;</b> 2)	13.5 h	18 h	22.5 h	27 h	36 h	47 h	54 h	72 h

- 1) Battery capacity
- 2) Max. operating time per battery charge in radio mode volume 24

# ■ Hybrid fu



- Hybrid function (18 V + 230 V)
- **■** TFT colour display
- USB-In and AUX-In
- Bluetooth
- USB charging function
- Protection class IP65
- Equalizer for the adjustment of bass and trebles



# **CORDLESS RADIO 18 V**

#### TC-RA 18 Li BT

- AM Frequency: 522 1620 kHz
- FM Frequency: 87.5 108 MHz
- AM / FM station memory: 10 / 10

		2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
<b>&gt;&gt;&gt;&gt;</b> 2)	12 h	16 h	20.5 h	24.5 h	32.5 h	42.5 h	49 h	65 h

- Battery capacity
- 2) Max. operating time per battery charge





- LCD display
- External antenna
- Bluetooth connection for wireless music listening



#### TE-CL 18/2500 LiAC

- Luminosity: 1000 lm / 2500 lm
- Light range: 640 m
- Colour temperature: 6500 K
- Contents: 12 V car cable

Article only available without battery / charger Art. No. 4514145

<b>1)</b>	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
<b>&gt;&gt;&gt;</b> 2)	69 min	85 min	107 min	137 min	183 min	238 min	274 min	366 min
<b>&gt;&gt;&gt;</b> 3)	229 min	291 min	341 min	458 min	611 min	794 min	916 min	1222 min

- 1) Battery capacity
- 2) Luminous period per battery charge 2500 lm
- 3) Luminous period per battery charge 1000 lm

# **CORDLESS LIGHT 18 V**

#### TE-CL 18/2500 Li

- Luminosity: 1000 lm / 2500 lm
- Light range: 640 m
- Colour temperature: 6500 K

Article only available without battery / charger Art. No. 4514152

(IIII) 1)	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
<b>&gt;&gt;&gt;</b> 2)	69 min	85 min	107 min	137 min	183 min	238 min	274 min	366 min
<b>&gt;&gt;&gt;</b> 3)	229 min	291 min	341 min	458 min	611 min	794 min	916 min	1222 min

- 1) Battery capacity
- 2) Luminous period per battery charge 2500 lm 3) Luminous period per battery charge 1000 lm



- 2-step luminosity adjustment
- 7 bright LEDs
- ¼" tripod thread





- 2-step luminosity adjustment
- Hybrid function for use from a 12 V cigarette lighter socket or with a rechargeable battery
- 7 bright LEDs
- ¼" tripod thread



**NEW** 



#### TE-CL 18/2000 LIAC

- Mains connection: 100-240 V ~ 50-60 Hz
- Cable length: 2 m
- Luminosity: 500 lm / 1200 lm / 2000 lm
- Light source: 20 LEDs
- Contents: 230 V power cable

Article only available without battery / charger Art. No. 4514114

		2.0 Ah						
<b>&gt;&gt;&gt; 2</b> )	87 min	115 min	145 min	174 min	230 min	300 min	345 min	460 min

- 1) Battery capacity
  2) Luminous period per battery charge



- Hybrid function can also be used with 230 V power cable
- 3-step luminosity adjustment
- 360° swivelling lamp head



# **CORDLESS LIGHT 18 V**

# TC-CL 18/1800 Li

- Luminosity: 1800 lm
- Light source: 1 LED

		2.0 Ah						
<b>&gt;&gt;&gt; 2</b> )	95 min	118 min	140 min	191 min	243 min	300 min	350 min	468 min

- 1) Battery capacity 2) Luminous period per battery charge



- 360° swivelling lamp head
- Infinitely variable luminosity
- Folding foot





- **■** Foldable light head
- Separately switchable lights
- Numerous mounting options
- **■** Ergonomic handle with soft grip



# TE-CL 18/1000 S Li

Luminosity: Light strip 1: 400 lm / light strip 2: 600 lm / total: 1000 lm

NEW

- Light source: 15 LEDProduct weight: 0.45 kg (excl. battery)

<b>IIII)</b> 1)	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
<b>&gt;&gt;&gt; </b> 2)	109 min	145 min	181 min	217 min	289 min	376 min	434 min	578 min

Battery capacity
Luminous period per battery chargeat maximum brightness



#### TC-CL 18/350 Li

- Luminosity: 350 lm
- Light range: 30 m
- Product weight: 0.48 kg
- Light source: 1 LED

Article only available without battery / charger Art. No. 4514175

		2.0 Ah						
<b>&gt;&gt;&gt; 2</b> )	6 h	7.5 h	9.5 h	11 h	15 h	19.5 h	23 h	30 h

- 1) Battery capacity 2) Luminous period per battery charge

# ■ High-intensity power LED

- Pivoting light head -5° bis 110°
- **■** Fastening eyelet
- Slim, lightweight design
- **■** Ergonomic handle with soft grip
- Colour temperature of 7000 K



# **CORDLESS LIGHT 18 V**

# TC-CL 18 Li H

- Luminosity: 350 lm
- Light source: 1 LED
- Product weight: 0.2 kg

33) <sup>2)</sup> 5 h 7 h 9 h 10.5 h 14 h 18 h 21 h 28 h	1)	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
	<b>&gt;&gt;&gt;&gt;</b> 2)	5 h	7 h	9 h	10.5 h	14 h	18 h	21 h	28 h

- 1) Battery capacity
- 2) Luminous period per battery charge



- High-quality LED
- Swivelling lamp head
- Metal hook



# **CORDLESS HOT GLUE GUN 18 V**

#### TE-CG 18 Li

- Warm-up period: 120 s
- Max. glueing temperature: 170°C
- Glue stick length / diameter: 200 mm / 11 mm
- Contents: 5 glue sticks, flat glueing nozzle

Article only available without battery / charger Art. No. 4522200

								8.0 Ah
<b>&gt;&gt;&gt;</b> 2)	14 pcs	18 pcs	22 pcs	28 pcs	36 pcs	44 pcs	50 pcs	72 pcs

<sup>1)</sup> Battery capacity

- LED heat level indicator
- Disengageable LED light
- Changeable glueing nozzle


# **CORDLESS HOT AIR GUN 18 V**

#### TE-HA 18 Li

- Temperature setting 1 / setting 2: 350 °C / 550 °C
- Air rate: 200 l/min
- Contents: Reducing nozzle, wide jet nozzle and reflector nozzle

						5.2 Ah		
<b>&gt;&gt;&gt;&gt;</b> 2)	7 min	9 min	11 min	13 min	17 min	22 min	26 min	34 min

- Battery capacity
- 2) Max. operating time per battery charge setting 2





<sup>&</sup>lt;sup>2)</sup> Glue sticks 11 mm, length 200 mm – max. number per battery charge



# **CORDLESS STAPLER/NAILER 18 V**

- 2-in-1 stapler and nailer combination tool
- Depth adjustment
- Magazine with level indicator
- Allows stapling close to the edge





#### TE-CN 18/32 Li

- Max. working speed: 20 min-1
- Staple length: 13 25 mm
- Nail length: 15 32 mm
- Contents: 300x nails (32 mm), 300x staples (19 mm)

<b>1)</b>	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
<b>&gt;&gt;&gt;</b> 2)	1472 pcs	2030 pcs	2670 pcs	3204 pcs	4272 pcs	5554 pcs	6408 pcs	8544 pcs
<b>&gt;&gt;&gt;</b> 3)	1459 pcs	1995 pcs	2642 pcs	3171 pcs	4228 pcs	5496 pcs	6342 pcs	8456 pcs

- Battery capacity
   32 mm nails in softwood at maximum depth setting max. number per battery charge
   22 mm staples in softwood at maximum depth setting max. number per battery charge





# 6-IN-1 CORDLESS HYBRID COMPRESSOR 18 V

#### PRESSITO 18/25 Hybrid

- Mains connection: 220-240 V ~ 50/60 Hz
- Max. output rate at 0 | 4 | 7 bar: 19 | 12 | 10 l/min
- Max. operating pressure: 11 bar
- Contents: High-pressure hose (71 cm), low-pressure hose (160 cm), 4-piece adapter kit, 4-piece adapter kit

Article only available without battery / charger Art. No. 4020430

<b>(1111)</b> 1)	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
<b>&gt;&gt;&gt;&gt;</b> 2)	17 min	22 min	28 min	34 min	44 min	58 min	68 min	88 min

- 1) Battery capacity
- 2) Max, operating time per battery charge in idle mode



- Hybrid function for use with a power cable or a rechargeable battery
- Manual inflating function (high-pressure)
- High pressure pumping, low pressure pumping/suction
- Integrated emergency light for illuminating the place of use



# 6-IN-1 CORDLESS HYBRID COMPRESSOR 18 V

#### **PRESSITO**

- Mains connection: 220-240 V ~ 50 Hz
- Max. output rate at 0 | 4 | 7 bar: 16 | 10 | 8 l/min
- Max. operating pressure: 11 bar
- Contents: High-pressure hose (71 cm), low-pressure hose (31 cm), 4-piece adapter kit, 3-piece adapter kit

		2.0 Ah						
<b>&gt;&gt;&gt; 2</b> )	20 min	30 min	37 min	45 min	60 min	85 min	90 min	120 min

- Battery capacity
- 2) Max. óperating time per battery charge in idle mode





- Hybrid function for use with a power cable or a rechargeable battery
- High pressure pumping, low pressure pumping/suction
- Incl. extensive accessories



# 3-IN-1 CORDLESS COMPRESSOR 18 V

#### PRESSITO 18/25

- Suction power: 25 l/min
- Max. output rate at 0 | 4 | 7 bar: 17 | 11 | 9 l/min
- Max. operating pressure: 11 bar
- Contents: High-pressure hose (71 cm), low-pressure hose (160 cm), 4-piece adapter kit, 4-piece adapter kit

Article only available without battery / charger Art. No. 4020420

	1.5 Ah							
<b>&gt;&gt;&gt;</b> 2)	17 min	22 min	28 min	34 min	44 min	58 min	68 min	88 min

- 1) Battery capacity
- 2) Max, operating time per battery charge in idle mode

- High pressure pumping, low pressure pumping/suction
- Manual inflating function (high-pressure)
- Two-line pressure display for set and actual pressure
- Incl. extensive accessories



# 3-IN-1 CORDLESS COMPRESSOR 18 V

#### PRESSITO 18/21

- Suction power: 21 l/min
- Max. output rate at 0 | 4 | 7 bar: 14 | 9 | 6 l/min
- Max. operating pressure: 10.5 bar
- Contents: High-pressure hose (71 cm), low-pressure hose (31 cm), 4-piece adapter kit, 3-piece adapter kit

	1.5 Ah							
<b>&gt;&gt;&gt;</b> 2)	20 min	30 min	37 min	45 min	60 min	85 min	90 min	120 min

- Battery capacity
- 2) Max. operating time per battery charge in idle mode



- High pressure pumping, low pressure pumping/suction
- Manual inflating function (high-pressure)
- Incl. extensive accessories





# **CORDLESS COMPRESSOR 36 V**

- Mobile compressor with compressed air tank
- Twin-Pack Technology
- Storage compartment for storage of optional accessories



#### TE-AC 36/150 Li OF

- Suction power: 150 l/min
- Max. output rate at 0 | 4 | 7 bar: 95 | 70 | 50 l/min
- Tank capacity: 6 l
- Max. operating pressure: 8 bar

Article only available without battery / charger Art. No. 4020415

1)	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
<b>&gt;&gt;&gt;</b> 2)	-	-	26 pcs	36 pcs	45 pcs	54 pcs	72 pcs	90 pcs
<b>&gt;&gt;&gt;</b> 3)	-	-	410 pcs	600 pcs	720 pcs	850 pcs	1200 pcs	1440 pcs

For best performance select a battery with at least 2.5 Ah

- Battery capacity (2x batteries required)
   Tank pressure build-up cycles per battery charge
   Soft wood max. number of staples (13 mm staples) per battery charge

# CORDLESS COMPRESSOR 18 V

#### TE-AC 18/75 Li OF

- Suction power: 75 l/min
- Max. output rate at 0 | 4 | 7 bar: 50 | 32 | 23 |/min
- Tank capacity: 5 l
- Max. operating pressure: 8 bar

Article only available without battery / charger Art. No. 4020410

<b>1)</b>	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
<b>&gt;&gt;&gt; 2</b> )	7 pcs	9 pcs	16 pcs	20 pcs	26 pcs	33 pcs	40 pcs	52 pcs
<b>&gt;&gt;&gt;</b> 3)	100 pcs	130 pcs	175 pcs	210 pcs	280 pcs	360 pcs	420 pcs	560 pcs

For best performance select a battery with at least 2.5 Ah

- Battery capacity
   Tank pressure build-up cycles per battery charge
   Soft wood max. number of staples (13 mm staples) per battery charge

# CORDLESS PORTABLE COMPRESSOR 18 V

#### TE-AC 36/8 Li OF Set

- Suction power: 130 l/min
- Max. output rate at 0 | 4 | 7 bar: 90 | 55 | 38 l/min
- Max. operating pressure: 8 bar
- Contents: Hose, tyre inflation gauge, blow adapter, 3-piece adapter set

<b>IIII</b> ) 1)	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
<b>&gt;&gt;&gt;</b> 2)	6 min	8 min	10 min	12 min	16 min	21 min	24 min	32 min
<b>&gt;&gt;&gt;</b> 3)	4.5 min	6 min	7.5 min	9 min	12 min	15 min	18 min	24 min

- Display Battery capacity (2x batteries required)
  Display Max. running time when using a blow-out pistol
  Display Max. running time when inflating a car tire to 2.5 bar



- Mobile compressor with compressed air tank
- Carrying handle and ergonomic design
- One pressure gauge each for working pressure and tank pressure



- Incl. extensive accessories





# E-CASE-SYSTEM SYSTEM CASES E-CASE

- Accessories available to create individual arrangements
- 2x fold-in ergonomic handles for comfortable carrying





#### E-Case S-F

- Items supplied: 1x E-Case S + 1x foam insert
- Internal dimensions: 421 x 281 x 96 mm
- External dimensions: 444 x 330 x 131 mm

Art. No. 4540011

- Large 15 cm rubberised all-terrain wheels
- Telescopic handle for easy transport
- For storing and transporting large tools



#### E-Case L

- Items supplied:
  - 1x E-Case L + 1x tray for hand tools + 2x gap clips
- Internal dimensions: 421 x 273 x 320 mm
- External dimensions: 444 x 406 x 355 mm

Art. No. 4540014

# Optionally available as an accessory for the E-Case S-F:

Set of Plastic Compartments Art. No. 4540012



2 **Grid Foam** Art. No. 4540013





# E-CASE-SYSTEM SYSTEM CASES E-CASE

- Inner height of 25 cm is optimised for bulky Einhell products
- Foldable, ergonomic handle for comfortable carrying



#### E-Case M

- Items supplied: 1x E-Case M + 1x hand tool insert
- Internal dimensions: 415 x 280 x 250 mm
- External dimensions: 444 x 330 x 295 mm

Art. No. 4540021

 Complete modular storage solution for the ambitious handyman



#### **E-Case Tower**

Items supplied:

1x E-Case S + 1x foam insert, 1x E-Case S + 1x set of plastic compartments (2x long, 3x medium, 4x short dividers), 1x E-Case L + 1x tray for hand tools + 2x gap clips

Art. No. 4540015

#### **UNMATCHED FOR RUGGEDNESS!**



Maximum loading of a single case when carried by the handle on the side



Maximum permissible loading of the



**90 KG**Maximum loading of several cases when carried by the handle on the top



Max. total load F-Case I + stacked cases

#### STACKABLE AND CONNECTABLE







# E-CASE-SYSTEM SYSTEM CASES E-CASE

- Large outside pockets for storing batteries and chargers
- Integrated spirit level clips

#### **E-Case Bag**

- Items supplied: 1x E-Case Bag
- Max. load: 30 kg
- Internal dimensions: 430 x 210 x 290 mm
- External dimensions: 440 x 220 x 330 mm

Art. No. 4540036

- Additional E-Case components can be stacked on top of the toolbox
- Sufficient space for large Einhell devices

# **E-Case Toolbox**

- Items supplied: 1x E-Case Toolbox
- Max. load: 90 kg
- Internal dimensions: 403 x 290 x 195 mm
- External dimensions: 444 x 320 x 210 mm

Art. No. 4540037



- 4 rubber tyres (2 with foot brakes)
- Large support surface adapted for transporting beverage crates

# **NEW**

## **E-Case Rolling Base**

- Items supplied:1x E-Case Rolling Base
- Max. load: 120 kg
- Maße: 530 x 400 x 110 mm

Art. No. 4540041







# **ACCESSORIES - CASES**

#### E-Box L70

- Items supplied: 1 universal case
   Internal dimensions: 670 x 110 x 300 mm
- External dimensions: 700 x 250 x 350 mm
- Load capacity: 50 kg

Art. No. 4530054



# **ACCESSORIES - BAGS**

#### Einhell Bag 56/29

- Items supplied: 1 universal bag
- Internal dimensions: 520 x 290 x 250 mm
- External dimensions: 560 x 290 x 300
- Load capacity: 25 kg

Art. No. 4530078



#### E-Box M55

- Items supplied: 1 universal case
- Internal dimensions: 510 x 327 x 124 mm.
- External dimensions: 550 x 400 x 150 mm
- Load capacity: 30 kg

Art. No. 4530049



# Einhell Bag 45/29

- Items supplied: 1 universal bag
- Internal dimensions: 420 x 270 x 200 mm
- External dimensions: 450 x 290 x 220 mm
- Load capacity: 20 kg

Art. No. 4530074



#### E-Box S35

- Items supplied: 1 universal case
- Internal dimensions: 310 x 250 x 89,5 mm
- External dimensions: 350 x 330 x 110 mm
- Load capacity: 12 kg

Art. No. 4530045



#### Einhell Bag 45/22

- Items supplied: 1 universal bag
- Internal dimensions: 390 x 200 x 190 mm
- External dimensions: 450 x 220 x 350 mm
- Load capacity: 15 kg

Art. No. 4530037







**CORDLESS WET AND DRY VACUUM** 

**CLEANER 36 V** 

- 2 speeds
- Heavy-duty suction hose
- Twin-Pack Technology



#### TE-VC 36/30 Li S

- Suction power: 150 mbar / 100 mbar (BOOST / ECO)
- Tank: Stainless steel, 30 l
- Contents: Suction hose (2.5 m), stainless steel telescopic tube, crevice nozzle, upholstery nozzle, combination nozzle, foam filter, pleated filter, dirt collection bag (1 of each)

Article only available without battery / charger Art. No. 2347140

<b>1)</b>	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
								44 min
<b>&gt;&gt;&gt;</b> 3)	6 min	8 min	10 min	12 min	16 min	21 min	24 min	32 min

For best performance select batteries with at least 2.5 Ah

- Battery capacity (2x batteries required)
   Max. operating time per battery charge in idle mode (ECO mode)
   Max. operating time per battery charge in idle mode (BOOST mode)

# CORDLESS WET AND DRY VACUUM CLEANER 36 V

#### TE-VC 36/25 Li S

- Suction power: 150 mbar / 100 mbar (BOOST / ECO)
- Tank: Stainless steel, 25 l
- Contents: Suction hose (2.5 m), 2-piece stainless steel telescopic tube, crevice nozzle, upholstery nozzle, combination nozzle, foam filter, pleated filter, dirt collection bag (1 of each)

Article only available without battery / charger Art. No. 2347170

		2.0 Ah						
		11 min						
<b>&gt;&gt;&gt;</b> 3)	6 min	8 min	10 min	12 min	16 min	21 min	24 min	32 min

For best performance select batteries with at least 2.5 Ah

- 1) Battery capacity (2x batteries required)
- Max. operating time per battery charge in idle mode (ECO mode)
   Max. operating time per battery charge in idle mode (BOOST mode)



- 2 speeds
- Stainless steel tank, rust-proof and sturdy
- Twin-Pack Technology

# CORDLESS WET AND DRY VACUUM CLEANER 18 V

#### TC-VC 18/20 Li S

- Suction power: 80 mbar
- Tank: Stainless steel, 20 l
- Contents: Suction hose (1.5 m), 3-piece plastic tube, crevice nozzle, upholstery nozzle, combination nozzle, foam filter, pleated filter, dirt collection bag (1 of each)

Article only available without battery / charger Art. No. 2347130

		2.0 Ah						
<b>&gt;&gt;&gt; </b> 2)	8 min	10 min	11 min	16 min	20 min	25 min	32 min	40 min

For best performance select a battery with at least 2.5 Ah

- 1) Battery capacity
- 2) Max. operating time per battery charge in idle mode

- Stainless steel tank, rust-proof and sturdy
- Blow connector
- Incl. extensive accessories





# **CORDLESS WET AND DRY VACUUM CLEANER 18 V**

#### TC-VC 18/15 Li

- Suction power: 80 mbar
- Tank: Plastic, 15 l
- Contents: Suction hose (1.5 m), 3-piece plastic tube, crevice nozzle, combination nozzle, foam filter, filter bag, dirt collection bag (1 of each)

Article only available without battery / charger Art. No. 2347145

		2.0 Ah						
<b>&gt;&gt;&gt;</b> 2)	8 min	10 min	11 min	16 min	20 min	25 min	32 min	40 min

For best performance select a battery with at least 2.5 Ah

- 1) Battery capacity
- 2) Max. operating time per battery charge in idle mode

- Plastic tank light-weight but impact-proof
- Blow connector
- Incl. extensive accessories



# **CORDLESS WET AND DRY VACUUM CLEANER 18 V**

#### TE-VC 18/10 Li

- Suction power: 90 mbar
- Tank: Plastic, 10 l
- Contents: Suction hose (2.0 m), combination crevice nozzle, combination upholstery nozzle, foam filter, filter bag, dirt collection bag (1 of each)

Article only available without battery / charger Art. No. 2347160

		2.0 Ah						
<b>&gt;&gt;&gt; 2</b> )	8 min	10 min	12 min	17 min	21 min	26 min	30 min	42 min

For best performance select a battery with at least 2.5 Ah

- 1) Battery capacity
- 2) Max. operating time per battery charge in idle mode



- **■** Extendable hose
- Lightweight and mobile
- Compact design



# **CORDLESS STICK VAC CLEANER 18 V**

#### TE-SV 18 Li

- Tank volume: 0.6 l
- Speed settings: 2 (ECO/BOOST)

Article only available without battery / charger Art. No. 2347180

<b>IIII</b> ) 1	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
<b>&gt;&gt;&gt;</b> 2)	8 min	11 min	13 min	18 min	22 min	28 min	35 min	44 min
<b>&gt;&gt;&gt;</b> 3)	19 min	25 min	31 min	38 min	50 min	65 min	80 min	100 min

- 1) Battery capacity
- Max. operating time per battery charge in idle mode (BOOST mode)
   Max. operating time per battery charge in idle mode (ECO mode)

#### **EXTENSIVE ACCESSORIES**

- **Wall Bracket** for storing the device and the accessories
- Flexible Crevice Nozzle for vacuuming hard-toreachareas in the car
- 2-in-1 nozzle for slits on the sof

- 2-in-1 device: hand-held vacuum cleaner + upright vacuum cleaner
- No dirt bag: empty the dust collection container at the push of a button
- Well illuminated work area thanks to 4 spotlight LEDs
- Motorised floor nozzle
- Replaceable and washable cyclone pleated filter

#### **ALSO AVAILABLE: ACCESSORY SET (2351267)**

- Schlauch und Universaldüse for user-friendly cleaning in the livingroom / car / etc.
- **Upholstery Nozzle** for cushion





# CORDLESS HANDHELD VACUUM CLEANER 18 V

#### TF-HV 18/06 Li

- Suction power: 72 mbar / 50 mbar (BOOST / ECO)
- Tank: Plastic, 0.60 l
- Contents: Suction tube (70 cm), crevice nozzle, upholstery nozzle, floor nozzle, synthesis filter, wall mount (1 each)

Article only available without battery / charger Art. No. 2347190

		2.0 Ah						
		22 min						
<b>&gt;&gt;&gt;</b> 3)	9 min	12 min	15 min	19 min	25 min	32 min	39 min	50 min

- 1) Battery capacity
- 2) Max. operating time per battery charge in idle mode (ECO mode)
- 3) Max. operating time per battery charge in idle mode (BOOST mode)

# ■ 2 speeds ■ Incl. extensive accessories ■ Wall bracket

# **CORDLESS HANDHELD VACUUM CLEANER 18 V**

#### TE-VC 18 Li

- Suction power: 42 mbar
- Tank: Plastic, 0.54 l
- Contents: Suction tube (46.5 cm), crevice nozzle, upholstery nozzle, floor nozzle, synthesis filter, wall mount (1 each)

				3.0 Ah				
<b>&gt;&gt;&gt; 2</b> )	12 min	16 min	18 min	23 min	31 min	40 min	46 min	62 min

- 1) Battery capacity
- <sup>2)</sup> Max. operating time per battery charge in idle mode



- Easy cleaning
- Incl. extensive accessories
- Wall bracket



# **CORDLESS ASH VACUUM CLEANER 18 V**

#### TE-AV 18/15 Li C

- Suction power: 100 mbar
- Tank: Stainless steel, 15 l
- Contents: Suction hose (1.2 m), crevice nozzle, pleated filter (1 each)

Article only available without battery / charger Art. No. 2351700

		2.0 Ah						
<b>&gt;&gt;&gt;</b> 2)	11 min	15 min	18 min	22 min	30 min	37 min	44 min	60 min

<sup>1)</sup> Battery capacity

# CORDLESS HIGH-PRESSURE CLEANER 18 V

#### **HYPRESSO 36/105**

- Max. pressure: 105 bar
- Max. working pressure: 70 bar
- Max. flow rate: 270 l/h
- Pressure hose length: 4 m
- Suction hose length: 5 m
- Contents: Suction hose with water filter, lance extension, spot/ wide jet nozzle, rotational nozzle, washing brush (1 of each)

<b>IIII)</b> 1)	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
<b>&gt;&gt;&gt;</b> 2)	8 min	11 min	14 min	17 min	22 min	28 min	33 min	45 min
<b>&gt;&gt;&gt;</b> 3)	5 min	7 min	9 min	11 min	14 min	19 min	22 min	32 min

- 1) Battery capacity (2x batteries required)
- 2) Max. operating time per battery charge in idle mode (ECO mode)
- 3) Max. operating time per battery charge in idle mode (BOOST mode)

- **■** Filter cleaning system
- Lightweight and mobile
- Metal-reinforced suction hose with a length of 1.20 m





- 2 pressure levels
- The suction function means you can use it everywhere
- Twin-Pack Technology
- Storage options for the accessories

<sup>2)</sup> Max. operating time per battery charge in idle mode





# **CORDLESS PRESSURE CLEANER 18 V**



#### **HYPRESSO 18/24-1**

- Max. pressure: 24 bar
- Max. flow rate: 240 l/h
- Suction hose length: 5 m
- Suction height: 3 m
- Contents: Suction hose with water filter, 2 lance extensions, foam spray bottle, 4-in-1 nozzle, splash-water protection, bottle adapter, storage bag

1)	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
<b>&gt;&gt;&gt;</b> 2)	10 min	13 min	15 min	20 min	27 min	35 min	45 min	55 min
<b>&gt;&gt;&gt;</b> 3)	6 min	7 min	8 min	11 min	15 min	18 min	23 min	30 min

- Battery capacity
- Dattery capacity
   Max. operating time per battery charge in idle mode (ECO mode)
   Max. operating time per battery charge in idle mode (BOOST mode)

# **CORDLESS PUSH SWEEPER 18 V**

#### TE-SW 18/610 Li

- Max. cleaning area: 1800 m²/h
- Working width: 610 mm
- Dirt tank: 20 l

Article only available without battery / charger Art. No. 2352040

<b>IIII</b> 1)	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
<b>&gt;&gt;&gt;</b> 2)	650 m <sup>2</sup>	850 m²	1050 m <sup>2</sup>	1300 m <sup>2</sup>	1700 m <sup>2</sup>	2200 m²	2550 m <sup>2</sup>	3400 m <sup>2</sup>
<b>&gt;&gt;&gt;</b> 3)	21 min	27 min	34 min	41 min	55 min	72 min	83 min	110 min

- 1) Battery capacity
- Area coverage at walking speed (3.0 km/h)
  Max. operating time per battery charge in idle mode



- Two battery-powered brushes for excellent cleaning performance even in corners and very smooth running
- Height-adjustable and folding handlebar

# **CORDLESS SWEEPER 18 V**

#### TE-FS 18 Li

- Max. cleaning area: 260 m²/h
- Working width: 250 mm
- Dirt tank: 0.75 l
- Accessories: Cleaning Tool, 3x side brushes for cleaning hard floors

(IIII) 1)	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
<b>&gt;&gt;&gt; </b> 2)	3.5 h	4.5 h	5.5 h	7 h	9 h	11.5 h	14 h	18 h

- Cleaning lip for various surfaces (needle felt carpet, hard floors, asphalt)
- Sweeping up large dirt particles (up to 2 cm) possible
- Pleasant working volume
- Flexible swivel joint for comfortable working





# **CORDLESS HARD FLOOR CLEANER 18 V**

- Foldable battery holder
- Boost mode: Multi-stage roller speed and water supply for the desired cleaning application
- Self-standing function
- Incl. cleaning tool, cleaning/parking station and brush roller
- Easily replaceable brush roller use for parquet, laminate, PVC, stone floors, tiles

## **CLEANEXXO**

Clean water tank: 400 ml
 Dirt water tank: 300 ml

■ Working width: 290 mm

■ Speed settings: 2

Article only available without battery / charger Art. No. 3437110

				3.0 Ah				
<b>&gt;&gt;&gt; </b> 2)	65 min	85 min	107 min	130 min	170 min	225 min	260 min	345 min

1) Battery capacity

2) Max. operating time per battery charge in idle mode



# SELF CLEANING WITH CLEANING/ PARKING STATION

Press the boost switch for three seconds. Brush rotates for 25 seconds in boost mode with increased water supply

# 2 ADJUSTABLE WATER SUPPLY

Optimum control of water flow via trigger on handle



# **CORDLESS WINDOW CLEANER 18 V**

#### **BRILLIANTO**

- Nozzle width: 280 mm
- Dirt water tank: 100 ml

Article only available without battery / charger Art. No. 3437100

	1.5 Ah							
<b>&gt;&gt;&gt;</b> 2)	120 min	160 min	200 min	240 min	320 min	415 min	480 min	640 min

<sup>1)</sup> Battery capacity

#### ALSO AVAILABLE: ACCESSORY

- Telescopic Pole Set (3437101) 2 telescopic poles (1 complete with microfiber cloth for precleaning the glass surface, and 1 complete with tilt adjustment for BRILLIANTO) – both poles infinitely adjustable in length up to approx. 120 cm
- Nozzle Set (3437102) 1x slim suction nozzle (165 mm) and 1x wide suction nozzle (350 mm)

## **CORDI ESS DRAIN CI FANER 18 V**

#### TE-DA 18/760 Li

- Spiral length / diameter: 7.6 m / 7 mm
- Pipe diameter: 16-55 mm
- Speed: 560 min<sup>-1</sup>

								8.0 Ah
<b>&gt;&gt;&gt;</b> 2)	42 min	56 min	68 min	84 min	112 min	143 min	188 min	224 min

- 1) Battery capacity
- 2) Max. operating time per battery charge in idle mode



- Easy retraction/extension of spiral with battery-powered motor
- Right/left rotation for release when the spiral is blocked
- Galvanised spiral

<sup>2)</sup> Max, operating time per battery charge in idle mode



# **CORDLESS GROUT CLEANERS 18 V**

#### GE-CC 18/110 Li E

- Diameter of brush: 110 mm
- Product weight: 2.3 kg
- Steel brush (incl.): 15 mm wide
- Nylon Brush (incl.): 10 mm wide

Article only available without battery / charger Art. No. 3424070

<b>IIII</b> ) 1)	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
<b>&gt;&gt;&gt;</b> 2)	40-55	55-70	70-85	80-110	110-140	140-165	165-220	220-280
	min	min	min	min	min	min	min	min

<sup>1)</sup> Battery capacity

# **CORDLESS SURFACE BRUSH 18 V**

#### PICOBELLA 18/90

- Working width: 90 170 mm
- Bristle length: 20 50 mm
- Idle speed: 190 350 min-1
- Contents: Brush MEDIUM 90/20, brush SOFT 120/50, 3-piece pad set (white/blue/green) and wall holder

	1.5 Ah							8.0 Ah
<b>&gt;&gt;&gt;</b> 2)	110-160	150-210	190-260	225-315	300-420	390-550	450-630	600-840
	min							

<sup>1)</sup> Battery capacity



- 2-in-1 function: wet and dry cleaning
- Multifunctional application for indoor (e.g. kitchen, bathroom) and outdoor (e.g. furniture, car) use
- Speed control for optimum power setting
- Tool-free brush change



<sup>&</sup>lt;sup>2)</sup> Max. operating time per battery charge in idle mode – dependent on the selected speed

<sup>&</sup>lt;sup>2)</sup> Max. operating time per battery charge in idle mode – dependent on the selected speed















#### Accessory / spare parts PICOBELLA 18/90

**Pad Set:** 1x melamin foam pad (for e. g. plastic, walls, doors), 1x microfibre pad (for e. g. glas, metal, aluminium), 1x kitchen fibre pad (for e. g. tempered glass, iron pans/pot)

Art. No. 3424134

**Brush SOFT 170/40** (for e. g. car rims, roller shutters, garage doors) Art. No. 3424130

**Brush SOFT 120/50** (for e. g. window sills, garden furniture, shower) Art. No. 3424131

**Brush MEDIUM** (for e. g. stone, tiles, concret)

Art. No. 3424132

**Brush ULTRA 95/25 BRASS** (for e. g. cast iron and enamelled grill grates, fine sanding works or paint removal on wood, stone and metal)

Art. No. 3424133

#### Accessory / spare parts PICOBELLA 18/215

**Brush SOFT** (for e. g. wood / WPC / BPC, artificial turf)

Art. No. 3424121

**Brush MEDIUM** incl. side brush for smooth stone (e.g. tiles/concrete) Art. No. 3424120

**Brush ULTRA** for rough stone, robust stone (e.g. granite/porphyry) Art. No. 3424122

**Brush ULTRA** incl. side brush for rough stone, robust stone (e.g. granite/porphyry) Art. No. 3424126

# **CORDLESS SURFACE BRUSH 18 V**



- 2-in-1 function: wet and dry cleaning
- Just one work step for thorough, complete wet cleaning thanks to the integrated garden hose connection
- Incl. special side brush for cleaning right to the wall and into edges
- Smooth brush guidance and perfect splash protection thanks to forward/reverse brush operation
- Tool-free brush change

#### PICOBELLA 18/215

- Max. working width: 215 mm
- Diameter of brush: 115 mm
- Idle speed: 800 1400 min<sup>-1</sup>
- Contents: Brush MEDIUM and water control valve

(IIII) 1)	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
<b>&gt;&gt;&gt;</b> 2)	8-25	10-30	12-34	17-46	20-55	25-70	29-90	40-110
	min							

- 1) Battery capacity
- Max. operating time per battery charge in idle mode dependent on the selected speed





# **CORDLESS COFFEE MACHINE 18 V**

- 2-in-1: filter coffee machine and coffee pad machine in one
- **■** Ergonomic handle
- Incl. coffee cup with lid, dosing spoon, coffee powder container with coffee filter, container for coffee pads



## TE-CF 18 Li

- Water tank: 240 ml
- Coffee temperature: 80°

Article only available without battery / charger

Art. No. 4609990

	1) 1.5 Al	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
<b>&gt;&gt;&gt;</b>	2) 1 cup	1 cup	1 cup	2 cups	2 cups	3 cups	4 cups	5 cups

Battery capacity
Max. number of coffee cups (240 ml) per battery charge



# **BATTERY-POWERED COOL BOX 18 V**

- Thermoelectric cool box
- Vehicle battery protection for 12 V operation (no deep discharge)
- Pockets for spare battery to extend running time and for storing accessories
- Automatic power source detection (230 V / 12 V / 18 V)
- LED battery charge indicator (on cool box lid)
- Incl. bottle opener, divider, carrying strap and cables (1x 12 V, 1x 230 V)



#### TE-COL 18/27 Li

- Volume: 27 l (36x 0.33 l / 20x 0.5 l / 6x 1.5 l)
- Max. cooling capacity (to ambient temperature): -20°C
- Holding temperature: +60°C
- Operating mode versions: 230 V / 12 V / 18 V
- Power control switch: continuously (ECO MAX)
- Efficiency class: D
- Internal dimensions (external dimensions): 32/33 x 23/25 x 34 cm (43 x 38 x 47 cm)

<b>1)</b>	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
<b>&gt;&gt;&gt;</b> 2)	0.5 -	0.7 -	0.8 -	1.0 -	1.3 -	1.8 -	2.0 -	3.0 -
	4.3 h	5.8 h	7.2 h	8.7 h	11.7 h	15.0 h	17.3 h	23.3 h
<b>&gt;&gt;&gt;</b> 3)	1.2 -	1.5 -	1.8 -	2.3 -	3.0 -	3.8 -	4.5 -	6.0 -
	5.0 h	6.7 h	8.3 h	10.0 h	13.3 h	17.0 h	20.0 h	26.7 h

- 1) Battery capacity
- 2) Keep cool (MAX ECO)
- 3) Keep warm (MAX ECO)











# CORDLESS ENERGY STATION AND CHARGER 18 V

#### TF-FS 18/150/1 Li-C

- Output power 230 V: 150 W (true sine wave)
- Output USB-A / USB-C PD connection: 10 W / 60 W
- Output power 12 V: 120 W
- Output USB-C PD for charging PXC batteries: 60 W

Article only available without battery / charger Art. No. 1091310

<b>1)</b>	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
<b>&gt;&gt;&gt;</b> 2)	1.1 pcs	1.5 pcs	1.8 pcs	2.2 pcs	2.9 pcs	3.7 pcs	4.3 pcs	5.8 pcs
<b>&gt;&gt;&gt;</b> 3)	0.8 pcs	1.0 pcs	1.3 pcs	1.5 pcs	2.0 pcs	2.6 pcs	3.0 pcs	4.0 pcs
<b>&gt;&gt;&gt;</b> 4)	0.5 pcs	0.6 pcs	0.8 pcs	0.9 pcs	1.2 pcs	1.6 pcs	1.8 pcs	2.4 pcs
<b>&gt;&gt;&gt;</b> 5)	1.3 h	1.8 h	2.3 h	2.8 h	3.7 h	4.8 h	5.4 h	7.2 h

- 1) Battery capacity
- <sup>2)</sup> USB-A (cell phone common models) number of devices to be fully charged
- USB-C (laptop common models) number of devices that can be fully charged
   230 V (laptop common models) number of devices that can be fully charged
- 5) 12 V (electric cool box common model, setting: medium) cooling time per battery charge

- **NEW**
- Mobile power supply for on the go
- 2-in-1 function: Integrated USB-C PD interface for: 1. PXC battery charging with 3 A / 60 W and 2. Power supply for smaller devices (e.g. mobile phone, laptop, fan, etc.)
- 230 V: Protection for sensitive devices with true sine wave - safety for devices as when using a socket
- Includes matching 12 V adapter for cigarette lighter socket
- Dimmable LED light (3-sided)



# CORDLESS ENERGY STATION AND CHARGER ACCESSORIES

- IPX4 rating
- Foldable with magnets
- Includes XT-60 and USB-C PD cables 1 m each
- Incl. storage bag

# **NEW**



## Solar Panel 40 W

- XT connection (e.g. energy station): 40 W
- USB output ports: USB-A (max. 2 A/10 W), USB-C PD (max. 3 A/30 W)

Article only available without battery / charger Art. No. 4530150

- Lightweight, compact and powerful
- Coating for optimum grip
- Incl. 1 m USB-C/USB-C cable



#### **USB-Fast Charger**

- Output USB-C PD/PPS connection: 65 W
- Output USB connections: 18 W

Article only available without battery / charger

Art. No. 4514149



# **CORDLESS ENERGY STATION 18 V**

# NEW

- Mobile power supply for on the go
- Ideal for power supply to smaller devices (e.g. mobile phones, laptops, fans, etc.)
- 230 V: Protection for sensitive devices with true sine wave - safety for devices as when using a socket
- Dimmable LED light (front)



#### TC-ES 18/150/1 Li

- Output power 230 V: 150 W (true sine wave)Output USB-A- / USB-C PD connection: 10 W / 60 W

<b>( )</b>	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
<b>&gt;&gt;&gt; 2</b> )	1.1 pcs	1.5 pcs	1.8 pcs	2.2 pcs	2.9 pcs	3.7 pcs	4.3 pcs	5.8 pcs
<b>&gt;&gt;&gt;</b> 3)	0.8 pcs	1.0 pcs	1.3 pcs	1.5 pcs	2.0 pcs	2.6 pcs	3.0 pcs	4.0 pcs
<b>&gt;&gt;&gt;</b> 4)	0.5 pcs	0.6 pcs	0.8 pcs	0.9 pcs	1.2 pcs	1.6 pcs	1.8 pcs	2.4 pcs

- Battery capacity
   USB-A (cell phone common models) number of devices to be fully charged
   USB-C (laptop common models) number of devices that can be fully charged
   230 V (laptop common models) number of devices that can be fully charged





# **USB BATTERY ADAPTER 18 V**

#### TC-CP 18 Li USB

- USB connections: 2
- Output current USB 1: 1.0 A
- Output current USB 2: 2.1 A

Article only available without battery / charger Art. No. 4514120

		2.0 Ah						
<b>&gt;&gt;&gt;</b> 2)	2 pcs	2.5 pcs	3 pcs	3.5 pcs	4.5 pcs	6 pcs	7 pcs	9 pcs

<sup>1)</sup> Battery capacity



- 2 USB ports
- Charging mobile devices (mobile phone, tablet, etc.)
- LED operating status indicator

# **USB BATTERY ADAPTER 18 V**

#### TC-CP 18 Li USB A/C

- USB connections: 2
- Max. power USB output 1 (type A): 2.0 A
- Max. power USB output 2 (type C): 2.0 A

		2.0 Ah						
<b>&gt;&gt;&gt; 2</b> )	2 pcs	2.5 pcs	3 pcs	3.5 pcs	4.5 pcs	6 pcs	7 pcs	9 pcs

- Battery capacity
- <sup>2)</sup> Charging an iPhone13 charging cycles (0% 100%) per battery charge

- 2 USB ports: 1x USB-A, 1x USB-C
- Charging mobile devices (mobile phone, tablet, etc.)
- **■** LED operating status indicator



<sup>2)</sup> Charging an iPhone13 – charging cycles (0% - 100%) per battery charge



# **CORDLESS SPEAKER 18 V**

- Bluetooth connection for wireless music listening
- USB connection for charging mobile phones etc.
- AUX connection





#### TC-SR 18 Li BT

- Power rating: 2x 3 WMax. volume: 85 dB
- Product weight: 0.3 kg (excl. battery)

		2.0 Ah						
<b>&gt;&gt;&gt;</b> 2)	43 h	57 h	72 h	86 h	114 h	148 h	171 h	228 h

- 1) Battery capacity 2) Max. operating time per battery charge







# **CORDLESS CAR COMPRESSOR**

- Memory function for storing frequently used values
- Ideal for inflating car tyres, cycle tyres and balls
- Digital pressure display for simple setting of the required pressure up to max. 11 bar
- Manual and automatic pumping with switch-off function
- Deflating function enables controlled air release
- LED light





#### CE-CC 18/23 D Li

- Max. output rate at 0 | 4 | 7 bar: 23 | 12 | 9 l/min
- Max. operating pressure: 11 bar
   Contents: Compressed air hose (70 cm) and various adapters

	1.5 Ah							
<b>&gt;&gt;&gt;</b> 2)	21 min	28 min	33 min	42 min	56 min	70 min	85 min	66 min

Battery capacity
Aux. operating time per battery charge in idle mode



# **CORDLESS CAR COMPRESSOR**

#### CE-CC 18 Li

- Max. output rate at 0 | 4 | 7 bar: 12 | 10 | 8 l/min
- Max. operating pressure: 11 bar
- Contents: 60 cm compressed air hose and several adapters

Article only available without battery / charger Art. No. 2071010

		2.0 Ah						
<b>&gt;&gt;&gt;</b> 2)	32 min	42 min	53 min	63 min	84 min	109 min	126 min	168 min



- Ideal for inflating car tyres, cycle tyres and balls
- Digital pressure display for simple setting of the required pressure up to max. 11 bar
- Manual and automatic pumping with switch-off function

# **CORDLESS AIR PUMP**

#### CE-AP 18 Li

- Max. delivery rate: 670 l/min
- Max. operating pressure: 0.5 bar
- Contents: 2 inflation adapters

								8.0 Ah
<b>&gt;&gt;&gt;</b> 2)	49 min	65 min	81 min	98 min	130 min	169 min	195 min	260 min

- 1) Battery capacity (2x batteries required)
- 2) Max. operating time per battery charge in idle mode

- Ideal for inflating rubber dinghies, air mattresses, leisure articles
- Suitable for deflation by simply replacing the adapter
- Can be used as a workshed blower for cleaning the worktop





# **CORDLESS FAN 18 V**

#### GE-CF 18/320 P Li

Fan speed: 330 / 460 / 760 / 910 rpm

Wind speed: 15000 m/hFan diameter: 320 mm

Article only available without battery / charger Art. No. 3408071

<b>1)</b>	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
<b>&gt;&gt;&gt;</b> 2)	14 h	15.8 h	22.4 h	27.2 h	36.6 h	43.6 h	54.3 h	73 h
<b>&gt;&gt;&gt;</b> 3)	4.4 h	5.4 h	7 h	8.3 h	11 h	13.7 h	16.5 h	22 h

- Battery capacity
- 2) Max. operating time per battery charge at min. revolutions
- 3) Max. operating time per battery charge at max. revolutions

- Compact cordless standing fan
- Oscillation function +/-60°
- 4 levels for adjusting the air flow
- Timer function 1 to 8 hours
- Very quiet operation





# **CORDLESS FAN 18 V**

#### GE-CF 18/2200 Li

Fan speed: 1200 / 1700 / 2200 rpm

Wind speed: 15000 m/h
Fan diameter: 180 mm
Swiveling range: 0° - 360°

<b>1)</b>	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
<b>&gt;&gt;&gt;</b> 2)	5.3 h	7 h	8.8 h	10.6 h	14 h	18.3 h	21.2 h	28 h
<b>&gt;&gt;&gt;</b> 3)	2 h	2.6 h	3.3 h	4 h	5.3 h	7 h	8 h	10.6 h

- 1) Battery capacity
- 2) Max. operating time per battery charge at min. revolutions
- 3) Max. operating time per battery charge at max. revolutions

- Compact, portable cordless fan for indoor and outdoor use
- Infinitely variable adjustment of the fan head
- 3 settings for adjusting the air flow
- Universal use thanks to numerous fastening options
- Very quiet operation



## **CORDLESS FAN 18 V**

#### GC-CF 18/110 Li

Fan speed: 1700 / 2500 / 3400 rpm

Wind speed: 15000 m/h
Fan diameter: 110 mm
Swiveling range: 0° - 290°

Article only available without battery / charger Art. No. 3408061

<b>1)</b>	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
<b>&gt;&gt;&gt;</b> 2)	19.5 h	26 h	32 h	38.5 h	51 h	67 h	77 h	102 h
<b>&gt;&gt;&gt;</b> 3)	4 h	5.3 h	6.6 h	8 h	11 h	14 h	16 h	21.2 h

- 1) Battery capacity
- 2) Max. operating time per battery charge at min. revolutions
- 3) Max. operating time per battery charge at max. revolutions

# **CORDLESS OUTDOOR LIGHT 18 V**

#### GC-OL 18/1500 Li

- Luminous power: 309 / 825 / 1500 lm
- Luminous intensity: 2700 cd
- Color temperature: 7000 K
- Swiveling range: 0° 290°

Article only available without battery / charger Art. No. 2320120

<b>1)</b>	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
<b>&gt;&gt;&gt; 2</b> )	7.1 h	9.5 h	11.9 h	14.3 h	19 h	24.8 h	28.6 h	38 h
<b>&gt;&gt;&gt;</b> 3)	1.8 h	2.3 h	2.9 h	3.5 h	4.7 h	6.1 h	7.0 h	9.4h

- 1) Battery capacity
- 2) Luminous period per battery charge at 309 lm
- 3) Luminous period per battery charge at 1500 lm

- Compact, portable cordless fan for indoor and outdoor use
- Infinitely variable adjustment of the fan head
- 3 settings for adjusting the air flow
- Various mounting options thanks to rubberised, non-slip mounting hook
- Very quiet operation





# NEW

- Compact, portable cordless lamp for indoor and outdoor use
- Incremental adjustment of the light head
- 3 levels for adjusting the brightness
- Various mounting options thanks to rubberised, non-slip mounting hook





Integrated camera and sensors.

For mowing area recognition.

No perimeter wire needed.\*

Pure cordless freedom. Ready to go in just a few steps.

- \* A 12 m long guide cable around the charging station is all that's need.
- Over-the-air update.

  Software automatically updated at night via Wi-Fi.
- Special mowing programs.

Mowing program for border areas, offering optimum care in areas that are separated from the main garden, and spot mowing for targeted mowing in hard-to-reach spots.



# ROBOT LAWN MOWER WITHOUT PERIMETER WIRE

- Brushless motor more power, prolonged operation
- Recognises the mowing area by means of physical and visual lawn boundaries
- Including magnetic band accessory for short-term demarcation of lawn areas
- Control from anywhere thanks to the Wi-Fi app
- Intuitive keypad with LCD display



#### **FREELEXO CAM PLUS 600**

- Cutting width: 18 cm
- For lawn areas of up to approx.: 600 m<sup>2</sup>
- Cutting height adjustment: stepless / 20 60 mm / central
- Suitable for slopes: up to 25 %
- Contents: Charging station, guide cable (12 m), magnetic tape (5 m)

Set incl. 1 battery (4.0 Ah+)

Art. No. 3413975

# CHECKLIST: IS MY GARDEN SUITABLE?



Lawn area of uniformly green colour



Irregularities in colour (e.g. leaves, scorched areas)



Clearly defined and recognisable lawn edges\*



No clearly recognisable lawn edges



Simple design, uniform shape



Many separate areas, bottlenecks and recesses

\* The lawn area needs to be checked for suitable lawn boundaries.







# **ROBOT LAWN MOWER WITHOUT PERIMETER** WIRE

- Brushless motor more power, prolonged operation
- True cordless freedom no perimeter wire required
- Recognises the mowing area by means of physical and visual lawn boundaries
- Including magnetic band accessory for short-term demarcation of lawn areas
- Intuitive keypad
- Programmable operating times



#### **FREELEXO CAM 500**

- For lawn areas of up to approx.: 500 m<sup>2</sup>
- Cutting width: 18 cm
- Cutting height adjustment: stepless / 20 60 mm / central
- Suitable for slopes: up to 25 %
   Contents: Charging station, guide cable (12 m), magnetic tape (5 m)

Set incl. 1 battery (3.0 Ah)

Art. No. 3413991






#### MADE POSSIBLE BY A VIRTUAL FENCE - THANKS TO MAGNETIC TAPE ACCESSORY

Lay the supplied magnetic tape in the garden and it will act like a virtual fence. The magnet sensors installed in the FREELEXO CAM detect the magnetic tape and turn away at its limits. In this way you can create off-limit areas at short notice.



A TEMPORARY OFF-LIMITS AREA When you want to hold a garden party and need to keep the robot lawn mower at a distance for the duration of the celebrations.




A FLOWER MEADOW IN THE GARDEN

A flower meadow in the garden is just beginning to grow and is attracting the first insects. Now is the wrong time for the robot lawn mower to pass through.



A NEWLY PLANTED TREE

A tree has been newly planted in the lawn area and is still sensitive. To protect it from collisions with the robot lawn mower you can use the virtual fence.



#### LAWN EDGES MADE BETTER

Lawn edges that are poorly defined or hard to recognise by the robot lawn mower can be upgraded by the magnetic tape for optimum demarcation of the mowing area in the garden.





# ROBOT LAWN MOWER WITH PERIMETER WIRE

#### **FRFFI FXO 500**

- Cutting width: 18 cm
- Cutting height adjustment: stepless / 30 60 mm / central
- Suitable for slopes: up to 35 %
- Contents: Charging station

Set incl. 1 battery (2.5 Ah) / installation equipment (500 m<sup>2</sup>)



**BRUSHLESS** 

- Brushless motor more power, prolonged operation
- Individual programming/adjustment from anywhere via app control (Bluetooth + Wi-Fi)
- Intuitive operation via keypad with LED display
- Over-the-Air update: Automatic updates via app without USB stick
- Multi area mowing for complex gardens
- Special mowing programmes: Spot Mowing and Secondary Area Mode

# ROBOT LAWN MOWER WITH PERIMETER **WIRE**

#### **FREELEXO 1200 LCD BT**

- Cutting width: 18 cm
- Cutting height adjustment: stepless / 20 60 mm / central
- Suitable for slopes: up to 35 %
- Contents: Charging station

Set incl. 1 battery (5.2 Ah) / installation equipment (1200 m<sup>2</sup>) Art. No. 4326368

- Brushless motor more power, prolonged operation
- Individual programming/control via smartphone/APP (Bluetooth)
- Intuitive keypad with LCD display
- Multi area mowing for complex gardens



**BRUSHLESS** 

**NEW** 



PROFESSIONAL CORDLESS LAWN MOWER 36 V



#### **RASARRO 36/42**

- Cutting width: 42 cm
- For lawn areas of up to approx.: 725 m²
   Cutting height adjustment: 6 levels / 25 75 mm / central

Set incl. 2 batteries (5.2 Ah) / 1 Twincharger Art. No. 3413272

	1.5 Ah							
<b>&gt;&gt;&gt;</b> 2)	250 m <sup>2</sup>	300 m²	350 m²	450 m²	550 m <sup>2</sup>	725 m²	875 m²	1100 m²



Battery capacity (2x batteries required)
 Max. lawn area that can be mown per battery charge (The stated area coverage is based on the assumption of ideal conditions)





# PROFESSIONAL CORDLESS LAWN MOWER 36 V

#### **RASARRO 36/40**

- Cutting width: 40 cm
- For lawn areas of up to approx.: 500 m<sup>2</sup>
- Cutting height adjustment: 6 levels / 25 75 mm / central

Set incl. 2 batteries (4.0 Ah) / 1 Twincharger Art. No. 3413278

		2.0 Ah						
<b>&gt;&gt;&gt; 2</b> )	220 m <sup>2</sup>	280 m²	330 m <sup>2</sup>	425 m <sup>2</sup>	500 m <sup>2</sup>	700 m <sup>2</sup>	850 m <sup>2</sup>	1000 m <sup>2</sup>

For best performance select batteries with at least 2.5 Ah

- Battery capacity (2x batteries required)
   Max. lawn area that can be mown per battery charge (The stated area coverage is based on the assumption of ideal conditions)

# PROFESSIONAL CORDLESS LAWN MOWER 36 V

#### **RASARRO 36/38**

- Cutting width: 38 cm
- For lawn areas of up to approx.: 450 m<sup>2</sup>
- Cutting height adjustment: 6 levels / 25 75 mm / central

Set incl. 2 batteries (4.0 Ah) / 1 Twincharger Art. No. 3413180

			2.5 Ah					
<b>&gt;&gt;&gt;&gt;</b> 2)	250 m <sup>2</sup>	300 m <sup>2</sup>	330 m²	400 m <sup>2</sup>	450 m <sup>2</sup>	700 m <sup>2</sup>	800 m <sup>2</sup>	900 m²

- Battery capacity (2x batteries required)
   Max. lawn area that can be mown per battery charge (The stated area coverage is based on the assumption of ideal conditions)





#### **RASARRO 36/36**

Cutting width: 36 cm

For lawn areas of up to approx.: 400 m<sup>2</sup>

Cutting height adjustment: 6 levels / 25 - 75 mm / central

Set incl. 2 batteries (3.0 Ah) / 2 chargers

Art. No. 3413282

Without batteries / chargers Art. No. 3413172

		2.0 Ah						
<b>&gt;&gt;&gt;</b> 2)	200 m <sup>2</sup>	250 m²	290 m²	400 m <sup>2</sup>	450 m <sup>2</sup>	650 m²	800 m <sup>2</sup>	900 m²

For best performance select batteries with at least 2.5 Ah

 Battery capacity (2x batteries required)
 Max. lawn area that can be mown per battery charge (The stated area coverage is based on the assumption of ideal conditions)

# **CORDLESS LAWN MOWER 36 V**

#### RASARRO 36/34

Cutting width: 34 cm

For lawn areas of up to approx.: 300 m<sup>2</sup>

Cutting height adjustment: 5 levels / 25 - 65 mm / central

Set incl. 2 batteries (3.0 Ah) / 2 chargers Art. No. 3413222

Without batteries / chargers Art. No. 3413226

		2.0 Ah						
<b>&gt;&gt;&gt; 2</b> )	150 m <sup>2</sup>	200 m <sup>2</sup>	250 m <sup>2</sup>	300 m <sup>2</sup>	400 m <sup>2</sup>	500 m <sup>2</sup>	600 m²	800 m²

Battery capacity (2x batteries required)
 Max. lawn area that can be mown per battery charge (The stated area coverage is based on the assumption of ideal conditions)







#### GF-CM 36/43 Li M Brushless

Cutting width: 43 cm

For lawn areas of up to approx.: 600 m<sup>2</sup>

Cutting height adjustment: 6 levels / 25 - 75 mm / central

Set incl. 2 batteries (4.0 Ah) / 2 chargers Art. No. 3413240 Without batteries / chargers Art. No. 3413246

		2.0 Ah						
<b>&gt;&gt;&gt;</b> 2)	225 m²	300 m²	350 m <sup>2</sup>	450 m <sup>2</sup>	600 m <sup>2</sup>	750 m²	900 m²	1200 m²

For best performance select batteries with at least 2.5 Ah

 Battery capacity (2x batteries required)
 Max. lawn area that can be mown per battery charge (The stated area coverage is based on the assumption of ideal conditions)

# CORDLESS LAWN MOWER 36 V

#### GE-CM 36/36 Li Brushless

Cutting width: 36 cm

For lawn areas of up to approx.: 400 m<sup>2</sup>

Cutting height adjustment: 6 levels / 25 - 75 mm / central

Set incl. 2 batteries (4.0 Ah) / 2 chargers Art. No. 3413230

		2.0 Ah						
<b>&gt;&gt;&gt;&gt;</b> 2)	175 m²	250 m <sup>2</sup>	270 m <sup>2</sup>	350 m <sup>2</sup>	400 m <sup>2</sup>	600 m <sup>2</sup>	700 m <sup>2</sup>	960 m²

For best performance select batteries with at least 2.5 Ah

1) Battery capacity (2x batteries required)

2) Max. lawn area that can be mown per battery charge (The stated area coverage is based on the assumption of ideal conditions)





#### GE-CM 36/33 Li

- Cutting width: 33 cm
- For lawn areas of up to approx.: 250 m<sup>2</sup>
- Cutting height adjustment: 5 levels / 25 65 mm / central

Set incl. 2 batteries (2.5 Ah) / 2 chargers

Art. No. 3413210

	1.5 Ah							
<b>&gt;&gt;&gt; </b> 2)	150 m²	200 m²	250 m <sup>2</sup>	300 m <sup>2</sup>	400 m <sup>2</sup>	500 m <sup>2</sup>	600 m²	800 m <sup>2</sup>

For best performance select batteries with at least 2.5 Ah

- Battery capacity (2x batteries required)
   Max. lawn area that can be mown per battery charge (The stated area coverage is based on the assumption of ideal conditions)

# **CORDLESS LAWN MOWER 18 V**

#### GE-CM 18/33 Li Brushless

- Cutting width: 33 cm
- For lawn areas of up to approx.: 200 m<sup>2</sup>
- Cutting height adjustment: 5 levels / 25 65 mm / central

Set incl. 1 battery (4.0 Ah) / 1 charger Art. No. 3413260 Without battery / charger Art. No. 3413266

<b>IIII)</b> 1)	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
<b>&gt;&gt;&gt; 2</b> )	50 m <sup>2</sup>	100 m <sup>2</sup>	140 m²	180 m²	250 m <sup>2</sup>	300 m <sup>2</sup>	350 m <sup>2</sup>	500 m <sup>2</sup>

- 1) Battery capacity
- <sup>2)</sup> Max. lawn area that can be mown per battery charge (The stated area coverage is based on the assumption of ideal conditions)







#### GF-CM 18/32 Li Brushless

- Cutting width: 32 cm
- For lawn areas of up to approx.: 180 m<sup>2</sup>
- Cutting height adjustment: 3 levels / 30 70 mm / axial

Article only available without battery / charger Art. No. 3413256

		2.0 Ah						
<b>&gt;&gt;&gt; </b> 2)	50 m <sup>2</sup>	100 m <sup>2</sup>	140 m²	180 m²	250 m <sup>2</sup>	300 m <sup>2</sup>	350 m <sup>2</sup>	500 m <sup>2</sup>

For best performance select a battery with at least 2.5 Ah

- $^{9}\,$  Battery capacity  $^{2}\,$  Max, lawn area that can be mown per battery charge (The stated area coverage is based on the assumption of ideal conditions)

# **CORDLESS LAWN MOWER 18 V**

#### GE-CM 18/30 Li Brushless

- Cutting width: 30 cm
- For lawn areas of up to approx.: 150 m<sup>2</sup>
- Cutting height adjustment: 3 levels / 30 70 mm / axial

Set incl. 1 battery (3.0 Ah) / 1 charger Art. No. 3413155 Without battery / charger Art. No. 3413157

		2.0 Ah						
<b>&gt;&gt;&gt;</b> 2)	30 m²	70 m²	100 m <sup>2</sup>	150 m <sup>2</sup>	210 m <sup>2</sup>	270 m <sup>2</sup>	300 m <sup>2</sup>	420 m²

- Battery capacity
   Max. lawn area that can be mown per battery charge (The stated area coverage is based on the assumption





#### GF-CM 36/48 Li M Brushless

Cutting width: 48 cm

For lawn areas of up to approx.: 1000 m<sup>2</sup>

Cutting height adjustment: 6 levels / 30 - 75 mm / axial

Article only available without battery / charger Art. No. 3413054

1)	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
<b>&gt;&gt;&gt;</b> 2)	150 min	250 m²	260 m <sup>2</sup>	300 m <sup>2</sup>	500 m <sup>2</sup>	600 m <sup>2</sup>	700 m²	1000 m²
<b>&gt;&gt;&gt;</b> 3)	300 m <sup>2</sup>	500 m <sup>2</sup>	520 m²	600 m²	1000 m <sup>2</sup>	1200 m²	1400 m²	2000 m²

For best performance select batteries with at least 2.5 Ah

 Battery capacity (2x batteries required)
 Max. lawn area that can be mown per battery charge with 2 batteries
 Max. lawn area that can be mown per battery charge with 4 batteries (The stated area coverage is based on the assumption of ideal conditions)

# **CORDLESS CYLINDER LAWN MOWER 18 V**

#### GE-HM 18/38 Li

- Cutting width: 38 cm
- Cutting height adjustment: 4 levels / 14 38 mm
- Grass box capacity: 45 I

Article only available without battery / charger Art. No. 3414200

		2.0 Ah						
<b>&gt;&gt;&gt; 2</b> )	100 m <sup>2</sup>	150 m²	190 m²	250 m <sup>2</sup>	300 m <sup>2</sup>	400 m <sup>2</sup>	450 m <sup>2</sup>	600 m <sup>2</sup>

For best performance select a battery with at least 2.5 Ah

 $^{9}$  Battery capacity  $^{2}$  Max, lawn area that can be mown per battery charge (The stated area coverage is based on the assumption of ideal conditions)





# PETROL LAWN MOWER (POWER X-CHANGE ELECTRIC START)

#### GC-PM 51/3 S HW-E Li

- Engine / displacement / power: 4-stroke / 170 cm³/2.7 kW
- Cutting width: 51 cm
- For lawn areas of up to approx.: 1800 m<sup>2</sup>
- Cutting height adjustment: 6 levels / 30 80 mm / central

Set incl. 1 battery (2.0 Ah) / 1 charger (3 A) Art. No. 3404870

<b>IIII)</b> 1)	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
<b>&gt;&gt;&gt;</b> 2)	130	174	218	261	347	452	522	695
	starts							

Battery capacity

# **CORDLESS SCARIFIER/AERATOR 36 V**

#### GE-SC 36/35 Li Brushless

- Working width: 35 cm
- For lawn areas of up to approx.: 550 m<sup>2</sup>
- Working depth adjustment: 3 levels (-3 / -6 / -9 mm) + transport position (+3 mm)
- Number of scarifying blades: 16 pcs

Article only available without battery / charger Art. No. 3420680

		2.0 Ah						
<b>&gt;&gt;&gt;</b> 2)	100 m <sup>2</sup>	150 m²	190 m²	225 m²	300 m <sup>2</sup>	400 m²	450 m²	550 m²

1) Battery capacity (2x batteries required)

Max. Jawn area that can be scarified per battery charge (The stated area coverage is based on the assumption of ideal conditions)



<sup>2)</sup> Number of starts per battery charge - the possible number of starts depends on various influences, e.g. temperature of the engine, ambient temperature, etc.



# CORDLESS SCARIFIER/AFRATOR 36 V

#### GE-SA 36/35 Li Brushless

- Working width: 35 cm
- For lawn areas of up to approx.: 550 m<sup>2</sup>
- Working depth adjustment: 3 levels (-3 / -6 / -9 mm) + transport position (+3 mm)
- Number of scarifying blades: 16 pcs
- Number of aerator roller claws: 24 pcs
- Grass box capacity: 28 litres

Article only available without battery / charger Art. No. 3420685

<b>IIII)</b> 1)	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
<b>&gt;&gt;&gt;</b> 2)	100 m <sup>2</sup>	150 m²	190 m²	225 m <sup>2</sup>	300 m <sup>2</sup>	400 m²	450 m²	550 m <sup>2</sup>

- Battery capacity (2x batteries required)
  Max. lawn area that can be scarified per battery charge (The stated area coverage is based on the assumption of ideal conditions)

# **CORDLESS SCARIFIER/AERATOR 36 V**

#### GC-SC 36/31 Li

- Working width: 31 cm
- For lawn areas of up to approx.: 500 m<sup>2</sup>
- Working depth adjustment: 3 levels (-3 / -6 / -9 mm) + transport position (+3 mm)
- Number of scarifying blades: 8 double-knives

Article only available without battery / charger Art. No. 3420660

		2.0 Ah						
<b>&gt;&gt;&gt;</b> 2)	80 m²	100 m²	130 m²	200 m <sup>2</sup>	250 m <sup>2</sup>	300 m <sup>2</sup>	350 m²	500 m <sup>2</sup>

- Battery capacity (2x batteries required)
   Max. lawn area that can be scarified per battery charge (The stated area coverage is based on the assumption of ideal conditions)







# CORDLESS SCARIFIERS/AERATORS 18 V

#### GC-SC 18/28 Li Brushless

- Working width: 28 cm
- For lawn areas of up to approx.: 350 m<sup>2</sup>
- Working depth adjustment: 3 levels (-2 / -4 / -6) mm) + transport position (+2 mm)
- Number of scarifying blades: 12 rotating blades

Article only available without battery / charger Art. No. 3420604

		2.0 Ah						
<b>&gt;&gt;&gt;</b> 2)	60 m²	80 m²	100 m²	120 m²	160 m²	210 m <sup>2</sup>	240 m²	350 m <sup>2</sup>

For best performance select a battery with at least 2.5 Ah

- Battery capacity
   Max. lawn area that can be scarified per battery charge (The stated area coverage is based on the assumption of ideal conditions)

# CORDLESS SCARIFIERS/AERATORS 18 V

#### GC-SC 18/28 DS Li Brushless

- Working width: 28 cm
- For lawn areas of up to approx.: 700 m<sup>2</sup>
- Working depth adjustment: 3 levels (-2 / -4 / -6) mm) + transport position (+2 mm)
- Number of scarifying blades: 12 rotating blades

						5.2 Ah		
<b>&gt;&gt;&gt;</b> 2)	120 m²	160 m²	200 m <sup>2</sup>	240 m <sup>2</sup>	320 m <sup>2</sup>	420 m²	480 m²	700 m <sup>2</sup>





# **CORDLESS TILLER 36 V**

#### GE-CR 30 Li

Working width: 30 cm

Working depth: 20 cm

Number of blades: 4 pcs

Article only available without battery / charger Art. No. 3431200

		2.0 Ah						
<b>&gt;&gt;&gt; 2</b> )	15 min	20 min	21 min	25 min	35 min	50 min	60 min	70 min

For best performance select batteries with at least 2.5 Ah

1) Battery capacity (2x batteries required)

2) Max. operating time per battery charge (specified performance is based on the assumption of ideal conditions)

## **CORDLESS TILLER 18 V**

#### GE-CR 18/20 Li E

Working width: 20 cm

Working depth: 20 cm

Number of blades: 4 pcs

Article only available without battery / charger Art. No. 3431210

(IIII) 1)	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
<b>&gt;&gt;&gt;</b> 2)	20-25	20-35	30-40	40-50	50-70	70-90	80-100	100-140
	min							

1) Battery capacity



Max. operating time per battery charge (specified performance is based on the assumption of ideal conditions)





# **CORDLESS SNOW THROWER 18 V**



- Brushless motor more power, prolonged operation
- Snow ejection direction adjustable
- Electronic speed control (6 settings)
- Integrated carry handle

#### **BRUSHLESS**

#### **GE-ST 36/40 Li E Brushless**

- Working width: 40 cm
- Max. snow height: 20 cm
   Throwing distance max.: 6 m

Article only available without battery / charger Art. No. 3417011

(IIII) 1)	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
<b>&gt;&gt;&gt;</b> 2)	15 min	20 min	25 min	30 min	40 min	50 min	60 min	80 min

- Battery capacity (2x batteries required)
   Max. operating time per battery charge (specified performance is based on the assumption of ideal conditions)



# **CORDLESS MULTIPURPOSE SPREADER 18 V**

#### GE-SR 18/22 Li

- Capacity: 22 I
- Spread width: max. 6 m

Article only available without battery / charger Art. No. 3415430

<b>IIII)</b> 1)	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
<b>&gt;&gt;&gt;&gt;</b> 2)	3 h	4 h	5 h	7 h	8 h	10 h	11 h	15 h

- 1) Battery capacity
- Max. operating time per battery charge

- Electronic speed control (6 settings)
- Flow rate adjustment (6-stage)
- Adjustable spread width
- Suitable for fertiliser, lawn seeds, road salt



# **CORDLESS UNIVERSAL SPREADER 18 V**

#### GE-US 18 Li

- Capacity: 3.3 l
- Spread width: max. 5 m

2) 2h 3h 4h 6h 7h 9h 10h 14h	<b>(1111)</b> 1)	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
	<b>&gt;&gt;&gt;</b> 2)	2 h	3 h	4 h	6 h	7 h	9 h	10 h	14 h

- 1) Battery capacity
- Max. operating time per battery charge



- Electronic speed control (6 settings)
- Flow rate adjustment (8-stage)
- Adjustable spread width
- Suitable for fertiliser, lawn seeds, road salt



# CORDLESS SCYTHE 36 V

#### **AGILLO 36/255**

- Cutting width blade / thread: 25.5 cm / 30 cm
- Thread diameter: 2.0 mm
- Thread length: 8 m
- Contents: Line spool and 3-teeth blade

Article only available without battery / charger Art. No. 3411320

		2.0 Ah						
<b>&gt;&gt;&gt;</b> 2)	20 min	30 min	35 min	45 min	65 min	80 min	90 min	130 min
<b>&gt;&gt;&gt;</b> 3)	15 min	25 min	28 min	35 min	45 min	60 min	70 min	90 min

For best performance select batteries with at least 2.5 Ah

- 1) Battery capacity (2x batteries required)
- Max. operating time per battery charge in idle mode (blade)
   Max. operating time per battery charge in idle mode (thread spool)

# **CORDLESS SCYTHE 18 V**

#### **AGILLO 18/200**

- Cutting width blade / thread: 20 cm / 30 cm
- Thread diameter: 2.0 mm
- Thread length: 8 m
- Contents: Line spool and 3-teeth blade

Article only available without battery / charger Art. No. 3411310

<b>1)</b>	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
<b>&gt;&gt;&gt;</b> 2)	15 min	20 min	25 min	35 min	50 min	65 min	75 min	100 min
<b>&gt;&gt;&gt;</b> 3)	10 min	12 min	15 min	20 min	30 min	45 min	55 min	60 min

- 1) Battery capacity
- <sup>2)</sup> Max. operating time per battery charge in idle mode (blade)
- 3) Max. operating time per battery charge in idle mode (thread spool)





# **CORDLESS LAWN TRIMMER 36 V**



#### GE-CT 36/30 Li E

Cutting width: 30 cmThread diameter: 2.0 mm

■ Thread length: 8 m

Article only available without battery / charger Art. No. 3411300

		2.0 Ah						
<b>&gt;&gt;&gt;</b> 2)	20 min	30 min	38 min	45 min	60 min	75 min	90 min	120 min



Battery capacity (2x batteries required)
Max. operating time per battery charge in idle mode





# **CORDLESS LAWN TRIMMER 18 V**

#### GE-CT 18/33 Li E

- Cutting width: 33 cm
- Thread diameter: 2.0 mm
- Thread length: 8 m

Article only available without battery / charger Art. No. 3411270

		2.0 Ah						
<b>&gt;&gt;&gt; </b> 2)	15 min	20 min	25 min	30 min	40 min	50 min	60 min	80 min

- 1) Battery capacity
- 2) Max. operating time per battery charge in idle mode

# **CORDLESS LAWN TRIMMER 18 V**

#### GE-CT 18/30 Li

- Cutting width: 30 cm
- Thread diameter: 1.6 mm
- Thread length: 5 m

					4.0 Ah			
<b>&gt;&gt;&gt;</b> 2)	20 min	30 min	38 min	45 min	60 min	75 min	90 min	120 min

- Battery capacity
- 2) Max. operating time per battery charge in idle mode





# **CORDLESS LAWN TRIMMER 18 V**

#### **GE-CT 18/28 Li TC**

- Cutting width: 28 cm
- Thread diameter: 1.6 mm
- Thread length: 5 m

Article only available without battery / charger Art. No. 3411212

		2.0 Ah						
<b>&gt;&gt;&gt;</b> 2)	30 min	40 min	45 min	50 min	60 min	70 min	90 min	120 min

<sup>1)</sup> Battery capacity

# **CORDLESS LAWN TRIMMER 18 V**

#### **GE-CT 18/28 Li**

- Cutting width: 28 cm
- Thread diameter: 1.6 mm
- Thread length: 5 m

Article only available without battery / charger Art. No. 3411242

_	1.5 Ah							
<b>&gt;&gt;&gt; </b> 2)	30 min	40 min	45 min	50 min	60 min	70 min	90 min	120 min

1) Battery capacity



<sup>2)</sup> Max. operating time per battery charge in idle mode

<sup>2)</sup> Max. operating time per battery charge in idle mode





NEW

# **CORDLESS LAWN TRIMMER 18 V**

#### GE-CT 18 Li

Cutting width: 24 cm

■ Incl.: Box with 20 plastic blades

Set incl. 1 battery (2.5 Ah) / 1 charger Art. No. 3411219 Without battery / charger Art. No. 3411172

						5.2 Ah		
<b>&gt;&gt;&gt;</b> 2)	40 min	55 min	65 min	80 min	125 min	160 min	180 min	250 min

# **CORDLESS LAWN TRIMMER 18 V**

#### GE-CT 18/25 Li

- Cutting width: 25 cm
- Incl.: Blade box with 20 plastic blades

								8.0 Ah
<b>&gt;&gt;&gt; 2</b> )	32 min	42 min	53 min	63 min	84 min	110 min	126 min	168 min

- 1) Battery capacity
- 2) Max. operating time per battery charge in idle mode



Battery capacity
Max. operating time per battery charge in idle mode



# **CORDLESS LAWN TRIMMER 18 V**

#### GE-CT 18/25-1 Li

- Cutting width blade / thread: 25 cm / 25 cm
- Thread diameter: 1.6 mm
- Thread length: 5 m
- Incl.: 20 plastic blades

Article only available without battery / charger Art. No. 3411256

<b>1)</b>	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
<b>&gt;&gt;&gt;</b> 2)	32 min	42 min	53 min	63 min	84 min	110 min	126 min	168 min
<b>&gt;&gt;&gt;</b> 3)	30 min	40 min	50 min	60 min	80 min	104 min	120 min	160 min

- 1) Battery capacity
- 2) Max. operating time per battery charge in idle mode (blade)
- 3) Max. operating time per battery charge in idle mode (thread spool)

## **CORDLESS LAWN TRIMMER 18 V**

#### GC-CT 18/24 Li

- Cutting width: 24 cm
- Incl.: 20 plastic blades

		2.0 Ah						
<b>&gt;&gt;&gt; </b> 2)	40 min	55 min	65 min	80 min	125 min	160 min	180 min	250 min

- 1) Battery capacity
- 2) Max. operating time per battery charge in idle mode





# **CORDLESS LAWN TRIMMER 18 V**

#### GC-CT 18/24 Li P

Cutting width: 24 cm

■ Incl.: 20 plastic blades

Set incl. 1 battery (1.5 Ah) / 1 charger Art. No. 3411102 Without battery / charger Art. No. 3411104

		2.0 Ah						
<b>&gt;&gt;&gt;</b> 2)	40 min	55 min	65 min	80 min	125 min	160 min	180 min	250 min

# **CORDLESS LAWN TRIMMER 18 V**

#### GC-CT 18/2411 Li P

- Cutting width: 24 cm
- Incl.: 20 plastic blades

								8.0 Ah
<b>&gt;&gt;&gt;</b> 2)	36 min	49 min	61 min	73 min	98 min	127 min	146 min	196 min



- Compact design
- Lightweight
- Motor head can be rotated by 180° for easy trimming lawn edges
- Additional handle
- Soft grip
- Innovative blade technology



<sup>1)</sup> Battery capacity
2) Max. operating time per battery charge in idle mode



#### GE-LE 18/190 Li

- Min. cutting depth: 34 mm
  Max. cutting depth: 38 mm
  Blade length: 178 mm

								8.0 Ah
<b>&gt;&gt;&gt; </b> 2)	20 min	25 min	33 min	45 min	55 min	65 min	75 min	110 min



<sup>1)</sup> Battery capacity
2) Max. operating time per battery charge in idle mode





# **CORDLESS HEDGE TRIMMER 36 V**

#### GE-CH 36/65 Li

- Bar length / cutting length: 720 mm / 650 mm
- Spacing between teeth: 30 mm

Article only available without battery / charger Art. No. 3410960

				3.0 Ah				
<b>&gt;&gt;&gt; </b> 2)	60 min	75 min	93 min	120 min	150 min	180 min	225 min	300 min

# CORDLESS HEDGE TRIMMER 36 V

#### GE-CH 36/61 Li

- Bar length / cutting length: 670 mm / 610 mm
- Spacing between teeth: 26 mm

<b>IIII</b> • 1)	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
<b>&gt;&gt;&gt;</b> 2)	54 min	72 min	80 min	105 min	144 min	168 min	210 min	288 min

- 1) Battery capacity (2x batteries required)
- 2) Max. operating time per battery charge in idle mode



<sup>1)</sup> Battery capacity (2x batteries required)
2) Max. operating time per battery charge in idle mode





# **CORDLESS HEDGE TRIMMER 18 V**

#### GE-CH 18/60 Li

Bar length / cutting length: 670 mm / 600 mm

Spacing between teeth: 22 mm

Article only available without battery / charger Art. No. 3410930

							6.0 Ah	
<b>&gt;&gt;&gt; </b> 2)	35 min	45 min	53 min	70 min	90 min	110 min	135 min	180 min

<sup>1)</sup> Battery capacity

# Turnable rear handle Laser-cut and diamond-ground blades Metal gear box

#### **CORDLESS HEDGE TRIMMER 18 V**

#### ARCURRA 18/55

- Bar length / cutting length: 620 mm / 550 mm
- Spacing between teeth: 18 mm

		2.0 Ah						
<b>&gt;&gt;&gt; </b> 2)	35 min	45 min	53 min	70 min	90 min	110 min	135 min	180 min

<sup>1)</sup> Battery capacity



<sup>2)</sup> Max. operating time per battery charge in idle mode

<sup>2)</sup> Max. operating time per battery charge in idle mode





# **CORDLESS HEDGE TRIMMER 18 V**

#### GC-CH 1855/1 Li

Bar length / cutting length: 620 mm / 550 mm

Spacing between teeth: 18 mm

Set incl. 1 battery (2.5 Ah) / 1 charger Art. No. 3410506 Without battery / charger Art. No. 3410502

				3.0 Ah				
<b>&gt;&gt;&gt;</b> 2)	60 min	80 min	100 min	120 min	160 min	210 min	240 min	360 min

## **CORDLESS HEDGE TRIMMER 18 V**

#### GC-CH 18/50 Li

- Bar length / cutting length: 550 mm / 500 mm
- Spacing between teeth: 17 mm

(IIII) 1)	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
<b>&gt;&gt;&gt;</b> 2)	40 min	53 min	67 min	80 min	106 min	139 min	160 min	212 min

<sup>1)</sup> Battery capacity



Battery capacity
Ax. operating time per battery charge in idle mode

<sup>2)</sup> Max. operating time per battery charge in idle mode





# **CORDLESS HEDGE TRIMMER 18 V**

#### GC-CH 1846 Li

Bar length / cutting length: 520 mm / 460 mm

Spacing between teeth: 15 mm

Article only available without battery / charger Art. No. 3410642

				3.0 Ah				
<b>&gt;&gt;&gt; </b> 2)	60 min	80 min	100 min	120 min	160 min	210 min	240 min	320 min

<sup>1)</sup> Battery capacity

# Low weight for user-friendly operation Laser-cut and diamond-ground blades Metal gear box

#### **CORDLESS HEDGE TRIMMER 18 V**

#### GC-CH 18/40 Li

- Bar length / cutting length: 475 mm / 400 mm
- Spacing between teeth: 13 mm

		2.0 Ah						
<b>&gt;&gt;&gt; 2</b> )	40 min	53 min	67 min	80 min	106 min	139 min	160 min	212 min

<sup>1)</sup> Battery capacity



<sup>2)</sup> Max. operating time per battery charge in idle mode

<sup>&</sup>lt;sup>2)</sup> Max. operating time per battery charge in idle mode





# **CORDLESS MULTIFUNCTIONAL TOOL 36 V**

- Brushless motor more power, prolonged operation
- Attachment change without tools
- Adjustable additional handle
- Laser-cut and diamond-ground blades

**BRUSHLESS** 



#### GE-LM 36/4in1 Li Brushless

- Bar length (chainsaw): 200 mm
- Chain cutting speed: 10 m/s

- Blade length of hedge trimmer: 450 mm
   Spacing between teeth (hedge trimmer): 24 mm
   Cutting width line spool / 3-teeth blade: 33 cm / 25.5 cm

<b>(1)</b> 1)	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
<b>&gt;&gt;&gt;</b> 2)	26 min	34 min	41 min	54 min	68 min	86 min	108 min	136 min
<b>&gt;&gt;&gt;</b> 3)	20 min	27 min	33 min	44 min	54 min	66 min	88 min	108 min
<b>&gt;&gt;&gt;</b> 4)	20 min	28 min	33 min	40 min	56 min	66 min	80 min	112 min
<b>&gt;&gt;&gt;</b> 5)	60 pcs	80 pcs	100 pcs	120 pcs	160 pcs	200 pcs	240 pcs	320 pcs

- Discription:
  Disc





# **CORDLESS MULTIFUNCTIONAL TOOL 18 V**

#### **GF-HC 18 Li T**

- Bar length (chainsaw): 200 mm
- Chain cutting speed: 3.76 m/s
- Max. bar length (hedge trimmer): 450 mm
- Spacing between teeth (hedge trimmer): 16 mm

Set incl. 1 battery (3.0 Ah) / 1 charger Art. No. 3410805 Without battery / charger Art. No. 3410800

		2.0 Ah						
<b>&gt;&gt;&gt;</b> 2)	30 pcs	40 pcs	48 pcs	60 pcs	75 pcs	100 pcs	120 pcs	150 pcs
<b>&gt;&gt;&gt;</b> 3)	20 min	30 min	35 min	40 min	60 min	75 min	80 min	120 min

For best performance select a battery with at least 2.5 Ah

- 1) Battery capacity
- 2) Max. cuts through 70 x 70 mm square timber per battery charge (pole-mounted pruner)
  3) Max. operating time per battery charge in idle mode (telescopic hedge trimmer)



# **CORDLESS POLE-MOUNTED** PRUNERS ACCESSORY

#### **Hedge Trimmer**

Can be used for: GE-LC 18 Li T

Art. No. 3410818



# CORDLESS TELESCOPIC HEDGE TRIMMERS ACCESSORY

#### **Pole Pruner**

Can be used for: GE-HH 18/45 Li T

Art. No. 3410835







# **CORDLESS POLE-MOUNTED PRUNER 18 V**

#### GE-LC 18 Li T

- Bar length / cutting length: 200 mm / 170 mm
- Cutting speed: 3.76 m/s

Article only available without battery / charger Art. No. 3410810

		2.0 Ah						
<b>&gt;&gt;&gt; </b> 2)	30 pcs	40 pcs	48 pcs	60 pcs	75 pcs	100 pcs	120 pcs	150 pcs

For best performance select a battery with at least 2.5 Ah

# **CORDLESS POLE-MOUNTED PRUNER 18 V**

#### GC-LC 18/20 Li T

- Bar length / cutting length: 200 mm / 195 mm
- Cutting speed: 5.5 m/s

Article only available without battery / charger Art. No. 3410581

								8.0 Ah
<b>&gt;&gt;&gt; 2</b> )	37 pcs	50 pcs	65 pcs	75 pcs	100 pcs	130 pcs	155 pcs	200 pcs

For best performance select a battery with at least 2.5 Ah

1) Battery capacity



Battery capacity
 Max. cuts through 70 x 70 mm square timber per battery charge

<sup>&</sup>lt;sup>2)</sup> Max. cuts through 70 x 70 mm square timber per battery charge





# **CORDLESS TELESCOPIC HEDGE TRIMMER 18 V**

#### **GE-HH 18/45 Li T**

- Bar length / cutting length: 450 mm / 400 mm
- Spacing between teeth: 16 mm

Article only available without battery / charger Art. No. 3410866

				3.0 Ah				
<b>&gt;&gt;&gt; </b> 2)	20 min	30 min	35 min	40 min	60 min	75 min	80 min	120 min

<sup>1)</sup> Battery capacity

# **CORDLESS TELESCOPIC HEDGE TRIMMER 18 V**

#### GC-HH 18/45 Li T

- Bar length / cutting length: 450 mm / 410 mm
- Spacing between teeth: 18 mm

					4.0 Ah			
<b>&gt;&gt;&gt;&gt;</b> 2)	20 min	28 min	33 min	40 min	56 min	66 min	80 min	112 min

Battery capacity



<sup>2)</sup> Max. operating time per battery charge in idle mode

<sup>2)</sup> Max. operating time per battery charge in idle mode





**CORDLESS OLIVE AND FRUIT HARVESTER** 18 V



- Continuously telescopic aluminium handle
- Speed control for optimal adjustment of the speed
- Continuous running for comfortable work

#### GE-FS 18/53 Li

- Working width: 28 53 cm
  Length of shaft: 92 182 cm
  Length of carbon tines: 31 cm
  Diameter of carbon tines: 5 mm

<b>IIII)</b> 1)	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
<b>&gt;&gt;&gt;</b> 2)	20 min	27 min	34 min	40 min	54 min	69 min	80 min	108 min
<b>&gt;&gt;&gt;</b> 3)	34 min	45 min	56 min	68 min	90 min	117 min	136 min	181 min

- Battery capacity
   Max. operating time per battery charge in idle mode at max. speed
   Max. operating time per battery charge in idle mode at min. speed
   Max. operating time per battery charge in idle mode at min. speed



# **CORDLESS PRUNING CHAINSAW 18 V**



#### **BRUSHLESS**

- Brushless motor more power, prolonged operation
- Slim and lightweight design for ergonomic operation
- Suitable for pruning and shaping trees and bushes, shredding green cuttings and cutting squared timber

#### **GE-PS 18/15 Li Brushless**

- Bar length / cutting length: 158 mm / 125 mm
- Cutting speed: 4.8 m/s
- Product weight: 1.1 kg (excl. battery)

Article only available without battery / charger Art. No. 4600040

		2.0 Ah						
<b>&gt;&gt;&gt;</b> 2)	95 pcs	127 pcs	158 pcs	190 pcs	254 pcs	329 pcs	380 pcs	506 pcs

Battery capacity



<sup>&</sup>lt;sup>2)</sup> Max. cuts per battery charge through soft roundwood (ø 50 mm)





## **CORDLESS CHAINSAW 18 V**

#### FORTEXXA 18/30

- Bar length / cutting length: 300 mm / 270 mm
- Cutting speed Eco/High: 6.0 / 8.9 m/s
- Oil tank capacity: 160 ml

Article only available without battery / charger Art. No. 4600010

1)	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
<b>&gt;&gt;&gt; </b> 2)	53 pcs	70 pcs	88 pcs	105 pcs	140 pcs	182 pcs	210 pcs	280 pcs
<b>&gt;&gt;&gt;</b> 3)	59 pcs	78 pcs	98 pcs	117 pcs	156 pcs	203 pcs	234 pcs	312 pcs

For best performance select a battery with at least 4.0 Ah

- 1) Battery capacity
- <sup>2)</sup> Max. cuts through 70 x 70 mm square timber per battery charge in HIGH POWER mode
- 3) Max. cuts through 70 x 70 mm square timber per battery charge in ECO mode



- Brushless motor more power, prolonged operation
- Adjustable chain speed, depending on the application
- Toolless chain tensioning and changing

# **CORDLESS CHAINSAW 18 V**

#### GE-LC 18/25 Li Brushless

- Bar length / cutting length: 250 mm / 230 mm
- Cutting speed: 6.5 m/s
- Oil tank capacity: 150 ml

Article only available without battery / charger Art. No. 4600070

								8.0 Ah
<b>&gt;&gt;&gt; 2</b> )	34 pcs	44 pcs	67 pcs	71 pcs	100 pcs	145 pcs	181 pcs	242 pcs

For best performance select a battery with at least 4.0 Ah

- 1) Battery capacity
- <sup>2)</sup> Max. cuts through 70 x 70 mm square timber per battery charge





# **CORDLESS CHAINSAW 18 V**

#### GE-LC 18/25-1 Li

- Bar length / cutting length: 250 mm / 230 mm
- Cutting speed: 4.5 m/s
- Oil tank capacity: 200 ml

Art. No. 4501789 Set incl. 1 battery (2.5 Ah) / 1 charger Without battery / charger Art. No. 4501761

		2.0 Ah						
<b>&gt;&gt;&gt;</b> 2)	50 pcs	70 pcs	85 pcs	100 pcs	130 pcs	180 pcs	200 pcs	260 pcs

For best performance select a battery with at least 2.5 Ah



- Toolless chain tensioning and changing
- Sturdy stop claws made of metal

# **CORDLESS CHAIN SHARPENER 18 V**

#### GE-CS 18 Li

- Grinding disc diameter inner / outer: 23 mm / 108 mm
- Grinding wheel thickness: 3.2 mm

	1.5 Ah							
<b>&gt;&gt;&gt; </b> 2)	180 min	240 min	300 min	390 min	480 min	660 min	780 min	960 min

- Battery capacity
  Ax. operating time per battery charge in idle mode

- Depth stop
- Scale for precise setting of the grinding angle
- Clamping device



<sup>1)</sup> Battery capacity

<sup>2)</sup> Max. cuts through 70 x 70 mm square timber per battery charge



# **CORDLESS LEAF VACUUM 36 V**



#### **GE-CL 36 Li E Brushless**

- Max. blow velocity: 210 km/h
- Max. suction power / max. blowing air flow: 720 / 195 m³/h
   Shredding function: 10:1

Article only available without battery / charger Art. No. 3433600

(IIII) 1)	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
<b>&gt;&gt;&gt;</b> 2)	9-20	10-30	13-35	17-45	22-65	27-90	30-100	44-130
	min							
<b>&gt;&gt;&gt;</b> 3)	10-30	13-35	16-40	21-60	27-75	32-105	39-120	54-150
	min							

For best performance select batteries with at least 2.5 Ah

- Battery capacity (2x batteries required)
   Max. operating time per battery charge in idle mode (vacuuming mode) dependent on the selected speed
   Max. operating time per battery charge in idle mode (blowing mode) dependent on the selected speed



# **CORDLESS LEAF VACUUM 36 V**

- Incl. one wide suction tube and one narrow blowing tube
- Toolless change between suction and blowing function
- Electronic speed control with turbo function



#### GE-CL 36/230 Li E

- Max. blow velocity: 230 km/h
- Max. suction power / max. blowing air flow: 700 / 225 m³/h
- Shredding function: 10:1
- Product weight: 3.1 kg (blow) and 4.4 kg (vacuum)

Article only available without battery / charger Art. No. 3433630

(IIII) 1)	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
<b>&gt;&gt;&gt;</b> 2)	10-22 min	12-28 min	14-34 min	20-45 min	24-55 min	30-75 min	35-85 min	48-110 min
<b>&gt;&gt;&gt;</b> 3)	4 min	5 min	7 min	11 min	13 min	17 min	20 min	26 min
<b>&gt;&gt;&gt;</b> 4)	11-24 min	13-29 min	16-35 min	24-50 min	27-58 min	37-79 min	43-91 min	54-116 min
<b>&gt;&gt;&gt;</b> 5)	6 min	7 min	8 min	13 min	15 min	20 min	23 min	30 min

For best performance select batteries with at least 2.5 Ah

- Battery capacity (2x batteries required)
   Max. operating time per battery charge in idle mode (vacuuming mode) dependent on the selected speed
   Max. operating time per battery charge in idle mode (TURBO vacuuming mode)
   Max. operating time per battery charge in idle mode (blowing mode) dependent on the selected speed
   Max. operating time per battery charge in idle mode (TURBO blowing mode)



# **CORDLESS LEAF VACUUMS 18 V**

#### **VENTURRO 18/210**

Max. blow velocity: 210 km/h

Max. suction power: 500 m³/h

Shredding function: 10:1

Product weight: 3.0 kg

Article only available without battery / charger Art. No. 3433625

(III) 1)	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
<b>&gt;&gt;&gt;</b> 2)	0-12	0-14	5-18	7-20	9-30	11-42	15-45	18-60
	min							
<b>&gt;&gt;&gt;</b> 4)	3-10	4-15	5-19	7-22	9-32	13-40	14-48	18-64
	min							

For best performance select a battery with at least 3.0 Ah

1) Battery capacity

Max. operating time per battery charge in idle mode (vacuuming mode) – dependent on the selected speed
 Max. operating time per battery charge in idle mode (blowing mode) – dependent on the selected speed

# **CORDLESS LEAF BLOWER 18 V**

#### GC-CL 18 Li E

Max. blow velocity: 210 km/h

Max. blowing air flow: 105 m³/h

■ Idle speed: 1400 - 12000 min<sup>-1</sup>

Set incl. 1 battery (2.0 Ah) / 1 charger

Without battery / charger

Art. No. 3433533

Art. No. 3433532

<b>(1)</b>	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
<b>&gt;&gt;&gt;</b> 2)	10-180	14-240	16-300	20-390	26-480	40-660	42-720	52-960
	min							

1) Battery capacity



Electronic speed control

Soft grip

Lightweight and handy design



<sup>&</sup>lt;sup>2)</sup> Max. operating time per battery charge in idle mode – dependent on the selected speed

# Cinhell

# **CORDLESS UNIVERSAL BLOWER 18 V**



#### GE-UB 18/250 Li E

- Max. blow velocity: 250 km/h

- Max. blowing air flow: 120 m³/h
   Idle speed: 4500 15000 min<sup>-1</sup>
   Product weight: 1.1 kg (excl. battery)

Set incl. 1 battery (4.0 Ah) / 1 charger

Art. No. 3433560

Without battery / charger

Art. No. 3433542

<b>(1111)</b> 1)	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
<b>&gt;&gt;&gt; </b> 2)	7-48	10-65	12-80	14-96	20-130	24-166	28-192	40-260
	min							

For best performance select a battery with at least 2.5 Ah

- $^{9}$  Battery capacity  $^{2}$  Max. operating time per battery charge in idle mode dependent on the selected speed





# **CORDLESS KNIFE SHREDDER 36 V**

#### **REDAXXO 36/25**

- Idle speed: 3000 min<sup>-1</sup>
- Max. branch diameter: 25 mm
- Sound power level LWA: 100 dB (A)

Article only available without battery / charger Art. No. 3430710

		2.0 Ah						
<b>&gt;&gt;&gt; 2</b> )	15 min	20 min	25 min	30 min	40 min	52 min	60 min	80 min

For best performance select batteries with at least 5.2 Ah

- 1) Battery capacity (2x batteries required)
- 2) Max. operating time per battery charge in idle mode

- 3 reversible blades made of special steel for efficient shredding
- Foldable cover to protect the batteries
- Fold-down hopper with safety lock and large hopper opening
- Incl. high-quality shredding bag and tamper



# **CORDLESS GRASS AND SHRUB SHEARS 18 V**

#### **GE-CG 18/100 Li T**

- Cutting width with grass shear blade: 100 mm
- Cutting length with shrub cutting blade: 200 mm
- Spacing between teeth of shrub cutting blade: 8 mm

Set incl. 1 battery (2.5 Ah) / 1 chargerArt. No. 3410316Without battery / chargerArt. No. 3410310

				3.0 Ah				
<b>&gt;&gt;&gt;</b> 2)	180 min	240 min	300 min	360 min	480 min	650 min	720 min	960 min

- 1) Battery capacity
- 2) Max. operating time per battery charge in idle mode



- Toolless blade change
- Laser-cut and diamondground blades
- Telescopic long handle



# **CORDLESS GRASS AND SHRUB SHEARS 18 V**

#### GE-CG 18/100 Li

- Cutting width with grass shear blade: 100 mm
- Cutting length with shrub cutting blade: 200 mm
- Spacing between teeth of shrub cutting blade: 8 mm

Article only available without battery / charger Art. No. 3410313

	1.5 Ah							
<b>&gt;&gt;&gt;&gt;</b> 2)	180 min	240 min	300 min	360 min	480 min	650 min	720 min	960 min

<sup>1)</sup> Battery capacity

- Toolless blade change
- Laser-cut and diamondground blades
- Covered gearbox protecting customer to get in touch with gear oil



# **CORDLESS GRASS AND SHRUB SHEARS 18 V**

#### GC-CG 18 Li

- Cutting width with grass shear blade: 100 mm
- Cutting length with shrub cutting blade: 200 mm
- Spacing between teeth of shrub cutting blade: 8 mm

	1.5 Ah							
<b>&gt;&gt;&gt; </b> 2)	180 min	240 min	300 min	360 min	480 min	650 min	720 min	960 min

<sup>1)</sup> Battery capacity



- Toolless blade change
- Laser-cut and diamondground blades
- Metal gear box

<sup>2)</sup> Max. operating time per battery charge in idle mode

<sup>2)</sup> Max. operating time per battery charge in idle mode



# **CORDLESS GRASS SHEARS 18 V**

#### GC-CG 18/1 Li

Cutting width with grass shear blade: 100 mm

Article only available without battery / charger Art. No. 3410382

<b>IIII</b> 1)	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
<b>&gt;&gt;&gt;</b> 2)	180 min	240 min	300 min	360 min	480 min	650 min	720 min	960 min

<sup>1)</sup> Battery capacity



- Laser-cut and diamond-ground blades
- Metal gear box
- Soft grip perfect handling and grip

## **CORDLESS PRUNING SAW 18 V**

#### GE-GS 18/150 Li

- Saw blade length: 150 mm
- Cutting capacity with / without branch handle: 80 mm / 100 mm

	1.5 Ah							
<b>&gt;&gt;&gt;</b> 2)	70 pcs	90 pcs	115 pcs	140 pcs	180 pcs	240 pcs	280 pcs	360 pcs

<sup>1)</sup> Battery capacity



<sup>2)</sup> Max. operating time per battery charge in idle mode

<sup>2)</sup> Max. cuts per battery charge through roundwood (ø 60 mm)





# **CORDLESS PRUNING SHEARS 18 V**

#### GE-LS 18 Li

Cutting capacity: 28 mm

Article only available without battery / charger Art. No. 3408300

				3.0 Ah				
<b>&gt;&gt;&gt; </b> 2)	1070 pcs	1426 pcs	1783 pcs	2139 pcs	2852 pcs	3708 pcs	4278 pcs	5704 pcs

<sup>1)</sup> Battery capacity

- High-quality bypass blades for efficient cutting work
- Belt clip for optimum carrying comfort
- Slim and ergonomic design for effortless working



# **ACCESSORIES - BATTERY BELT**

#### GE-PB 36/18 Li

- Number of battery pockets: 2 pcs
- Cable length: 150 cm
- Length of hip belt: 150 cm



- Multifunctional for 36 V and 18 V devices
- Padded carrying strap
- Large buckle for easy opening and closing

<sup>2)</sup> Max. cuts per battery charge through round dry beech wood (ø 15 mm)



# **CORDLESS PRESSURE SPRAYER 18 V**

#### GE-WS 18/150 Li

- Filling capacity of the tank: 15 l
- Max. spraying pressure: 4.5 bar
- Flow rate: 102 l/h
- Pressure hose length: 140 cm

Article only available without battery / charger Art. No. 3425230

<b>1)</b>	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
<b>&gt;&gt;&gt;</b> 2)	2 h	2.5 h	3.5 h	4 h	5 h	7 h	8.5 h	10 h

- 1) Battery capacity
- 2) Max. operating time per battery charge in idle mode

- Automatic pump, no manual pressure build-up required
- Transparent tank with scale for checking the level
- Individually adjustable brass nozzle



# **CORDLESS PRESSURE SPRAYER 18 V**

#### **GE-WS 18/75 Li**

- Filling capacity of the tank: 7.5 l
- Max. spraying pressure: 2.5 bar
- Flow rate: 60 l/h
- Pressure hose length: 140 cm

(IIII) 1)	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
<b>&gt;&gt;&gt;&gt;</b> 2)	5 h	6 h	7.5 h	10 h	12 h	16 h	20 h	24 h

- 1) Battery capacity
- <sup>2)</sup> Max. operating time per battery charge in idle mode



- Automatic pump, no manual pressure build-up required
- Transparent tank with scale for checking the level
- Individually adjustable brass nozzle



# **CORDLESS PRESSURE SPRAYER 18 V**

#### GE-WS 18/35 Li

- Filling capacity of the tank: 3.5 l
- Max. spraying pressure: 2.5 bar
- Flow rate: 60 l/h
- Pressure hose length: 140 cm

Article only available without battery / charger Art. No. 3425210

		2.0 Ah						
<b>&gt;&gt;&gt; 2</b> )	5 h	6 h	7.5 h	10 h	12 h	16 h	20 h	24 h

- 1) Battery capacity
- 2) Max. operating time per battery charge in idle mode

- Automatic pump, no manual pressure build-up required
- Transparent tank with scale for checking the level
- Individually adjustable brass nozzle



## **CORDLESS PRESSURE SPRAYER 18 V**

#### **GE-WS 18/10 Li**

- Filling capacity of the tank: 1 l
- Max. spraying pressure: 1.3 bar
- Flow rate: 9.6 l/h

(IIII) <sup>1)</sup>	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
<b>&gt;&gt;&gt;&gt;</b> 2)	12 h	16 h	20 h	24 h	32 h	42 h	48 h	64 h

- 1) Battery capacity
- 2) Max. operating time per battery charge in idle mode



- Automatic pump, no manual pressure build-up required
- Transparent tank with scale for checking the level
- Individually adjustable brass nozzle



# **CORDLESS HOSE REEL (WATER) 18 V**

#### GE-HR 18/30 Li

- PXC battery voltage / capacity: 18 V / -
- Garden hose length / diameter: 30 m / 12.5 mm (1/2")
- Connecting hose length / diameter: 1.5 m / 12.5 mm (1/2")
- Swivelling range: 180°
- Product weight: 12.1 kg

Article only available without battery / charger Art. No. 4173770

<b>IIII</b> 1)	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
<b>&gt;&gt;&gt;</b> 2)	25x	33x	42x	50x	66x	86x	100x	132x
<b>&gt;&gt;&gt;</b> 3)	17x	22x	28x	34x	44x	57x	68x	88x

- 1) Battery capacity
- <sup>2)</sup> Max. number of roll-on and roll-off cycles per battery charge with water-filled hose (30 m, 1/2")
- 3) Max. number of roll-on and roll-off cycles per battery charge with empty hose (30 m, 1/2")

- Wall mount incl. dowels and screws
- Maintenance flap
- Patented hose guide system
- Cleaning brushes on the feeder



# **CORDLESS HOSE REEL (WATER) 18 V**

#### GE-HR 18/30-1 Li

- PXC battery voltage / capacity: 18 V / -
- Garden hose length / diameter: 30 m / 12.5 mm (1/2")
- Connecting hose length / diameter: 1.5 m / 12.5 mm (1/2")
- Swivelling range: 180°
- Product weight: 12.1 kg

<b>1)</b>	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
<b>&gt;&gt;&gt;</b> 2)	25x	33x	42x	50x	66x	86x	100x	132x
<b>&gt;&gt;&gt;</b> 3)	17x	22x	28x	34x	44x	57x	68x	88x

- 1) Battery capacity
- <sup>2)</sup> Max. number of roll-on and roll-off cycles per battery charge with water-filled hose (30 m, 1/2")
- 3) Max. number of roll-on and roll-off cycles per battery charge with empty hose (30 m, 1/2")



- Wall mount incl. dowels and screws
- Maintenance flap
- Patented hose guide system
- Cleaning brushes on the feeder



# **CORDLESS HOSE REEL (WATER) 18 V**

#### GE-HR 18/30 WH Li

- PXC battery voltage / capacity: 18 V / -
- Garden hose length / diameter: [30 m]\* / [12.5 mm (1/2")]\*
- Connecting hose length / diameter: 1.5 m / 12.5 mm (1/2")
- Swivelling range: 180°
- Product weight: 8.5 kg

Article only available without battery / charger Art. No. 4173771

<b>(1111)</b> 1)	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
<b>&gt;&gt;&gt;</b> 2)	25x	33x	42x	50x	66x	86x	100x	132x
<b>&gt;&gt;&gt;</b> 3)	17x	22x	28x	34x	44x	57x	68x	88x

- 1) Battery capacity
- <sup>2)</sup> Max. number of roll-on and roll-off cycles per battery charge with water-filled hose (30 m, 1/2")
- 3) Max. number of roll-on and roll-off cycles per battery charge with empty hose (30 m, 1/2")

- Wall mount incl. dowels and screws
- Maintenance flap
- Patented hose guide system
- Cleaning brushes on the feeder





# **CORDLESS HOSE REEL (WATER) 18 V**

#### GE-HR 18/30-1 WH Li

- PXC battery voltage / capacity: 18 V / -
- Garden hose length / diameter: [30 m]\* / [12.5 mm (1/2")]\*
- Connecting hose length / diameter: 1.5 m / 12.5 mm (1/2")
- Swivelling range: 180°
- Product weight: 8.5 kg

<b>1)</b>	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
<b>&gt;&gt;&gt;</b> 2)	25x	33x	42x	50x	66x	86x	100x	132x
<b>&gt;&gt;&gt;</b> 3)	17x	22x	28x	34x	44x	57x	68x	88x

- 1) Battery capacity
- <sup>2)</sup> Max. number of roll-on and roll-off cycles per battery charge with water-filled hose (30 m, 1/2")
- Max. number of roll-on and roll-off cycles per battery charge with empty hose (30 m, 1/2")





- Wall mount incl. dowels and screws
- Maintenance flap
- Patented hose guide system
- Cleaning brushes on the feeder





# **CORDLESS AUTOMATIC GARDEN PUMP 36 V**

#### **AOUINNA 36/38 F LED AUTOMATIC**

- Max. delivery capacity / height: 3800 l/h / 37 m
- Max. suction height: 6 m
- Suction / pressure connection: 33.3 mm (1") ET / 33.3 mm (1") IT

Article only available without battery / charger Art. No. 4180420

		2.0 Ah						
<b>&gt;&gt;&gt;</b> 2)	12 min	16 min	20 min	24 min	32 min	42 min	48 min	64 min
<b>&gt;&gt;&gt;</b> 3)	24 min	32 min	40 min	48 min	64 min	84 min	96 min	128 min



<sup>2)</sup> Max. running time in BOOST mode per battery charge



- Automatic function and dry running protection
- Integrated: pre-filter and non-return valve
- 2-step switch (ECO/BOOST mode)
- Suction, water filling and dirt indicator

# **CORDLESS AUTOMATIC GARDEN PUMP 18 V**

#### **AQUINNA 18/30 F LED AUTOMATIC**

- Max. delivery capacity / height: 3000 l/h /28 m
- Max. suction height: 6 m
- Suction / pressure connection: 33.3 mm (1") ET / 33.3 mm (1") IT

<b>IIII)</b> 1)	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
<b>&gt;&gt;&gt; </b> 2)	10 min	15 min	17 min	20 min	30 min	36 min	40 min	60 min
<b>&gt;&gt;&gt;</b> 3)	14 min	19 min	23 min	28 min	38 min	48 min	56 min	76 min
<b>&gt;&gt;&gt; </b> 4)	20 min	30 min	34 min	40 min	60 min	72 min	80 min	120 min
<b>&gt;&gt;&gt; </b> 5)	28 min	38 min	46 min	56 min	76 min	96 min	112 min	152 min

- Battery capacity
- <sup>2)</sup> Max. running time in BOOST mode with 1x 18 V battery per battery charge
- 3) Max. running time in ECO mode with 1x 18 V battery per battery charge
- 4) Max, running time in BOOST mode with 2x 18 V batteries per battery charge
- 5) Max. running time in ECO mode with 2x 18 V batteries per battery charge

- Double Runtime technology: 2 battery slots – double running time – can also be operated with one battery
- Automatic function and dry running protection
- Integrated: pre-filter and non-return valve
- 2-step switch (ECO/BOOST mode)
- Suction, water filling and dirt indicator



<sup>3)</sup> Max. running time in ECO mode per battery charge



#### **CORDLESS GARDEN PUMP 36 V**

#### **AOUINNA 36/38 F LED**

- Max. delivery capacity / height: 3800 l/h / 37 m
- Max. suction height: 6 m
- Suction / pressure connection: 33.3 mm (1") ET / 33.3 mm (1") IT

Article only available without battery / charger Art. No. 4180410

(IIII) 1)	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
<b>&gt;&gt;&gt;</b> 2)	12 min	16 min	20 min	24 min	32 min	42 min	48 min	64 min
<b>&gt;&gt;&gt;</b> 3)	24 min	32 min	40 min	48 min	64 min	84 min	96 min	128 min

- Battery capacity (2x batteries required)
   Max. running time in BOOST mode per battery charge
   Max. running time in ECO mode per battery charge

- Water filling and dirt indicator
- Integrated: pre-filter and non-return valve
- 2-step switch (ECO/BOOST mode)



# **CORDLESS GARDEN PUMP 36 V**

#### **AOUINNA 36/34**

- Max. delivery capacity / height: 3400 l/h / 35 m
- Max. suction height: 6 m
- Suction / pressure connection: 33.3 mm (1") ET / 33.3 mm (1") IT

(IIII) 1)	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
<b>&gt;&gt;&gt;</b> 2)	12 min	16 min	20 min	24 min	32 min	42 min	48 min	64 min
<b>&gt;&gt;&gt;</b> 3)	24 min	32 min	40 min	48 min	64 min	84 min	96 min	128 min

- 1) Battery capacity (2x batteries required)
  2) Max. running time in BOOST mode per battery charge
- 3) Max. running time in ECO mode per battery charge



- Water filler screw
- Water filling and dirt indicator
- 2-step switch (ECO/BOOST mode)



# **CORDLESS GARDEN PUMP 36 V**

#### **AOUINNA 36/30**

- Max. delivery capacity / height: 3000 l/h / 26 m
- Max. suction height: 8 m
- Suction / pressure connection: 42 mm (1¼") ET / 33.3 mm (1") IT
- Contents: Suction side adapter to reduce to 33.3 mm (1") ET

Article only available without battery / charger Art. No. 4180400

(IIII) <sup>1)</sup>	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
<b>&gt;&gt;&gt;</b> 2)	12 min	15 min	23 min	30 min	35 min	45 min	50 min	70 min
<b>&gt;&gt;&gt;</b> 3)	30 min	35 min	47 min	55 min	70 min	85 min	100 min	140 min

- 1) Battery capacity (2x batteries required)
- 2) Max. running time in BOOST mode per battery charge
- 3) Max. running time in ECO mode per battery charge

- Water filler screw
- Frost protection due to a water drain screw
- 2-step switch (ECO/BOOST mode)



# **CORDLESS GARDEN PUMP 36 V**

#### AQUINNA 36/30 Set

- Max. delivery capacity / height: 3000 l/h / 26 m
- Max. suction height: 8 m
- Suction / pressure connection: 42 mm (1¼") ET / 33.3 mm (1") IT
- Contents: Suction hose (4 m)

<b>IIII</b> ) 1)	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
<b>&gt;&gt;&gt;</b> 2)	12 min	15 min	23 min	30 min	35 min	45 min	50 min	70 min
<b>&gt;&gt;&gt;</b> 3)	30 min	35 min	47 min	55 min	70 min	85 min	100 min	140 min

- 1) Battery capacity (2x batteries required)
- 2) Max. running time in BOOST mode per battery charge
- 3) Max. running time in ECO mode per battery charge



- Water filler screw
- Frost protection due to a water drain screw
- 2-step switch (ECO/BOOST mode)
- Incl. suction hose (4 m)



#### **CORDLESS GARDEN PUMP 18 V**

#### **AOUINNA 18/30 F LED**

- Max. delivery capacity / height: 3000 l/h /28 m
- Max. suction height: 6 m
- Suction / pressure connection: 33.3 mm (1") ET / 33.3 mm (1") IT

Article only available without battery / charger Art. No. 4180430

<b>1)</b>	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
<b>&gt;&gt;&gt; 2</b> )	10 min	15 min	17 min	20 min	30 min	36 min	40 min	60 min
<b>&gt;&gt;&gt;</b> 3)	14 min	19 min	23 min	28 min	38 min	48 min	56 min	76 min
<b>&gt;&gt;&gt;</b> 4)	20 min	30 min	34 min	40 min	60 min	72 min	80 min	120 min
<b>&gt;&gt;&gt;</b> 5)	28 min	38 min	46 min	56 min	76 min	96 min	112 min	152 min

- 1) Battery capacity
- <sup>2)</sup> Max. running time in BOOST mode with 1x 18 V battery per battery charge
- 3) Max. running time in ECO mode with 1x 18 V battery per battery charge
- 4) Max. running time in BOOST mode with 2x 18 V batteries per battery charge
- 5) Max. running time in ECO mode with 2x 18 V batteries per battery charge

- Double Runtime technology: 2 battery slots - double running time - can also be operated with one battery
- Water filling and dirt indicator
- Integrated: pre-filter and nonreturn valve
- 2-step switch (ECO/BOOST mode)



# CORDI ESS GARDEN PUMP 18 V

#### **AQUINNA 18/28**

- Max. delivery capacity / height: 2800 l/h / 25 m
- Max. suction height: 6 m
- Suction / pressure connection: 33.3 mm (1") ET / 33.3 mm (1") IT

		2.0 Ah						
		14 min						
<b>&gt;&gt;&gt;</b> 3)	14 min	18 min	22 min	27 min	36 min	47 min	54 min	72 min

- Battery capacity
- Max. running time in BOOST mode per battery charge
   Max. running time in ECO mode per battery charge



- Water filler screw
- Frost protection due to a water drain screw
- 2-step switch (ECO/ **BOOST mode)**





# **CORDLESS SUBMERSIBLE PRESSURE PUMP 18 V**



- 2-in-1: Submersible pressure pump and rain barrel pump
- Mobile battery box with integrated cable storage holder
- Infinitely adjustable telescopic connection pipe
- Powerful motor high delivery pressure

#### GE-PP 18 RB Li

- Max. delivery height / pressure: 20 m / 2 bar
   Max. delivery capacity: 3000 l/h
   Max. immersion depth: 4 m

								8.0 Ah
<b>&gt;&gt;&gt; 2</b> )	12 min	15 min	20 min	25 min	30 min	35 min	45 min	60 min

<sup>1)</sup> Battery capacity
2) Max. operating time per battery charge in idle mode



# **CORDLESS CLEAR WATER PUMP 18 V**

#### GE-SP 18 Li

Max. delivery capacity / height: 5000 l/h / 8 m

Max. immersion depth: 4 m

■ Hose connection: 33.3 mm (G1 ET)

Article only available without battery / charger Art. No. 4181500

		2.0 Ah						
<b>&gt;&gt;&gt; </b> 2)	20 min	30 min	35 min	40 min	60 min	70 min	80 min	120 min

<sup>1)</sup> Battery capacity

- Mobile battery box with integrated cable storage holder
- Practical mounting options
- Powerful motor high flow rate



# **CORDLESS CLEAR WATER PUMP 18 V**

#### GE-SP 18 LL Li

- Max. delivery capacity / height: 4500 l/h / 8 m
- Max. immersion depth: 4 m
- Hose connection: 33.3 mm (G1 ET)

					4.0 Ah			
<b>&gt;&gt;&gt; 2</b> )	20 min	30 min	35 min	40 min	60 min	70 min	80 min	120 min

<sup>1)</sup> Battery capacity



- Clear water: the water is removed using flat-suction to 1 mm
- Mobile battery box with integrated cable storage holder
- Practical mounting options
- Powerful motor low level suction

<sup>2)</sup> Max. operating time per battery charge in idle mode

<sup>2)</sup> Max. operating time per battery charge in idle mode



# **CORDLESS DIRTY WATER PUMP 18 V**

#### **GE-DP 18/25 Li**

- Max. delivery capacity / height: 7500 l/h / 5 m
- Max. immersion depth: 4 m
- Hose connection: 42 mm (G 1¼ ET)
- Contents: Universal connection for 25 mm / 33.3 mm / hoses of up to 11/2"

Article only available without battery / charger Art. No. 4181580

<b>IIII</b> ) 1)	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
<b>&gt;&gt;&gt;</b> 2)	11 min	15 min	19 min	23 min	30 min	40 min	46 min	60 min
<b>&gt;&gt;&gt;</b> 3)	16 min	21 min	26 min	32 min	42 min	55 min	64 min	84 min

- 1) Battery capacity
- Max. running time in BOOST mode per battery charge
   Max. running time in ECO mode per battery charge

- Mobile battery box with integrated cable storage holder
- Practical mounting options
- Powerful motor high flow rate
- 2-step switch (ECO/BOOST mode)



# **CORDLESS DIRTY WATER PUMP 18 V**

#### **GE-DP 18/25 LL Li**

- Max. delivery capacity / height: 7000 l/h / 5 m
- Max. immersion depth: 4 m
- Hose connection: 42 mm (G 1¼ ET)
- Contents: Universal connection for 25 mm / 33.3 mm / hoses of up to 11/2"

1)	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
<b>&gt;&gt;&gt;</b> 2)	11 min	15 min	19 min	23 min	30 min	40 min	46 min	60 min
<b>&gt;&gt;&gt;</b> 3)	16 min	21 min	26 min	32 min	42 min	55 min	64 min	84 min

- Battery capacity
- Max. running time in BOOST mode per battery charge
   Max. running time in ECO mode per battery charge



- Clear water: the water is removed using flat-suction to 1 mm
- Mobile battery box with integrated cable storage holder
- Practical mounting options
- Powerful motor high flow rate
- 2-step switch (ECO/BOOST mode)







#### **ACCESSORIES - BATTERIES**

# SEALED POWER X-CHANGE PLUS



#### 4.0 Ah SEALED Power X-Change Plus Battery

- Items supplied: 1 battery
- Battery voltage / capacity: 18 V / 4.0 Ah
- Battery power: max. 900 W

Art. No. 4511627

# SEALED POWER X-CHANGE PLUS



#### 3.0 Ah SEALED Power X-Change Plus Battery

- Items supplied: 1 battery
- Battery voltage / capacity: 18 V / 3.0 Ah
- Battery power: max. 900 W

Art. No. 4511618



# **SEALED**



# **SEALED TECHNOLOGY.**NO CHANCE FOR DUST AND WATER.

Officially tested according to IP57 protection class.\*

# WHAT DOES IP57 MEAN?

DUST 5

7 WATER

Protected from all types of foreign bodies and dust – be it wood, brick or metal.





Protected from high pressure water spray and temporary submersion – to a maximum depth of 1 m for up to 30 minutes.







In addition to the sealed housing there is a sensor controlled safety cut out to prevent short circuiting under water.

After the contacts have been dried, the battery is ready for use again.

<sup>\*</sup> Protection according to IP57 applies to the battery itself. It does not apply to tools operated with the battery.





# POWER X-CHANGE PLUS TECHNOLOGY

By switching to the new "21700" cell format (21 mm diameter, 70.0 mm length) our latest Power X-Change batteries have acquired the best combination of power/running time and weight. Why? Using this cell technology it is possible to achieve the same power and running time with five cells instead of the previous ten.

Benefits? The new batteries are  $13\,\%$  more compact and  $12\,\%$  lighter than their predecessors – at  $100\,\%$  power and running time.

Results: Light-weight all-rounders for energy-intensive applications such as in cordless chainsaws.

# **MULTI-AH TECHNOLOGY**

Thanks to MULTI-Ah Technology, switching over from a 5 Ah battery to a 8 Ah battery is really easy and can be done with just the push of a button. The 5 Ah battery has a 3x longer total service life and is suitable for lighter applications (e.g. cordless lamp or cordless screwdriver). The 8 Ah battery offers them maximum running time for more capacity-intensive applications (e.g. cordless lawn mower or cordless wet and dry vacuum cleaners).

# TWIN-PACK TECHNOLOGY

Every Power X-Change battery from Einhell has a voltage of 18 V. If more power is required for more powerful tools, **two 18 V batteries are simply combined in one 36 V device** thanks to Twin-Pack Technology. Doubling the voltage automatically doubles the power.

Double Twin-Pack Technology allows you to work even longer without recharging. This uses four batteries. If the first two batteries are empty, the system automatically switches to the two additional batteries.



in comparison to the conventional 4 Air batter

5 Ah

**)** 

300% more service life<sup>1)</sup>

8 Ah

**>** 

60% more runtime<sup>2)</sup>

<sup>1)</sup> In comparison to every standard lithium-ion battery

<sup>2)</sup> In comparison to the 5 Ah battery



# **ACCESSORIES - BATTERIES**

#### One battery for all devices

Our rechargeable batteries are not only available individually (solo item), but also in a Twin Pack. To get started in the Einhell world, we recommend choosing a Starter Kit (battery + charger)

	<b>////</b>	Less weight and s	ize		PXC Ba	atteries		More po	ower and runtime	· · · · · · · · · · · · · · · · · · ·
	2.0 Ah	2.5 Ah	3.0 Ah PLUS	3.0 Ah SEALED	4.0 Ah	4.0 Ah PLUS	4.0 Ah SEALED	5.2 Ah	4-6 Multi-Ah	5-8 Multi-Ah
Article number Solo (1 battery)	4511395	Only available in Starter Kits	Only available in Twin Packs	4511618	4511396	Only available in Twin Packs and Starter Kits	4511627	4511437	4511502	4511600
Power	max. 450 W	max. 720 W	max. 900 W	max. 900 W	max. 900 W	max. 900 W	max. 900 W	max. 1260 W	max. 1350 W	max. 1350 W
Weight	400 g	460 g	585 g	595 g	670 g	595 g	605 g	890 g	1020 g	1050 g
Features										
PLUS – Extra Power			<b>~</b>	<b>~</b>		<b>✓</b>	<b>~</b>	<b>✓</b>	<b>~</b>	<b>✓</b>
SEALED				<b>~</b>			<b>✓</b>			
Multi-Ah									<b>~</b>	<b>✓</b>





# **ACCESSORIES - STARTER KITS**

# Getting started is easy - with the Einhell Power X-Change Starter Kit

Technical data and features at a glance:











	2.5 Ah	4.0 Ah	4.0 Ah PLUS	5.2 Ah	4-6 Multi-Ah
Article number (1 battery + 1 charger)	4512097	4512042	4512159	4512147	4512143
Article number (2 batteries + 1 charger)	-	4512112	-	-	-
Charger (More information in the charger table)	3 A Charger	3 A Twincharger	3 A Charger	3 A Charger	6 A Boostcharger
Ready to go	50 min	75 min	75 min	100 min	60 min

# **ACCESSORIES - CHARGERS**

One charger for all batteries - 100 % compatibility

















	3 A Charger	3 A Carcharger	4 A Fastcharger	6 A Boostcharger	8 A Boostcharger	3 A Twincharger	4 A Twincharger	4 A Quattrocharger
Article number	Only available in Starter Kits	4512113	4512103	Only available in Starter Kits	4512155	4512069	4512161	4512102
Charging current	3 A	3 A	4 A	6 A	8 A	3 A (je Port)	4 A (je Port)	4 A (per port) (parallel charging of 2x2 batteries)
Number of ports for PXC batteries	1	1	1	1	1	2	2	4





# **POWER X-CHANGE BATTERY ACCESSORY**





- Endless extendable to store an unlimited amount of batteries
- Simple assembling due to tongue and groove connection
- Snap-in function for battery ensures fixation in any position

#### **Battery Mounting Gadget**

- Items supplied: 2 battery mounting gadgets, 4 screws, 4 dowels
- Can be used for: all Power X-Change batteries

Art. No. 4514155





 Protects the battery against dust and moisture

#### **Battery Protector**

- Items supplied: 1 battery cover
- Suitable for (batteries): all Power X-Change batteries
- Can be used for (devices): HYPRESSO 18/24, TE-DA 18/760 Li, GE-WS 18/10 Li

Art. No. 4140151



# **BATTERY CHARGING TIME TABLE**

	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah	Shorter
Power X-Charger 3 A								charging time
<b>Power X-Twincharger 3 A</b> (parallel charging of 2 batteries)	40 min	50 min	60 min	75 min	100 min	120 min	160 min	
Power X-Car Charger 3 A								
Power X-Fastcharger 4 A	30 min	37 min	45 min	60 min	80 min	90 min	120 min	-25%
<b>2x2 Power X-Quattrocharger 4 A</b> (parallel charging of 2 batteries)								-50%
Power X-Boostcharger 6 A *	30 min	27 min	32 min	40 min	50 min	60 min	80 min	
Power X-Boostcharger 8 A **	30 min	27 min	32 min	40 min	40 min	45 min	60 min	-60%

<sup>\*</sup> Only 2.5 Ah - 8.0 Ah batteries can be charged with 6 A. Batteries of lower capacity are charged with a lower current.
\*\* Only 5.2 Ah - 8.0 Ah batteries can be charged with 8 A. Batteries of lower capacity are charged with a lower current.







# PROFESSIONAL CORDLESS LEAF VACUUM 36 V



- Toolless change between suction and blowing function >>> Brushless motor – more power, prolonged operation
- moitonn odnuT ((

# **VENTURRO 36/240**

- Max. blow velocity: 240 km/h
- % Shredding function: 10:1 **™** Max. suction power: 740 m³/h
- N Product weight: 4.0 kg

### Art. No. 3433640 Article only available without battery / charger

u þ	uim.	nim 2	nim 3	nim 8	nim Of	nim Ef	nim əf	nim 02
	er-7	22-6 nim	82-01 nim	75-41 nim	64-81 nim	82-12 nim	47-82 nim	86-8£ nim
u þ	uim.	nim 2	nim 3	nim 8	nim Of	nim Ef	nim əf	nim 02
	۲۲-7	ES-6 nim	72-01 nim	25-41 nim	8₽-71 nim	aim nim	or-rs nim	26- <del>1</del> 5 nim
2.r	dA 2.	4A 0.S	dA 2.S	3.0 Ah	4A 0.₽	4A S.2	dA 0.8	dA 0.8

For best performance select a battery with at least 2.5 Ah

- Max. operating time per battery charge in idle mode (vacuuming mode) dependent on the selected speed Battery capacity (2x batteries required)
- beseds beside per battery dralge in idle mode (blowing mode) dependent on the selected speed besed was mode) with the selected speed  $^0$  mode) was per battery dralge in idle mode (DIARD) downing time per battery dralge in idle mode) Max. operating time per battery charge in idle mode (TURBO vacuuming mode)



SSETHSOUS

SSETHSOME

>> Electronic speed control

Incl. gutter cleaning set

Electronic speed control

>> Brushless motor – more power, prolonged

>> Turbo function

operation

>>> Brushless motor - more power, prolonged

M Turbo function

operation

# PROFESSIONAL CORDLESS LEAF BLOWER 18 V

GP-LB 18/200 Li GK Brushless

Max. blow velocity: 200 km/h

Product weight: 2.2 kg (excl. battery) Max. blowing air flow: 670 m³/h

Article only available without battery / charger Art. No. 3433550

սլա ՀԼ uim 21 nim Of uim č uim 9 nim £ (**€ 【【【** uim uıw uıw uim uim uịw uıw uıw (z **((((** 21-S น่-เ 30-54 76-02 18-33 12-51 12-01 21-8 AA 0.₽ (L CIIII dA 0.8 dA 0.8 44 S.2 4A 0.£ **4A 2.2** 4A 0.S da 2.r

For best performance select a battery with at least 3.0 Ah

(i) Battery capacity

Max. operating time per battery charge in idle mode in I UKBO mode Max. operating time per battery charge in idle mode – dependent on the selected speed

PROFESSIONAL CORDLESS LEAF BLOWER 18 V

Max. blow velocity: 200 km/h GP-LB 18/200 Li E Brushless

Max. blowing air flow: 670 m³/h

Product weight: 2.2 kg (excl. battery)

Art. No. 3433555 Article only available without battery / charger

սլա ՀԼ nim 21 nim Of uim 9 uim č nim £ (£ **{{**{} uim uıw uıw uıw uıw uıw (Z **{{{**} ıi-ı 76-02 12-SI SI-8 30-24 18-33 12-01 5-13 4A 2.2 4A 0.E dA 2.S **4A 0.2** dA 2.f (L (IIII) dA 0.8 **dA 0.8** dA 0.₽

For best performance select a battery with at least 3.0 Ah

() Battery capacity

99

Max. operating time per battery charge in idle mode in 1 UKBU mode Max. operating time per battery charge in idle mode – dependent on the selected speed





## Λ 9ε PROFESSIONAL CORDLESS LEAF BLOWER

BENCHFER

NEM

- >>> Brushless motor more power, prolonged operation
- M Turbo function
- >> Electronic speed control

### GP-LB 36/230 Li E Brushless

- Max. blow velocity; 230 km/h

Article only available without battery / charger Art. No. 3433650

				1476				
<b>/</b>	nim Ef	nim Sr	nim Of	nim 8	nim 2	nim 4	nim &	(£ <b>((((</b>
พ -0†	20-165 nim	8£1-82 nim	20-116 nim	26-91 nim	69-11 nim	22-01 nim	0 <del>1</del> -7 nim	(z <b>((((</b>
0.8	dA 0.8	<b>НА ≤.</b> 2	4A 0.4	3.0 Ah	4A 2.S	4A 0.S	da 2.r	(L (IIII

For best performance select batteries with at least 2.5 Ah

- y Max oberajius filue ber batteries required) generale on the selected speed on the selected speed () was oberajius filue ber batteries required)
- <sup>30</sup> Max. operating time per battery charge in idle mode in TURBO mode



### Λ 98 PROFESSIONAL CORDLESS LEAF BLOWER

BBUSHLESS

NEM

- >> Brushless motor more power, prolonged operation
- Marction Turbo function
- Marian Speed Control
- Magnetable blower head shower head
- Dual operating mode with additional nozzle attachment

### GP-LB 36/270 Li E Brushless

- Max. blow velocity: 2√0 km/h

Article only available without battery / charger 0728848 .0N .71A

nim er	nim Əf	nim Ef	nim Of	nim 8	nim 9	nim 2	nim £	(£ <b>((((</b>
25-104 nim	18-E2 nim	69-81 nim	SS-S1 nim	rim nim	65-9 nim	uị:: 97-9	rs-4 nim	(z <b>((((</b>
<b>НА 0.8</b>	dA 0.8	4A S.2	4A 0.4	4A 0.E	4A 2.S	4A 0.S	da 2.r	(L IIII

- ® Max. operating time per battery charge in idle mode in TURBO mode Max. operating time per battery charge in idle mode – dependent on the selected speed Battery capacity (2x batteries required)





**NEM** 



# PROFESSIONAL CORDLESS PRUNING SHEARS 18 V

### GP-LS 18/28 Li T Brushless

- M Cutting capacity: 14 mm / 28 mm
- Max. working height: 3.8 m
- Article only available without battery / charger Art. No. 3408330
- ® Battery capacity Max. cuts per battery charge through hard roundwood (ø 15 mm)

BRUSHLESS

- » Brushless motor more power, prolonged operation
- 2 in 1: Use as convenient pruning shears or as telescopic shears

# PROFESSIONAL CORDLESS PRUNING SHEARS 18 V

NEM

**w**u

Art. No. 3408320

© Cutting capacity: 14 mm / 28 mm

GP-LS 18/28 Li Brushless

 ria 0.8
 ria 0.6
 <t

© Max. cuts per battery charge through hard roundwood (ø 15 mm)

Article only available without battery / charger

Brushless motor – more power, prolonged operation

BENCHIEZZ

- elgne ebeld eldeteuibA «
- » SK5 steel bypass blades
- >> Belt clip for optimum carrying comfort



# PROFESSIONAL CORDLESS TELESCOPIC HEDGE TRIMMER 18 V

# **NEM**

### BENCHFERS

- GP-HH 18/50 Li T Brushless
- mm Spacing between teeth (hedge trimmer): 25 mm M Blade length of hedge trimmer: 500 mm
- Article only available without battery / charger Art. No. 3410972
- nim 09 uim 22 nim 04 aim 0£ uim 22 uim 21 (z **{{{**} nim 08 uim 02 dA 0.8 4A 2.2 4A 0.₽ 4A 0.£ 4A 2.S 4A 0.S dA Z.r (r (IIII) 4A 0.8
- Max. operating time per battery charge in idle mode (telescopic hedge trimmer) Rattery capacity

- Srushless motor more power, prolonged operation
- >> Telescopic handle
- Metal gear box
- >> Rubberised support surface 8-way tiltable hedge trimmer attachment

# PROFESSIONAL CORDLESS PRUNING SHEARS 18 V

### BBUSHLESS

**NEW** 

- Brushless motor more power, prolonged operation
- elgne ebeld eldeteulbA
- Metal hook for pulling down of cut branches SK5 steel bypass blades
- Article only available without battery / charger Art. No. 3408360

7100 pcs								
dA 0.8	dA 0.8	<b>dA ≤.</b> ∂	4A 0.4	4A 0.E	4A 2.S	4A 0.S	da 2.r	(L (IIII

bartery capacity Max. cuts per battery charge through hard roundwood (ø 15 mm)

Max. working height: 3 m

GP-LS 18/35 Li Brushless

M Cutting capacity: 35 mm / 25 mm





# PROFESSIONAL CORDLESS MULTIFUNCTIONAL TOOL 18 V



- Brushless motor more power, prolonged operation
- » Telescopic handle
- Metal gear box
- 8-way tiltable hedge trimmer transmette
- attachment
  Mutomatic chain lubrication

### GP-HC 18/5020 Li T Brushless

- mm 002 :(wesnish) tygnal :200 mm
- N Chain cutting speed: 7 m/s
- Blade length of hedge trimmer: 500 mm

Article only available without battery / charger Art. No. 3410970

nim 08	nim 09	-	nim 04			nim 02		
198 pcs	148 pcs	127 pcs	sod 66	73 pcs	524 pcs	39 pcs	27 pcs	(z <b>((((</b>
4A 0.8	<b>НА 0.</b> 9	<b>НА ≤.</b> 2	4A 0.4	4A 0.£	4A 2.S	4A 0.S	da 2.r	(L (IIII

For best performance select a battery with at least 2.5 Ah

- Max. cuts through 70 x 70 mm square timber per battery charge (pole-mounted pruner)
- TeMax. operating time per battery charge in idle mode (telescopic hedge trimmer)

# PROFESSIONAL CORDLESS POLE-MOUNTED PRUNER 18 V

Srushless motor – more power,

prolonged operation

- Marcopic handle
- Metal gear boxAutomatic chain lubrication
- sloot diw gninoizat nish tools
- >>> Rubberised support surface

# GP-LC 18/20 Li T Brushless

- Mear length (chainsaw): 200 mm
- s\m \(\times\): Speed: \(\times\) and speed: \(\times\)

Article only available without battery / charger Art. No. 3410971

198 pcs 148 pcs JZ7 pcs sod 66 73 pcs 24 bcs 39 pcs sy pcs (7 **{{**{} 4A 0.₽ dA 2.r AA 0.8 AA S.2 4A 0.E dA 2.S 4A 0.S ( (IIII) **NA 0.8** 

For best pertormance select a battery with at least 2.5 Ah

- Battery capacity
- Max. cuts through 70 x 70 mm square timber per battery charge (pole-mounted pruner)

NEM

BENCHEESS

OFFICON

# PROFESSIONAL CORDLESS CHAINSAW 36 V

## GP-LC 36/40 Li Brushless

- Mar length / cutting length: 400 mm / 380 mm
- s/m 61 :beeds gnittu 🔏
- Moli tank capacity: 230 ml tank capacity


Art. No. 4600050

Article only available without battery / charger

		seal ta Atiw ee			
425 pcs	319 pcs	276 pcs	212 pcs	129 pcs	(Z <b>((((</b>
dA 0.8	4A 0.8	4A S.2	4A 0.4	4A 0.E	(L CIIII)

ان Battery capacity (2x batteries required) Max. cuts through 70 x 70 mm square timber per battery charge (3





- >> LED battery charge indicator
- Modeless chain tensioning and changing (

Material Inbrication Material Material

Maigned and chain tensioning and changing

>> Brushless motor – more power, prolonged operation



## PROFESSIONAL CORDLESS CHAINSAW 36 V

GP-LC 36/35 Li Brushless

Mar length / cutting length: 350 mm / 330 mm

» Cutting speed: 15 m/s

M Oil tank capacity: 115 ml

Art. No. 4501780 Article only available without battery / charger

640 pcs	480 pcs	420 pcs	350 pcs	240 pcs	200 pcs	160 pcs	JSO bcs	(z <b>{{{</b>
dA 0.8	dA 0.а	4A S.2	4A 0.4	4A 0.£	4A 2.S	4A 0.2	dA ∂.Γ	(L CIIII

For best performance select batteries with at least 3.0 An

Battery capacity (2x batteries required)

Max. cuts through 70 x 70 mm square timber per battery charge





### BBUSHLESS

pliance with safety instructions careworkers, Misactions in comonly be used by trained tree WARNING: This chainsaw may



may cause serious injuries.

>> Perfectly suited for branch removal and tree maintenance

Tip guard and kickback protection with instant reaction

>> Brushless motor – more power, prolonged operation

mechanical chain brake



# PROFESSIONAL TOP-HANDLED CORDLESS CHAINSAW 18 V

### **FORTEXXA 18/20 TH**

- Mar length / cutting length: 200 mm / 140 mm
- S/m \( \sum \) Cutting speed: \( \sum \) m/s
- M Oil tank capacity: √5 ml

Article only available without battery / charger Art. No. 4600020

							griformance	
320 pcs	240 pcs	210 pcs	360 pcs	JSO bcs	300 pcs	sod 08	eo bcs	(z <b>((((</b>
dA 0.8	dA 0.а	4A S.2	4A 0.₽	3.0 Ah	4A 2.S	4A 0.S	AA Z.ſ	(L CIIII)

Max. cuts through 70 x 70 mm square timber per battery charge Rattery capacity

# PROFESSIONAL CORDLESS PRUNING CHAINSAW 18 V



BBOSHFERS

Bar length / cutting length: 192 mm / 150 mm GP-PS 18/20 Li Brushless

» Cutting speed: 8 m/s

» Oil tank capacity: √0 ml

Article only available without battery / charger Art. No. 4600080

236 pcs	402 pcs	348 pcs	268 pcs	201 pcs	168 pcs	134 pcs	100 pcs	(z <b>((((</b>
<b>dA 0.8</b>	<b>НА 0.</b> 9	4A S.2	4A 0.₽	4A 0.E	4A 2.S	4A 0.2	da 2.f	(L (IIII)

For best performance select a battery with at least 2.0 Am

Rattery capacity

Max. cuts per battery charge through soft roundwood (ø 50 mm)

M Toolless chain tensioning and changing >> Brushless motor - more power, prolonged operation

shredding green cuttings and cutting squared timber	
Suitable for pruning and shaping trees and bushes,	<b>«</b>
Automatic chain lubrication	<b>«</b>

617

Metal gear box

mətzyz maj-itnA 

Metal gear box

spəəds 7 ((

>> Turnable rear handle

mətzyz maj-itnA 

spəəds 7 ((

NEM

>> Laser-cut and diamond-ground blades

>> Laser-cut and diamond-ground blades

# PROFESSIONAL CORDLESS HEDGE TRIMMER 18 V

### GP-CH 18/61 Li Brushless

- >> Bar length / cutting length: 670 mm / 610 mm
- mm 35 :hteen teeth: 26 mm
- Article only available without battery / charger Art. No. 3410935

nim 301 n	nim 08	nim 69	nim £2	nim 04	nim ££	nim 72	nim 02	(£ <b>{{{</b>
nim ƏZI ni	im 8ff	nim 201	nim 87	nim 62	nim 64	nim e£	nim 2.92	(z <b>((((</b>
dA 0.8 d	4A 0.8	4A S.2	4A 0.4	4A 0.£	4A 2.S	4A 0.2	da 2.f	(L TIME

Max. running time in ECO mode per battery charge

Max. operating time per battery charge (BOOST mode)

# PROFESSIONAL CORDLESS HEDGE TRIMMER 18 V

SSETHSOUS

SSETHSOME

GP-CH 18/50 Li Brushless

mm 02 :https://ween.teeth: 20 mm Mar length / cutting length: 560 mm / 500 mm

Art. No. 3410950 Article only available without battery / charger

nim 30f nim 08 uim 69 uim EZ uim 04 nim EE uim 72 uim 02 (£ **{{**{} nim 2.92 (5 (1) սլա 95լ nim 8ff uim 201 uim 87 uim 62 uim 64 uim eE dA 0.8 **dA 0.**0 4A S.2 dA 0.₽ 4A 0.E 4A 2.S 4A 0.S AA Z. L (L IIII)

Battery capacity

Max. running time in ECO mode per battery charge

Max. operating time per battery charge (BOOST mode)







# Brushless motor – more power, prolonged operation

- 2-step electronic speed control
- Battery capacity indicator located on the handle
- Mouble thread bobbin with automatic jogging mode function

Spindle Lock System

# PROFESSIONAL CORDLESS SCYTHE 36 V

## GP-BC 36/430 Li P Brushless

- ™ Cutting width blade / thread: 25.5 cm / 43 cm
- mm 0.2 Thread diameter: 2.0 mm
- m 3 :htgnal baardT 🕊
- Contents: Double thread bobbin and 3-tooth blade Article only available without battery / charger Act b

### Article only available without battery / charger Art. No. 3411345

nim 38	nim 89	nim 09	nim 24	nim 4£	nim 82	nim SS	nim 8f	(s <b>{{{</b>
nim 041	nim Off	nim 26	nim 07	nim 22	nim 24	nim ƏE	nim 0£	() (((
nim 09	nim 24	nim ƏE	nim 82	nim SS	nim 8f	nim 41	nim Sr	(£ <b>{{{</b>
nim 06	nim 89	nim 22	nim 24	nim 48	nim 82	nim SS	nim 8f	(z <b>((((</b>
<b>НА 0.8</b>	<b>НА 0.</b> 8	<b>НА ≤.</b> 2	4A 0.4	4A 0.£	4A 2.S	4A 0.S	da 2.1	(L (IIII)

For best performance select a battery with at least 2.5 Ah

- Battery capacity (2x batteries required)
- Max, operating lime per battery drarge in idle mode in XMM mode winh 3-toofth blade in fled dobbin wax, operating lime per battery drarge in idle mode in MXM mode with doubble thread dobbin as operating lime per battery drarge in idle mode in KM mode with 3-droith blade. On ARM "@ DARA" of the present page in page 10 mode.
- Max. operating time per battery charge in idle mode in ECO mode with 3-tooth blade sa Max. operating time per battery charge in idle mode in ECO mode with double thread bobbin.

LΦ

BENCHIESS

**NEM** 

# PROFESSIONAL CORDLESS SCYTHE 36 V

# GP-BC 36/430 Li Brushless

- Cutting width blade / thread: 25.5 cm / 43 cm
- mm 0.2 :Thread diameter: 2.0 mm
- Thread length: 6 m
- >> Contents: Double thread bobbin and 3-tooth blade

Article only available without battery / charger Art. No. 3411340

				47 J C +	scol to dtirrio	otted e bolo-	osacasopo	or boct n
1 98	nim 89	nim 09	nim 24	nim 48	nim 82	nim SS	nim 8f	(s <b>{{{</b>
140	nim Off	nim 26	nim 07	nim 22	nim 24	nim Ə£	nim 0£	() <b>{{</b> {
1 09	nim 24	nim ƏE	nim 82	nim SS	nim 8f	nim 41	nim Sr	(£ <b>{{{</b>
1 06	nim 89	nim 22	nim 24	nim 48	nim 82	nim SS	nim 8f	(z <b>((((</b>
0.8	dA 0.а	<b>dA ≤.</b> ∂	4A 0.₽	3.0 Ah	4A 2.S	4A 0.S	AA Z.r	(L CIIII


- Max. operating time per battery charge in idle mode in MAX mode with 3-tooth blade Battery capacity (2x batteries required)
- Max. operating time per battery charge in idle mode in ECO mode with double thread bobbin Max. operating time per battery charge in idle mode in ECO mode with 3-tooth blade Max. operating time per battery charge in idle mode in MAX mode with double thread bobbin

- prolonged operation Brushless motor – more power,
- >> 2-step electronic speed control
- >> Battery capacity indicator located on
- noitonut abom gniggol Double thread bobbin with automatic the handle
- Spindle Lock System





### PROFESSIONAL CORDLESS EARTH AUGER 18 V



Clockwise and counter-clockwise operation oberation

SSETHSOME

>>> Robust steel frame

SSETHSOUS

# GP-EA 18/150 Li Brushless

- mm 008:th: 800 mm M Drilling diameter: 150 mm
- ¹-nim 2≤1: bəəq≥ «

Art. No. 3437000	charger	oattery /	without	lable	івув ү	Juo əjo	iħA

			Sor best nedromance select a batterywith at least 25 Ab						
80 pcs	sod 09	20 bcs	40 pcs	30 pcs	SO pcs	J2 bcs	30 pcs	<b>///</b> 5)	
dA 0.8	ЧА 0.8	4A S.2	4A 0.₽	4A 0.E	4A 2.S	4A 0.2	da 2.f	(L CIIII	

Max. number of drill holes (depth 40 cm, mixed soil) per battery charge ytioegeo yretted (

# PROFESSIONAL CORDLESS LAWN TRIMMER 36 V

mo 25: Atting width: 35 cm GP-CT 36/35 Li Brushless

mm 0.5 :Thread diameter: 2.0 mm


m 8 :htgnel beendT 🕊

Article only available without battery / charger Art. No. 3411330

					(boxi	oox soisotted.	VC) idiseacs i	1) Datton
nim 06	nim 29	nim 22	nim 24	nim 25	nim 22	nim 02	nim 21	(£ <b>{{{</b>
nim 021	nim 26	nim 07	nim 09	nim 24	nim 2£	nim 0£	nim 2S	(z <b>((((</b>
4A 0.8	4A 0.9	4A S.2	4A 0.4	4A 0.£	4A 2.S	4A 0.2	da 2.f	(L CIIII)

wax. running time in ECO mode per battery charge


Max. operating time per battery charge (BOOST mode)



leben e.V. and Bundesverband iniu: œsanugei Knicken - pessei Tested and recommended by Fo-

9b.v9 1g6.www Tel. +49 4761/92 63 580, 7/437 Bremervorde, from: AGR e.V., Stader Str. 6, More information available

### DOUBLE TWINPACK BENCHFER



Nariable working width with 4 or 6 tines

✓ Marian Speed Control

Incl. LED light and cleaning spatula

**NOAGNIWT BIBUOD** 

SSETHSOME

Electronic speed control >> Robust metal auger >> Electronic directional chute prolonged operation Brushless motor – more power,

>> Tool-free blade mount



### PROFESSIONAL CORDLESS TILLER 36 V

GP-CR 36/45 Li E Brushless

Morking width: 30 - 45 cm

∴ Number of blades: 4 - 6 St. Working depth: 23 cm

Article only available without battery / charger Art. No. 3431220

08-49 nim	48-84 nim	92- <del>1/1</del> nim	92-40 nim	26-82 nim	92-02 97-07	02-91 nim	aim aim	(£ <b>((((</b>
32-40 nim	26-42 nim	82-22 nim	02-91 nim	ar-Er nim	E1-01 nim	01-8 nim	nim 8-9	√√ ((((
dA 0.8	dA 0.а	4A S.2	4A 0.₽	4A 0.£	da 2.S	4A 0.S	AA Z.ſ	(L CIIII)

Max. operating time per battery charge with 2 identical batteries (The stated area coverage is based on the assumption Battery capacity (2x batteries required)

of ideal conditions) Max. operating time per battery charge with 4 identical batteries (The stated area coverage is based on the assumption

# PROFESSIONAL CORDLESS SNOW THROWER 18 V



GP-ST 36/53 Li E Brushless

Working width: 53 cm

max. snow height: 33 cm

M Throwing distance max.: 8 m

№ Product weight: 20.4 kg

Article only available without battery / charger 1207148 .oN .hA

				7000				
nim 84	nim 04	nim 0£	nim 42	nim 02	nim 41	nim St	nim Of	(ε <b>((((</b>
nim 42	nim 02	nim 21	nim Sr	nim Of	nim 7	nim ə	nim 2	(z <b>(((</b>
dA 0.8	<b>НА 0.</b> 9	4A S.2	4A 0.₽	4A 0.£	4A 2.S	4A 0.S	da 2.r	(L Œ

Max. operating time per battery charge with 2 identical batteries (The stated area coverage is based on the assumption pattery capacity (2x batteries required)

of ideal conditions) Max. operating time per battery charge with 4 identical batteries (The stated area coverage is based on the assumption



# DOUBLE TWINPACK BENSHFERS Λ 9Ε PROFESSIONAL CORDLESS LAWN MOWER

### GP-CM 36/47 S Li Brushless

- Cutting height adjustment: 9 levels / 25 80 mm / central  $\sim$  Cutting width / for lawn areas of up to approx.: 47 cm /  $\sim$  00 m<sup>2</sup>
- N Debris bag volume: 65 l

Art. No. 3413310

Set incl. 4 batteries (4.0 Ah) / 2 Twinchargers

							orgemanation	
²m 00₽l	1200 m <sup>2</sup>	<sup>2</sup> m 000ľ	²m 007	zm 005	430 m <sup>2</sup>	320 ms	zm 022	(£ <b>⟨⟨⟨⟨</b>
²m 007	zw 009	<sub>2</sub> w 009	320 ms	zm OS2	շա ՀԼՀ	չա ՏՀԼ	յրջ աչ	(z <b>((((</b>
<b>НА 0.8</b>	<b>НА 0.</b> 9	<b>НА ≤.</b> 2	4A 0.4	4A 0.£	4A 2.S	4A 0.S	da 2.r	(L (IIII)

- Battery capacity (2x batteries required)
- (snoition of ideal conditions) Max. lawn area that can be mown per battery charge with 4 batteries (The stated area coverage is based on Max. lawn area that can be mown per battery charge with 2 batteries

# PROFESSIONAL CORDLESS LAWN MOWER

GP-CM 36/47 S HW Li Brushless ۸ 9٤

- M Cutting width \ for lawn areas of up to approx.: 47 cm \ 700 m²
- Cutting height adjustment: 6 levels √ 30 65 mm / central

N Debris bag volume: √5 I


Art. No. 3413200 Set incl. 4 batteries (4.0 Ah) \ 2 Twinchargers

					scol to diim so			
²m 00₽ľ	<sup>2</sup> m 002ľ	<sup>2</sup> m 000f	²m 007	<sub>2</sub> m 005	²m 0£₽	<sub>2</sub> m 05£	<sub>z</sub> w 052	(£ <b>{{{</b>
չա 00Հ	zw 009	zm 005	320 m²	²m 022	շա ՏԼՇ	չա <u>Տ</u> ՀԼ	շա <u>Տ</u> ՇԼ	(z <b>((((</b>
dA 0.8	dA 0.8	4A S.2	4A 0.₽	4A 0.£	4A 2.S	4A 0.2	AA Z.ſ	(L CIIII

רטו שבאו אבווטוווופוונב אבובנו שפוובוובא אוווו פו ובפאו ב..א או

- Battery capacity (2x batteries required)
- Max. lawn area that can be mown per battery charge with 2 batteries
- (suoriproo of ideal conditions) Max. Jawn area that can be mown per battery charge with 4 batteries (The stated area coverage is based on





S-in-1 function: mowing, mulching, side discharge,

Brushless motor – more power, prolonged operation

Wide rear wheels exert less stress on the lawn

Side ejector – perfect for high grass

rear discharge, catching

DOUBLE TWINPACK BBUSHLESS

Buitsel-gnol

mowing area

» Steel deck – sturdy, robust,

M LED front light to illuminate the ing, catching, side discharge -holum ,gniwom :noitonut f-ni-4 ((

Brushless motor – more power,

ment of the speed \* Vario-Speed – optimum adjust-

prolonged operation



# PROFESSIONAL CORDLESS LAWN MOWER 36 V

### GP-CM 36/41 Li Brushless

- mo f4:htbiw gnittuD 《
- m M For lawn areas of up to approx.: 500 m<sup>2</sup>
- Cutting height adjustment: 6 levels / 25 √5 mm / central

Article only available without battery / charger Art. No. 3413275

						rolott battoric		
<sup>2</sup> m 000ľ	<sub>s</sub> m 028	<sup>2</sup> m 007	<sub>2</sub> m 005	²m 22₽	330 m²	<sup>2</sup> m 082	<sub>z</sub> w 077	(z <b>((((</b>
dA 0.8	dA 0.8	4A S.2	4A 0.4	4A 0.£	4A 2.S	4A 0.S	da 2.r	(L TITE

- of ideal conditions) Max, lawn area that can be mown per battery charge (The stated area coverage is based on the assumption



DOUBLE TWINPACK BENCHFER

M Cutting height adjustment: 9 levels / 25 - 80 mm / central  $^{\circ}$  Cutting width / for lawn areas of up to approx.: 52 cm / 1200 m $^{\circ}$ GP-CM 36/52 S Li Brushless

PROFESSIONAL CORDLESS LAWN MOWER 36 V

№ Debris bag volume: 65 l

Set incl. 4 batteries (5.2 Ah) / 2 Twinchargers Art. No. 3413320

zw 008 zw 001 zw 009 zw 057 320 m<sub>s</sub> 312 ms zw 5/2 zw szz (z **((((** 4A S.2 AA 0.₽ 4A 0.E **AA 2.2** dA 2.r dA 0.8 **NA 0.0** 4A 0.S (L (IIII)

zw 001

zw 006

1200 m² | 1400 m² | 1600 m²

For best performance select batteries with at least 2.5 Ah zw oss

- Battery capacity (2x batteries required)
- Max. lawn area that can be mown per battery charge with 4 batteries (The stated area coverage is based on Max. Jawn area that can be mown per battery charge with 2 batteries

zw 089

- the assumption of ideal conditions)



M Individually adjustable long handle prolonged operation Brushless motor – more power,

>> Grass box with level indicator

- M-in-1 function: mowing, mulching, prolonged operation Brushless motor – more power,
- LED front light to illuminate the catching, side discharge
- of the speed Nario-Speed – optimum adjustment mowing area
- Bnitzel-gnol Steel deck – sturdy, robust,

zw 05⊅ (ε **⟨⟨⟨⟨** 





# PROFESSIONAL CORDLESS LAWN MOWER 36 V

### **04/8E O39A2A9**

- M Cutting width: ⁴0 cm
- № For lawn areas of up to approx.: 500 m²
- Cutting height adjustment: 6 levels / 25 75 mm / central
- Set incl. 2 batteries (4.0 Ah) / 1 Twincharger Art. No. 3413278

<sup>2</sup> m 000ľ	sm 028	<sup>2</sup> m 007	zm 005	₂w szŧ	330 m²	<sup>2</sup> m 082	<sub>z</sub> w 077	(z <b>⟨⟨⟨⟨</b>
dA 0.8	dA 0.8	4A S.2	4A 0.4	4A 0.£	4A 2.S	4A 0.2	AA Z.ſ	(L (IIII)

For best performance select batteries with at least 2.5 An

Battery capacity (2x batteries required)

Max, lawn area that can be mown per battery charge (The stated area coverage is based on the assumption



>> Telescopic long handle

Bulching, catching

3-in-1 function: mowing,

prolonged operation

Brushless motor – more power,

## PROFESSIONAL CORDLESS LAWN MOWER 36 V

# **8E\3E OAAAAA**

- № For lawn areas of up to approx.: 450 m² m Se :htting width: 38 cm
- Cutting height adjustment: 6 levels / 25 √5 mm / central

Set incl. 2 batteries (4.0 Ah) / 1 Twincharger Art. No. 3413180

						the second second		
₂w 006	<sup>z</sup> m 008	²m 007	²m 02₽	²m 00₽	330 m²	<sup>2</sup> m 00£	zm 022	(z <b>{{{</b>
dA 0.8	dA 0.а	<b>dA ≤.</b> ∂	4A 0.₽	4A 0.£	4A 2.S	4A 0.2	da 2.r	(L CIIII

- Battery capacity (2x batteries required)
- (cnoifibno) labbi to Max. lawn area that can be mown per battery charge (The stated area coverage is based on the assumption

>> Grass box with level indicator M Individually adjustable long handle

Brushless motor – more power,

prolonged operation

SSITHSNUB

### 

### PROFESSIONAL CORDLESS LAWN MOWER 36 V

### **TWIN-PACK TECHNOLOG**

call that Twin-Pack Technology. so we generate 18 V + 18 V = 36 V. We battery, we simply add a second battery provided by a single 18 V rechargeable If a device needs more power than





- M Cutting width: 42 cm
- № For lawn areas of up to approx.: 725 m²
- Cutting height adjustment: 6 levels / 25 √5 mm / central

Art. No. 3413272 Set incl. 2 batteries (5.2 Ah) / 1 Twincharger

<sup>2</sup> m 0011	չm շ۲8	չա ՏՀ <i>Լ</i>	չա <u>0</u> 55	²m 02₽	320 ms	<sup>2</sup> m 00£	zm 022	(z <b>((((</b>
dA 0.8	<b>НА 0.</b> 9	4A S.2	4A 0.₽	4A 0.E	4A 2.S	4A 0.S	da 2.f	(L (IIIII

Por best performance select batteries with at least 2.5 An

- Bettery capacity (2x batteries required)  $\frac{1}{2}$  when size that cape is based on the assumption  $\frac{1}{2}$





### PROFESSIONAL ROBOT LAWN MOWER WITH PERIMETER WIRE



- M Can be controlled from anywhere via app no WiFi or Bluetooth
- beniupen
- Smart Mode: Automatic mowing time calculation according to weather, garden size and customer preferences
   Can be connected to all Einhell SMRRT devices
- Intuitive keypad with LCD display
- Multiple area mowing function for complex gardens and mowing program for secondary areas



### FREELEXO SMART\*

- № For lawn areas of up to approx.: 750 m²
- Cutting width: 18 cm
   Cutting width: 18 cm
- Suitable for slopes: up to 35 %
- Mode mowing programmes: Spot Mowing and Secondary Area Mode
- Included in delivery: Charging station

Set incl. 1 battery (3.0 Ah)  $\land$  installation equipment (750 m²) Art. No. 341 3811

\* Prerequisite: Available mobile network coverage; within the European Union.

# Smart Mode,

In Smart Mode the robot lawn mower automatically draws up a work schedule that is optimally coordinated with the weather, the size of the garden and the customer's preferences.

You dont't need Wi-Fi or Bluetooth.

Dhlimited range thanks to communication via the mobile

Networkable with Einhell Smart Tools.

Einhell Smart Tools work together automatically in Smart Mode.

Weather forecasts taken into account.

Prerequisite: Available mobile network coverage; within the European Union.







# PROFESSIONAL CORDLESS WET AND DRY VACUUM CLEANER 36 V



- Auto Start Function automatic dust extraction when the connected cordless tool is started
- 3 S speeds
  Twin-Pack Technology

## otuA 2 05/35 DV-9T

- Suction power: 150 mbar / 100 mbar (BOOST / ECO)
- N Tank: Stainless steel, 30 l
- Contents: 2.50 m suction hose, stainless steel telescopic tube, transmitter unit with fixing tape + charging cable, crevice nozzle, upholstery nozzle, combination nozzle, foam filter, pleated filter, dirt collection bag, power tool adapter (1 of each)

Article only available without battery / charger Art. No. 2347143

nim SE	nim 42	nim f2	nim əf	nim St	nim Of	nim 8	nim 3	(£ <b>⟨⟨⟨⟨</b>
nim 44	nim ££	nim 82	nim 22	nim ðľ	nim Ef	nim ff	nim 8	(z <b>((((</b>
dA 0.8	<b>НА 0.</b> 9	4A S.2	4A 0.₽	4A 0.E	4A 2.S	4A 0.S	da 2.f	(L CIIII

For best performance select batteries with at least 2.5 Ah

- Battery capacity (2x batteries required)
- Max, óperating time per battery charge in idle mode (ECO mode)

  Max, operating time per battery charge in idle mode (BOOST mode)

eb.llednie.www

¶ Tank capacity: 81


SILENZZO 36/210



Hadnia -

# PROFESSIONAL CORDLESS COMPESSOR 36 V





>> Carrying handle and sturdy tubular frame Mobile compressor with compressed air tank

pleasant operation

# Max. output rate at 0 | 4 | 7 bar: 120 l/min | 80 l/min | 56 l/min Suction power: 210 I/min

Art. No. 4020385

Art. No. 4020380 Article only available without battery / charger (A) Bb 09 :(AqJ) level esioN (A)

					(hayin	hatteries rec	yC) winegen	netts8 (
1440 pcs	1200 pcs	820 bca	720 pcs	sod 009	420 pcs	320 bca	290 pcs	(£ <b>⟨</b> {{{
ZL	75	97	98	52	77	81	71	(z <b>((((</b>
<b>dA</b> 0.8	<b>НА 0.</b> 9	<b>НА ≤.</b> 2	4A 0.4	4A 0.E	4A 2.S	4A 0.S	da 2.r	(L IIII

Tank pressure build-up cycles per battery charge

Max. operating pressure: 8 bar

Soft wood – max. number of staples (13 mm staples) per battery charge

# NEM

accessories

- >> Extra quiet battery-powdered compressor for
- Storage compartment for storage of optional >> Mobile compressor with compressed air tank pleasant operation



- PROFESSIONAL CORDLESS COMPESSOR 18 V
- SILENZZO 18/160
- 🔊 Max. output rate at 0 | 4 | 7 bar: 95 I/min | 60 I/min | 40 I/min Suction power: 160 l/min
- N Tank capacity: 61
- Max. operating pressure: 8 bar
- Article only available without battery / charger (A) Bb e2 :(AqJ) level esioN (A)

600 pcs	440 pcs	380 pcs	300 pcs	S20 pcs	185 pcs	-	-	(£ <b>{{{</b>
tt	32	7.7	77	9l	દા	-	-	(Z <b>{{{</b>
dA 0.8	<b>НА 0.</b> 8	4A S.2	4A 0.₽	4A 0.E	4A 2.S	4A 0.2	da 2.f	(L <b>(IIII</b> )

- Tank pressure build-up cycles per battery charge
- Soft wood max. number of staples (13 mm staples) per battery charge





### nance-free, without extra -etnisM :snsem riAzzer Mainte-

- Single or serial shots costs and equipment
- >> Depth adjustment
- >> LED lighting on both sides
- >> Safety lug Magazine with level indicator

# PROFESSIONAL CORDLESS NAILER 18 V

### FIXETTO 18/50 N

- Max. working speed: 60 impacts per minute
- mm 02 21 :13 en lla M
- mm 0.1 :9ziz lisM «
- ✗ Contents: 500 nails (50 mm)
- Article only available without battery / charger Art. No. 4257795

2740 pcs	2055 pcs	1781 pcs	1370 pcs	1028 pcs	S57 pcs	e85 pcs	514 pcs	<b>₩</b> 3)
3358 pcs	2519 pcs	2183 pcs	25d 679r	1260 pcs	1050 pcs	840 pcs	630 pcs	(z <b>((((</b>
dA 0.8	<b>НА 0.</b> 9	4A S.2	4A 0.4	4A 0.E	4A 2.S	4A 0.S	dA 2.f	(L IIII

- Number of nails (32 mm) in softwood max. number per battery charge
- Mumber of nails (50 mm) in softwood max. number per battery charge

# PROFESSIONAL CORDLESS STAPLER 18 V

### Max. working speed: 60 impacts per minute FIXETTO 18/40 S

- mm 04 01 :dtgnel elqete 🗥
- mm \(\text{7.2}\) Staple width: \(\text{5.7}\) mm
- (40 mm) Contents: 500 staples (40 mm)

4A 0.8	4A 0.8	4A S.2	4A 0.4	4A 0.5	4A 2.5	4A 0.5	AA 2.1	(L ·
66446=			0.5.5	Ciarra		21001101	n (	
<b>287785</b>	t. No. 4	ıA 19	. / cpska	vaetted	tuodtiw	əldaliav	i <del>e vl</del> no s	∌l⊃it7A

				1275 pcs				
3120 pcs	2340 pcs	2028 pcs	1560 pcs	1170 pcs	975 pcs	780 pcs	282 bca	(z <b>(((</b>
dA 0.8	dA 0.а	dA S.2	4A 0.4	3.0 Ah	4A 2.S	4A 0.S	dA ∂.Γ	(L <b>(IIII</b>

- nance-free, without extra NegszAir means: Mainte-
- » Single or serial shots costs and equipment
- >> Depth adjustment
- >> Magazine with level indicator >> LED lighting on both sides
- Sul yashe? ((

32


Mumber of staples (22 mm) in softwood – max. number per battery charge Number of staples (38 mm) in soft wood – max. number per battery charge



>> Swivelling lamp head >> 270° adjustable light panels » Infinitely dimmable

hook and wall bracket 5/8" thread for tripod, suspension

Mersatile mounting options: 1/4" and




# TP-CL 18/3000 Li Set

- **3** Luminosity: 200 3000 lm
- m Of :9gnsr JdgiJ 《
- >> Product weight: 3.3 kg (excl. battery)
- \*\* Light source: 60 LEDs
- Contents: 1x telescopic tripod (85 170 cm)
- Art. No. 4514170 Article only available without battery / charger

nim 192	nim 812	nim e8f	nim 241	nim eor	nim 19	nim &7	nim 42	(z <b>{{{</b>
dA 0.8	dA 0.8	<b>dA ≤.</b> ∂	4A 0.4	4A 0.£	4A 2.S	4A 0.S	da 2.r	(L COM

Luminous period per battery charge – 3000 lm



bead qmal gnillaviw? «



# PROFESSIONAL CORDLESS LIGHT 18 V

### TP-CL 18/3000 Li

- m Luminosity: 200 3000 lm
- № Product weight: 1.7 kg (excl. battery) m Of :9gnsr JdgiJ 《
- » Light source: 60 LEDs
- Article only available without battery / charger Art. No. 4514772

nim 192	nim 812	nim e8f	nim 241	nim eor	nim 19	nim &7	nim 42	(z <b>{{{</b>
dA 0.8	dA 0.8	4A S.2	4A 0.₽	3.0 Ah	4A 2.S	4A 0.2	1.5 Ah	(L •

battery capacity

2) Luminous period per battery charge – 3000 lm





# PROFESSIONAL CORDLESS DRYWALL POLISHER 18 V

### BBARHEE22

.8.9 .9.a fixable sanding plate, e.g.

Speed control electronics

Brushless motor – more

>> Spring-loaded sanding plate

power, prolonged operation

>> Dust extraction for sanding wood

- rinm 00≤1 000 :be9qs gni1silisto **«** TP-DWS 18/225 Li Brushless
- M Abrasive paper ø: 225 mm
- (P120), dust bag Contents: 6x abrasive papers (P60/P80/P120), 1x abrasive mesh
- Article only available without battery / charger Art. No. 4259995
- nim £6 nim 07 nim rð uim 25 uim 62 nim 8f uim 42 (z **{{{** 4A 0.S dA 0.8 4A 0.E dA 2.S dA 2.f ( **(IIII**) dA 0.8 dA 2.2 4A 0.₽
- Max. operating time per battery charge in idle mode Battery capacity

## PROFESSIONAL CORDLESS DRYWALL POLISHER 18 V

- "rim 0021 000 :beeds gnifallissO 🕊 IL SSS/81 WG-9T
- mm ZZS: a reque paper a: ZZS mm
- (P120), dust bag, E-Box Contents: 6x abrasive papers (P60/P80/P120), 1x abrasive mesh

Article only available without battery / charger Art. No. 4259990

nim Off	nim 87	nim 89	nim 22	nim <del>11</del>	nim EE	nim 82	nim 12	(z <b>((((</b>
<b>НА 0.8</b>	ЧА 0.8	4A S.2	4A 0.₽	4A 0.E	4A 2.S	4A 0.2	da 2.f	(L CIIII



>> Dust extraction

>> Hook and loop fastening >> Swivelling brush ring >> Speed control electronics

Max. operating time per battery charge in idle mode

TP-BS 18/457 Li Brushless



# PROFESSIONAL CORDLESS BAND SANDER 18 V

### SSETHSOME

for stationary use

>> Dust extraction Selt change without tools » Belt run adjustment

Integrated storage surface

power, prolonged operation >> Brushless motor – more

- mm 321 x 27 sears area: 75 x 126 mm
- mm \cdot \cd

M Grinding/sanding belt speed: 120 - 250 m/min

Contents: 3x abrasive belts (P80), dust collection box

Art. No. 4466270 Article only available without battery / charger

nim ez	nim 44	nim 8£	nim 0£	nim 22	nim 8f	nim SS	nim 21	(z <b>((((</b>
dA 0.8	4A 0.8	4A S.2	4A 0.₽	4A 0.E	4A 2.S	4A 0.2	da 2.f	(L (IIII

Max. operating time per battery charge in idle mode Battery capacity

# PROFESSIONAL CORDLESS BRUSH SANDER 18 V

### SSETHSOME

# NEM

# >> Brushless motor - more power, prolonged operation

- >> Speed control electronics
- elbned lenoitibbe eldstzujbA ((
- Protective plate

### TP-BR 18/32 Li Brushless

- <sup>1</sup> rim 002E 009 :beeds elbl **«**
- mm 021 :120 mm
- mm 001: 100 mm Grinding brush width: 100 mm
- Contents: 1x brass wire brush

Art. No. 4468000 Article only available without battery / charger

nim 24	nim 28	nim 72	nim 12	nim Əf	nim Er	nim ff	nim 8	(z <b>((((</b>
<b>dA 0.8</b>	<b>НА 0.</b> 9	<b>dA ≤.</b> ∂	4A 0.4	4A 0.£	4A 2.S	4A 0.S	da 2.r	(L (IIII)

For best performance select a battery with at least 3.0 Ah

- Battery capacity
- paads wnwixem te (mo OT) smead boowfor gnibned Max. operating time per battery charge in idle mode





# **NEM**

# PROFESSIONAL CORDLESS ECCENTRIC POLISHER 18 V

# CP-EP 18/125 Li Brushless

- "rim 008E 00E :beeqs gnijating speed (
- mm 8 :8 mm Scillating circuit (a): 8 mm
- mm 221: bed gnidsilod & "
- Contents: 3x polishing pads (different degrees of hardness)

Article only available without battery / charger Art. No. 2093330

							74,500057	Dotten
nim 00f	nim 07	nim 29	nim 02	nim 25	nim 0£	nim 22	nim 02	(z <b>{{{</b>
dA 0.8	<b>НА 0.</b> 8	<b>dA ≤.</b> ∂	4A 0.4	4A 0.£	4A 2.S	4A 0.S	da 2.r	(L TIME

Max. operating time per battery charge in idle mode

### SS37HSN48

- Continuous operation switch Brushless motor – more power, prolonged operation
- Ergonomic handling thanks to shape and additional
- >> Hook and loop fastening system
- Speed control electronics

# PROFESSIONAL CORDLESS ROTATING SANDER 18 V

# TP-RS 18/32 Li Brushless

- <sup>1</sup>-nim 00042 0000 : 24000 min<sup>-1</sup>
- mm 2.5: a ziuzriz grizbliating (
- M Abrasive paper ø: 125 mm
- Contents: 3x abrasive papers (P60/P80/P120), dust collection box

Art. No. 4462020 Article only available without battery / charger

nim 211	nim 78	nim 27	nim 82	nim 44	nim 8£	nim 62	nim SS	(z <b>{{{</b>
<b>dA 0.8</b>	<b>dA 0.</b> 8	<b>dA ≤.</b> ∂	4A 0.4	4A 0.£	4A 2.S	4A 0.S	dA ∂.Γ	(L (IIII

Max. operating time per battery charge in idle mode Satterly capacity



SSETHSOME

- prolonged operation Brushless motor – more power,
- >> Dust collector box with pleated filter >> Removable additional handle
- >> Speed control electronics

>> Dust extraction

>> Hook and loop fastening system

9b.ll9dni9.www

# BENCHFER

**NEM** 

- Vibration-decoupled tool head for vibration reduction >> Brushless motor – more power, prolonged operation
- >> Speed control electronics Muick-release lock

BENCHEESS

>> Speed control electronics

Vibration-decoupled tool head for vibration reduction >> Brushless motor – more power, prolonged operation

Muick-release lock

# PROFESSIONAL CORDLESS MULTIFUNCTIONAL TOOL 18 V

### TP-MG 18/3.6 Li Brushless

- N Oscillating speed: 22000 40000 min<sup>-1</sup>
- % Oscillation angle: 3.6°
- mm 88 x 88 x 93 x 93 mm Abrasive paper size: 93 x 93 x 93 mm
- Contents: 15-piece accessory set, extraction adapter, E-Case

Article only available without battery / charger Art. No. 4465192

sod 978	432 pcs	375 pcs	288 pcs	216 pcs	180 pcs	144 pcs	108 pcs	() <b>{{</b> {
2715 pcs	5035 pcs	22d OTT	1356 pcs	1020 pcs	820 bcs	sod 089	510 pcs	) <b>)))</b> 3)
nim ƏEL	nim 201	nim e8	nim 89	nim f2	nim &	nim 48	nim 92	(z <b>((((</b>
<b>НА 0.8</b>	ЧА 0.8	4A S.2	4A 0.4	4A 0.E	da 2.S	4A 0.S	dA 2.f	(L TIIII

ि Battery capacity औ Max. operating time per battery charge in idle mode

# PROFESSIONAL CORDLESS MULTIFUNCTIONAL TOOL 18 V

# TP-MG 18 Li Brushless

- N Oscillating speed: 22000 40000 min<sup>-1</sup>
- "S.E :9lgna noitallica (
- mm 89 x 93 x 93 x 93 mm Abrasive paper size: 93 x 93 x 93 mm

Art. No. 4465190 Article only available without battery / charger

sod 978	432 pcs	375 pcs	288 pcs	216 pcs	180 pcs	144 pcs	108 pcs	() <b>((((</b>
2715 pcs	2035 pcs	270 pcs	1356 pcs	1020 pcs	820 bcs	sod 089	510 pcs	(£ <b>{{{</b>
nim ƏEL	nim 201	nim e8	nim 89	nim f2	nim £4	nim 4£	nim 62	(Z <b>{{{</b>
dA 0.8	<b>НА 0.</b> 9	<b>НА ≤.</b> 2	4A 0.4	4A 0.£	4A 2.S	4A 0.2	da 2.r	(L (IIII)

Rattery capacity

- Round plastics 10 mm max. number of cuts per battery charge Max. operating time per battery charge in idle mode
- Round steel 6 mm max. number of cuts per battery charge
- eb.llednie.www





## PROFESSIONAL CORDLESS ALL PURPOSE SAW 18 V



Speed adjustment wheel

# TP-AP 18/32 Li Brushless

- M Stroke speed / height: 0 3000 min ¹ / 32 mm
- mm 02 \ 005 :(le9th (wood \ steel): 300 \ 20 mm
- mm \(\tau\). Saw blade thickness: 0.8 1.7 mm
- metalworking Contents: 1x saw blade for woodworking, 1x saw blade for

Article only available without battery / charger Art. No. 4326295

881 pcs	23d F 68	szg ETZ	23d L44	331 pcs	s26 pcs	221 pcs	25d 99L	(Z <b>((((</b>
dA 0.8	dA 0.8	dA S.2	4A 0.4	4A 0.£	4A 2.S	4A 0.2	da 2.r	(L TIME

TIA U.E IZEAL JE MINW (191160 & 129192 SOTIEMTION PQ IZEAL J.A.

Round timber 35 mm – max. number of cuts per battery charge

# PROFESSIONAL CORDLESS ALL PURPOSE SAW 18 V

# TP-AP 18/28 Li Brushless

- mm 21 \ 002 :(leel): 200 \ 12 mm M Stroke speed / height: 0 - 2500 min⁻¹ / 28 mm
- mm 6.1 8.0 :sea blade thickness: 0.8 1.6 mm
- Contents: 1x saw blade for woodworking

Article only available without battery / charger Of £326310

1112 pcs								
<b>НА 0.8</b>	ЧА 0.9	4A S.2	4A 0.₽	3.0 Ah	4A 2.S	4A 0.S	da 2.r	(L (IIII)

For best performance select a battery with at least 2.5 An

- Battery capacity Round timber 35 mm max. number of cuts per battery charge

67



# PROFESSIONAL CORDLESS JIGSAW 18 V

# TP-JS 18/135 Li Brushless

- >> Stroke speed: 0 3500 min
- ww 07 / Cutting depth (wood / plastic / steel / aluminimm): 135 / 20 / 10
- tion adapter, splinter guard, cutting line indicator, hexagon key Contents: 1x saw blade, parallel guide, plastic shoe cover, extrac-

Article only available without battery / charger Art. No. 4321260

							Miscacs	notted (I
w ZS	m £4	m 7£	w 67	ալշ	m 8f	ա ֆլ	ալլ	<b>///</b> 5)
4A 0.8	<b>НА 0.</b> 9	<b>dA ≤.</b> ∂	4A 0.4	4A 0.£	4A 2.S	4A 0.S	da 2.r	(L (IIII)

91 Paried nam chipbosid – max. cutting capacity per battery charge

TP-JST 18/135 Li Brushless

# PROFESSIONAL CORDLESS JIGSAW 18 V

- ✗ Cutting depth (wood / plastic / steel / aluminium): 135 / 20 / 10 N Stroke speed: 0 - 3500 min⁻¹
- tion adapter, splinter guard, cutting line indicator, hexagon key Contents: 3x saw blades, parallel guide, plastic shoe cover, extracww 07 /

Art. No. 4321265 Article only available without battery / charger

								:
w ZS	m £4	m 7£	w 67	ալշ	m 8f	ա իլ	ալլ	(z <b>((((</b>
4A 0.8	ЧА 0.8	<b>dA ≤.</b> г	4A 0.4	4A 0.£	4A 2.S	4A 0.S	da 2.f	(L (IIII



- 1-style handle for easy tool power, prolonged operation » Brushless motor – more
- >> Speed adjustment wheel guidance
- and base plate for reduced Maininim inner housing ( >> Pendulum action (4 settings)

VIbrations



BBUSHLESS

plate for reduced vibrations

Rendulum action (4 settings)

Brushless motor – more power,

Speed adjustment wheel

prolonged operation





# PROFESSIONAL CORDLESS CIRCULAR SAW 18 V

### TP-CS 18/136-C Li Brushless

- rnim 000₽ :bəəqs əlbl 《
- mm 02 & x 851 & :9bald ws2 ((
- M Cutting depth at 45° / 90°: 35 mm / 51 mm
- Contents: 1x carbide sawblade, parallel stop, hexagon key

Art. No. 4331240 Article only available without battery / charger

m ZII	m 48	m &T	ա 9၄	m 24	32 m	m 82	ալշ	(z <b>((((</b>
<b>НА 0.8</b>	ЧА 0.∂	4A S.2	4A 0.4	4A 0.£	4A 2.S	4A 0.2	AA Z.ſ	(L (IIIII

- Battery capacity For best performance select a battery with at least 2.5 Ah
- Pagren's chipboard max. cutting capacity per battery charge

# PROFESSIONAL CORDLESS PLUNGE

# **WAS TUD**

rnim 000≥ :bəəqs əlbl **«** 

TP-PS 18/165 Li Brushless

- mm 62 \ mm 545° \ 90°: 42 mm / 56 mm mm 02 a x 201 a :9bald ws2 (
- Contents: 1x carbide sawblade, parallel stop, hexagon key
- Art. No. 4331400 Article only available without battery / charger

w 6 <u>/</u>	w 65	ա լς	m 6£	m 62	m <del>1</del> 2	ա 6լ	ա գլ	(z <b>{{{</b>
dA 0.8	dA 0.а	4A S.2	4A 0.4	4A 0.£	4A 2.S	4A 0.S	dA ∂.ſ	(L CIIII

nA U.4 Izeai Je njiw Yrajisa s izaiez aznemioriag izaa io-i

- gattery capacity
- 19 mm chipboard max. cutting capacity per battery charge



# NEM

*L*7

- (depth/angle) >> Adjustment without tools power, prolonged operation
- noitonut agnuld «



- » Brushless motor more
- eldet gniwas muinimulA 《

# PROFESSIONAL CORDLESS CIRCULAR SAW 18 V



### SSETHSOUS

- power, prolonged operation
- thgil G31 🕊 (depth/angle)

- Brushless motor more
- » Adjustment without tools
- eldet gniwes muinimulA 《

### TP-CS 18/190 Li Brushless

- rnim 008E :bəəqz əlbl **《**
- mm 08/02 & x 061 & :9bald ws2 ((
- **%** Cutting depth at 45° / 90°: 45 mm / 65 mm
- Contents: 1x carbide sawblade, parallel stop, hexagon key

Orgrest, No. 4331210 Article only available without battery / charger


w 86	m &T	m £9	w 6₽	m 7£	m 0£	m <del>1</del> /2	m 8ľ	(Z <b>{{{</b>
dA 0.8	<b>НА 0.</b> 9	<b>dA ≤.</b> ∂	4A 0.4	4A 0.E	4A 2.S	4A 0.S	da 2.r	(L (IIII)
				_			_	

For best performance select a battery with at least 2.5 Ah W 74 W (7 **{{**{}

Valued capacity

Pagreny chipboard – max. cutting capacity per battery charge

### PROFESSIONAL CORDLESS CIRCULAR SAW 18 V



- (depth/angle) Mdjustment without tools bower, prolonged operation
- » LED light
- eldet gniwes muinimulA 《

SSETHSOUS



- rnim 0002 :bəəqs əlbl **«** TP-CS 18/165 Li Brushless
- mm 02/9 [ ø x 29 [ ø :əpeld we2 ((
- mm 62 \ mm 445° \ 90°: 44 mm / 59 mm
- Contents: 1x carbide sawblade, parallel stop, hexagon key

Art. No. 4331225 Article only available without battery / charger

ա գլ	w ZS	m 6 <del>1</del>	m 8£	w 67	m <del>1</del> 2	ա 6լ	ա գլ	(z <b>(((</b>
dA 0.8	dA 0.8	4A S.2	4A 0.4	4A 0.£	4A 2.S	4A 0.S	da 2.f	(L (IIII

For best performance select a battery with at least 2.5 Ah

- 19 mm chipboard max. cutting capacity per battery charge Kartery capacity





# PROFESSIONAL CORDLESS PALM ROUTER 18 V

# Brushless motor – more

- Electronic speed control power, prolonged operation
- the chamfering of edges Edge router base enables



### TP-ET 18 Li Brushless

- "nim 0000£ 0000f :bəəqz əlbl **《**
- » Stroke height: 40 mm
- M Clamp: 6 + 8 mm
- Max. form cutter: 30 mm
- adapter, 2 collets Contents: Rip fence, compass tip, copying sleeve, extraction
- Article only available without battery / charger Art. No. 4350412

m 811	m 88	w <u>//</u>	m 82	w <del>1/1</del>	m 7£	w 67	m 22	(z <b>{{{</b>
4A 0.8	<b>НА 0.</b> 9	4A S.2	4A 0.4	4A 0.E	4A 2.S	4A 0.S	da 2.1	(L <b>(IIII</b> )

Grooving in soft wood (depth: 3 mm, milling cutter Ø 6 mm), maximum length in meters per battery charge y Battery capacity

# PROFESSIONAL CORDLESS PLANER 18 V

# TP-PL 18/3 Li Brushless

- "Idle speed: 12000 min
- mm 28 :hbiw gninel **«**
- mm E.::3 mm Chip depth max.: 3 mm
- Contents: Parallel stop, rebate depth stop, 2 TCT planer blades Max. rebate depth: 25 mm
- Article only available without battery / charger Art. No. 4345405

m 00f	m 87	w <b>5</b> 9	w os	m 8£	m SE	w 97	ա 6լ	(z <b>((((</b>
<b>dA 0.8</b>	dA 0.8	<b>dA ≤.</b> ∂	4A 0.₽	4A 0.E	4A 2.S	4A 0.S	da 2.r	(L (IIII

For best performance select a battery with at least 2.5 Ah

(reversible)

Planing of spruce wood (depth: 1 mm / width: 50 mm), maximum length in meters per battery charge

>> Powerful up to 3 mm chip depth

BENCHIESS

- Two-sided selectable chip ejection for flexible working

BBNSHFESS



# PROFESSIONAL CORDLESS ROUTER/PALM ROUTER 18 V



Brushless motor – more power,

- Electronic speed control prolonged operation
- Depth adjustment with multi-step turret Two attachments for maximum flexibility
- doss

» red





SSETHSOME



BBOSHFESS

adjustable routing depth

Brushless motor – more power,

Electronic speed control

prolonged operation

Two-hand attachment with infinitely

» red

# TP-RO 18 Set Li Brushless

- "nim 0000£ 0000f :bəəqz əlbl **《**
- mm Stroke height: 40 mm / 35 mm
- **w** Clamp: 6 + 8 mm
- Max. form cutter: 30 mm
- ing sleeve, extraction adapter, 2 collets, carrying bag Contents: Edge milling attachment, rip fence, compass tip, copy-

Art. No. 4350410 Article only available without battery / charger

m 811	m 88	w ZZ	ա 85	w <del>77</del>	m 7£	w 67	m 22	(z <b>((((</b>
dA 0.8	dA 0.а	4A S.2	4A 0.4	4A 0.£	4A 2.S	4A 0.S	da 2.r	(L TIME

Grooving in soft wood (depth: 3 mm, milling cutter Ø 6 mm), maximum length in meters per battery charge

### PROFESSIONAL CORDLESS ROUTER 18 V

### TP-RO 18 Li Brushless

- "nim 0000£ 0000f :bəəqz əlbl **《**
- M Stroke height: 35 mm Stroke height: 35 mm

adapter, 2 collets

- mm 8 + 9 :dmel > «
- Contents: Rip tence, compass tip, copying sleeve, extraction Max. form cutter: 30 mm
- Article only available without battery / charger 11402E4 .0N .71A

							1400000	
ա ՁԼ Լ	m 88	w ZZ	m 82	w <del>11</del>	m 7£	m 62	m 22	(z <b>((((</b>
dA 0.8	dA 0.8	<b>dA ≤.</b> ∂	4A 0.4	4A 0.£	4A 2.S	4A 0.2	da 2.r	(L CIIII

Grooving in soft wood (depth: 3 mm, milling cutter Ø 6 mm), maximum length in meters per batteny charge





### **TOAGMOD** BBNSHFERR

# **NEM**

- >> Stepless speed control via pressure switch for materi->> Brushless motor – more power, prolonged operation
- Maximum safety ■ Motor brake for quick stop of the cutting disc and al-specific working

# PROFESSIONAL CORDLESS CUT-OFF GRINDER 18 V

TP-CO 18/76-C Li Brushless

- nim 00002 :bəəqz əlbl 🕊
- Mheel diameter: 76 mm
- Max. cutting depth: 16 mm
- qisc, hexagon key ✗ Contents: 3x dimond cutting discs for metal, 1x diamond cutting

Article only available without battery / charger Art. No. 4432000

w ss	ա լե	m 9£	m 8ľ	ալշ	m 8ľ	ա ֆլ	ալլ	(z <b>((((</b>
dA 0.8	<b>ЧА 0.</b> 9	4A S.2	4A 0.4	4A 0.£	4A 2.S	4A 0.S	da 2.r	(L (IIII)

PROFESSIONAL CORDLESS WALL LINER 36 V

Rattery capacity

An't best performance select a battery with at least 2.5 An

- Sheet metal (0.5 mm) max. cutting capacity per battery charge



# NEM

- >> Twin-Pack Technology: 2x 18 V Power X-Change batteries more power >> Brushless motor - more power, prolonged operation
- Cutting width adjustment for narrow and wide channels Waximum flexibility thanks to steplessly variable groove depth adjustment



- W Cable equivalence class: 1500 W
- ¹-nim 004≥ :bəəqs əlbl 《

TP-MA 36/30 Li Brushless

- M Wheel diameter: 125 mm
- Max. cutting depth: 30 mm
- Contents: 2x diamond cutting discs, carrying bag Max. cutting width: 30 mm

Article only available without battery / charger O080254 .0N .TIA

m 04	m 0£	w 97	m 02	ա գլ	m El	ա ՕԼ	m 8	<b>&gt;&gt; (≪</b>
dA 0.8	dA 0.8	<b>dA ≤.</b> ∂	4A 0.4	4A 0.£	4A 2.S	4A 0.2	da 2.r	(L IIIII

For best performance select a battery with at least 3.0 Ah

- Rattery capacity
- Brick stone 15 mm max. cutting capacity per battery charge



# PROFESSIONAL CORDLESS ANGLE GRINDER 18 V

### **D 211/81 OIXXA**

- W Cable equivalence class: 700 W
- <sup>1</sup>-nim 0028 :beeds elbl **«**
- >>> Wheel diameter: 115 mm
- ✗ Contents: Quick fix nut, cutting wheel guard <sup>3)</sup>

Article only available without battery / charger Art. No. 4431150

		dA Z C tocal is diiw voetted s thalas annemiotran toad no-								
144 pcs	108 pcs	94 pcs	72 pcs	sod 4-8	25 pcs	36 pcs	27 pcs	(z <b>((((</b>		
dA 0.8	ЧА 0.8	4A S.2	4A 0.₽	3.0 Ah	4A 2.S	4A 0.S	da 2.r	(L <b>(IIII</b> )		

- Eattery capacity
- Cutting through pieces of round steel with 12 mm max. quantity per battery charge
- bebulani ton sasib gnibning/gnittu.

# PROFESSIONAL CORDLESS ANGLE GRINDER 18 V

- W Cable equivalence class: 700 W **211/81 OIXXA**
- ridle speed: 8500 min⁻
- <sup>®</sup> Contents: Cutting guard <sup>®</sup> ₩ Wheel diameter: 115 mm



				524 pcs				
4A 0.8	<b>НА 0.</b> 9	4A S.2	4A 0.₽	4A 0.£	4A 2.S	4A 0.S	dA ∂.Γ	(L <b>(IIII</b> )

- Cutting through pieces of round steel with 12 mm max. quantity per battery charge
- Cutting/grinding discs not included



>> Dust-proof design for long service life

Brushless motor – more power, prolonged operation

Quick fix nut – toolless change

SSETHSNEE

- >> Soft start prolonged operation
- >> Dust-proof design for long service life





# PROFESSIONAL CORDLESS ANGLE GRINDER 18 V

W Cable equivalence class: 700 W

D ZSI\81 OIXXA

- ¹-nim 0028 :bəəqs əlbl **《**
- ₩ Wheel diameter: 125 mm
- Contents: Quick fix nut, cutting wheel guard <sup>3)</sup>
- Article only available without battery / charger 1211514 .0N .TIA


144 bcs 108 pcs 94 pcs 72 pcs 24 bcs 45 pcs 36 pcs 57 pcs **///** 5) dA 0.8 dA 0.8 4A 2.2 4A 0.4 4A 0.E dA 2.S 4A 0.S dA 2.f (L COM

For best performance select a battery with at least 2.5 Ah

- Rattery capacity
- Cutting/grinding discs not included Cutting through pieces of round steel with 12 mm – max. quantity per battery charge

# PROFESSIONAL CORDLESS ANGLE GRINDER 18 V

- **221/81 OIXXA**
- W Cable equivalence class: 700 W
- Mheel diameter: 125 mm rnim 0028 :beeqs elbl **«**
- ☼ Contents: Cutting guard <sup>3)</sup>
- Art. No. 4431140 Article only available without battery / charger



For best performance select a battery with at least 2.5 Ah

- Battery capacity
- Cutting through pieces of round steel with 12 mm max. quantity per battery charge
- Cutting/grinding discs not included

>> Dust-proof design for long service life

prolonged operation

Brushless motor – more power,

mets Hoe «

BBUSHLESS

Dust-proof design for long service life

Brushless motor – more power, prolonged operation

Quick fix nut – toolless change

SSETHSOME

# PROFESSIONAL CORDLESS ANGLE GRINDER 18 V





BBNSHFER



- Brushless motor more power, prolonged operation
- Constant electronics enables high load without speed loss >> Speed regulation – with LED display

# TP-AG 18/125 CE Q Li

- W Cable equivalence class: 900 W
- "rnim 00201 0008 :bəəqs əlbl **«**
- ₩ Wheel diameter: 125 mm
- Contents: Quick fix nut, cutting wheel guard <sup>3)</sup>

Article only available without battery / charger Ar. No. 4431155


						23q 84			
ЧŁ	8.0 /	<b>ЧА 0.</b> 9	4A S.2	4A 0.4	4A 0.£	4A 2.S	4A 0.S	da 2.r	(L (IIII

- For best performance select a battery with at least 2.5 Ah
- Cutting through pieces of round steel with 12 mm max. quantity per battery charge
- Cutting/grinding discs not included

# PROFESSIONAL CORDLESS FLATHEAD ANGLE GRINDER 18 V

- TP-AG 18/125 F Li Brushless
- W Cable equivalence class: 700 W
- " Idle speed: 8500 min
- Wheel diameter: 125 mm
- Contents: 1x curved flap disc, cutting wheel guard

Art. No. 4431 175 Article only available without battery / charger



For best performance select a battery with at least 2.5 Ah

- Cutting through pieces of round steel with 12 mm max. quantity per battery charge Rattery capacity

- **NEM**
- Melat head angle grinder for grinding at acute angles up to 43° Brushless motor – more power, prolonged operation
- >> Dust-proof design for long service life Serinding disc included – for processing fillet welds





# PROFESSIONAL CORDLESS ANGLE GRINDER 36 V

# **D 052/8E OIXXA**

- M Cable equivalence class: 2200 W
- " Idle speed: 6600 min
- ₩ Wheel diameter: 230 mm
- Contents: Quick fix nut, cutting wheel guard <sup>3)</sup>

0911544 .0N .71A Article only available without battery / charger

		dA 0.£ izeal ta diiw zairattad talaz annamohan taad 107								
124 pcs	93 pcs	81 pcs	ez pcs	48 pcs	tl pcs	32 pcs	24 pcs	<b>///</b> 5)		
dA 0.8	4A 0.9	4A S.2	4A 0.4	4A 0.£	4A 2.S	4A 0.S	da 2.r	( <b>, (IIII</b> )		

- Cutting through pieces of round steel with 12 mm max, quantity per battery charge Battery capacity (2x batteries required)
- bebulani ton sasib gnibning/gnittua

# PROFESSIONAL CORDLESS ANGLE GRINDER 18 V

- W Cable equivalence class: 700 W **021/81 OIXXA**
- rnim 0028 :bəəqs əlbl **«**
- ₩ Wheel diameter: 150 mm
- Contents: 1 quick fix nut, cutting wheel guard

Article only available without battery / charger Art. No. 4431144



For best performance select a battery with at least 2.5 Ah

Cutting through pieces of round steel with 12 mm – max. quantity per battery charge Battery capacity



BBUSHLESS

SSETHSOME

Mart-proof design for long service life >> Increased cutting depth thanks to larger disc diameter Brushless motor – more power, prolonged operation

# 

# PROFESSIONAL CORDLESS ROTARY HAMMER 18 V

ling with and without fixation + screwing \*\* 4+1 Functions: Drilling, impact drilling, chiseloperation

Brushless motor – more power, prolonged

Vibration-cushioned handle

### BBUSHLESS

HEROCCO 18/20

- "Idle speed: 0 1200 min
- Drilling capacity, concrete: 20 mm
- Drill chuck: SDS-plus
- Contents: 1x magnetic bit adapter, metal depth stop, E-Box

Article only available without battery / charger Art. No. 4513900

(£ <b>((((</b>	səloq ç9	səlon 78	108 Joles	130	səloq 174	yoles 225	poles 260	348 348
(Z <b>((((</b>	250 pcs	332 pcs	417 pcs	200 bcs	sod 070	870 pcs	1000 pcs	1340 pcs
(L ·	AA Z.ſ	4A 0.S	da 2.S	4A 0.£	4A 0.4	<b>НА ≤.</b> 2	<b>НА 0.</b> 8	<b>НА 0.8</b>

- Screwing 6 x 60 mm screws into soft wood max. quantity per battery charge
- Drilling in concrete (ø 6 mm / 50 mm) max. quantity per batteny charge

# PROFESSIONAL CORDLESS PAINT/MORTAR MIXER 18 V

### SSETHSOME

mets Hos «

Speed control electronics >> 5-sbeed gear box prolonged operation Brushless motor – more power,

- TP-MX 18-2 Li Brushless
- ¹-nim 027 0 \ 024 0 :b99qs 9lbl **《**
- (mm 021 @ 120 mm) Contents: 1 mortar mixer (@ 120 mm) » Stirrer mount: M1⁴

Article only available without battery / charger Art. No. 4258770

nim 44	nim SE	nim 82	nim SS	nim ðf	nim 4ľ	nim ff	nim 3	() <b>{{{</b>
nim 82	nim 24	nim 7£	nim 82	nim 12	nim 8f	nim 4f	nim Of	(£ <b>{{</b> {{
nim 89	nim S2	nim 84	nim 48	nim ə2	nim SS	nim əf	nim Ef	(z <b>((((</b>
dA 0.8	dA 0.а	4A S.2	4A 0.4	4A 0.£	da 2.S	4A 0.S	da 2.r	(L COM

- kattery capacity
- Mixing duration for wall paint per battery charge Max. operating time per battery charge in idle mode
- Mixing duration for mortar per battery charge







# PROFESSIONAL CORDLESS ROTARY HAMMER 18 V

PROFESSIONAL CORDLESS ROTARY HAMMER 18 V

### TP-HD 18/26 D Li Brushless

- "idle speed: 0 1150 min
- \* Impact force: 2.6
- Drilling capacity, concrete: 26 mm
- Drill chuck: SDS-plus
- >> Contents: Metal depth stop, E-Case

Article only available without battery / charger Art. No. 4514270

ld4	səloq 108	səloq <del>1</del> ⁄6	səloq 7.	səlou 75	səlou SÞ	səlou 9g	səloų ¿Z	(z <b>((((</b>
<b>НА 0.8</b>	<b>НА 0.</b> 9	<b>dA ≤.</b> ∂	4A 0.4	4A 0.£	4A 2.S	4A 0.S	da 2.r	(L (IIII)

Battery capacity TIA U.E IZEAL JE MINW (191160 & 129192 SOTIEMTION PQ IZEAL J.A.

### SSETHSOUS

**Builling and chiselling** 

Brushless motor – more

>> D-handle perfect for vertical without fixation drilling, chiselling with and >> 4 Functions: Drilling, impact

power, prolonged operation

# NEM

- Brushless motor more power,
- without fixation drilling, chiselling with and \* 4 Functions: Drilling, impact prolonged operation
- **Builling and chiselling** D-handle perfect for vertical

### TP-HD 18/22 D Li Brushless

- <sup>1</sup> rim 0081 0 :beeqs elbl **«**
- \*\* Impact force: 2.3
- Drill chuck: SDS-plus ™ Drilling capacity, concrete: 22 mm
- >> Contents: Metal depth stop, E-Case



LZZ Yoles	səloq 170	səloq Ləf	səloq 113	səlou 58	Selod ≥√	səloq ZS	43 holes	yy 5)
dA 0.8	ЧА 0.8	4A S.2	4A 0.4	4A 0.£	4A 2.S	4A 0.2	1.5 Ah	(L (IIII)

nA U.E 12691 JE NJIW (n9JJEG 6 JO9192 92NEMYOTI9Q 1290 YOT

- Rattery capacity
- Drilling in concrete (ø 6 mm / 50 mm) max. quantity per battery charge



Drilling in concrete (ø 6 mm / 50 mm) – max. quantity per battery charge

Drill chuck: SDS-plus

\* Impact force: 3.0 "Idle speed: 0 - 1200 min

# PROFESSIONAL CORDLESS ROTARY HAMMER 18 V

PROFESSIONAL CORDLESS ROTARY HAMMER 18 V



# NEM

drilling, chiselling with and >> 4 Functions: Drilling, impact bower, prolonged operation >>> Brushless motor – more

>> Vibration-cushioned handle

without fixation

### Art. No. 4514274 ■ Contents: 3x drill bits, 1x flat chisel, metal depth stop, E-Case

JSS JSS	səloq 76	səlou 08	səloų ç9	səlou 05	səlou 0 <del>1</del>	35 holes	S5 holes	(z <b>{{{</b>
dA 0.8	dA 0.8	<b>dA ≤.</b> 2	4A 0.4	4A 0.£	4A 2.S	4A 0.2	da 2.f	(L TIME

Battery capacity For best performance select a battery with at least 3.0 Ah

Set incl. 1 battery (3.0 Ah+) / 1 charger


Drilling capacity, concrete: 28 mm

TP-HD 18/28 Li Brushless +4 (1x 3.0 Ah+)

Drilling in concrete (ø 6 mm / 50 mm) – max. quantity per battery charge







>> Vibration-cushioned handle without fixation

### TP-HD 18/26 Li Brushless

- "raim 0021 0 :beeqs elbl "
- \* Impact force: 2.6
- Drilling capacity, concrete: 26 mm
- N Contents: Metal depth stop, E-Case Drill chuck: SDS-plus

Art. No. 4514265 Article only available without battery / charger

Poles 125	səloy 76	səlou 08	səloų ç9	səlou 05	səloų 0 <del>1</del>	səlou ZE	səlou sz	(z <b>((((</b>
<b>НА 0.8</b>	dA 0.8	4A S.2	4A 0.4	4A 0.£	4A 2.S	4A 0.2	1.5 Ah	(L CIIII

- Rattery capacity
- Drilling in concrete (ø 6 mm / 50 mm) max. quantity per battery charge





# PROFESSIONAL CORDLESS DEMOLITION HAMMER 18 V

nim 24

uim eE

uim 09



# **NEM**

>> Vibration-cushioned handle power, prolonged operation Brushless motor – more

### BBUSHLESS

### TP-DH 18/4 Li Brushless

N Blow rate: 4.100 min⁻¹

nim ff

**///** 5)

- Drill chuck: SDS-Plus 【0.4:92rcf force: 4.0】
- Contents: 1x flat chisel, 1x pointed chisel
- Article only available without battery / charger

uim 61



PROFESSIONAL CORDLESS ROTARY HAMMER 36 V

30 min

operation

### SSETHSOUS

- drilling, chiselling with and >> 4 Functions: Drilling, impact power, prolonged operation Brushless motor – more
- patteries more power 2x 18 V Power X-Change >> Twin-Pack Technology:

without fixation

### TP-HD 36/30 Li Brushless +4

սլա գլ

- "rim 0011 0 :bəəqz əlbi «
- (3.5 :92) [ C.E : 3.5 ]
- Drilling capacity, concrete: 30 mm
- Drill chuck: SDS-plus

Article only available without battery / charger Art. No. 4513983 Contents: 3x drill bits, 1x flat chisel, metal depth stop, E-Box

Poles 338	səloq 576	Poles 222	səloq 691	səloq 179	səloq 102	səloų 6Z	səloų 65	(z <b>((((</b>
dA 0.8	ЧА 0.8	4A S.2	4A 0.₽	4A 0.E	4A 2.S	4A 0.S	da 2.f	(L (IIII

TIA U.E JEBAL JE MJIW (1911) BOLICE SPIPE SOURCE JEBO 10-

- © pattery capacity (2x batteries required) max. quantity per battery charge ∫ pulling in concrete (ø 8 mm / 50 mm) max. quantity per battery charge



### **TOA9MOO** BENCHIESS

- >> 3 torque settings prolonged operation Brushless motor – more power,
- Speed control electronics



### BBUSHLESS

- Speed control electronics prolonged operation Brushless motor – more power,
- M LED light

# PROFESSIONAL CORDLESS IMPACT DRIVER 18 V

**NEM** 

Art. No. 4510095

TP-CI 18/250-C Li Brushless

Idle speed: 0 - 1300 / 0 - 2000 / 0 - 2800 min<sup>-1</sup> 

mm Ell: 113 mm Mousing length: 113 mm

(¼¼) mm če.3 nogaxad lanternal hexagon 6.35 mm (%")

Article only available without battery / charger

195 pcs sod ngou 780 pcs e80 pcs 230 bcs 390 pcs 330 bcs 592 bcs (z **{{{** dA 2.1 (r (IIII) AA 0.8 4A 2.2 4A 0.₽ 4A 0.E 4A 2.S 4A 0.S **NA 0.8** 

b Battery capacity ber battery charge crewrs into soft wood – max. quantity per battery charge

# PROFESSIONAL CORDLESS IMPACT DRIVER 18 V

TP-CI 18/220 Li Brushless

N Torque: 220 Nm

rnim 0062 - 0 :bəəqs əlbl 🕊

mm \21:13\mm Housing length: 15/ mm

("¾) mm čč.3 nogexad heraeti internal hexagon 6.35 mm (%")

Article only available without battery / charger Art. No. 4510085

860 pcs 640 pcs 222 bcs 430 bcs 350 pcs 590 pcs SJ2 bcs 160 pcs (7 **{{{** 4A 0.₽ (L (IIII) **AA 0.**0 4A 2.2 4A 0.E dA 2.S 4A 0.S dA 2.f dA 0.8

gattery capacity

Screwing 6 x 60 mm screws into soft wood – max. quantity per battery charge





### **TOA9MOO** BBUSHLESS

# **NEM**

- prolonged operation Brushless motor – more power,
- >> 3 torque settings
- 98612 qo12-o1uA 《

# PROFESSIONAL CORDLESS IMPACT DRIVER 18 V

# TP-CW 18/260-C Li Brushless

- M 700 ( stage 1 / 2 / 3 / Auto-Stop): 100 / 160 / 260 / 100 Mm
- Melease torque: 500 Mm
   Melease torq
- "-nim 0072 0 \ 0001 0 \ 0001 0 :b99qs 9lbl (
- mm 911 :dtgn9l gnisuoH 《
- Contents: Incl. bit adapter and 3-piece nut set Mount: 12.5 mm (1/2") external square drive
- Article only available without battery / charger 0600124.0N.TJA

5240 pcs	1905 pcs	1650 pcs	1270 pcs			sod 559		
4A 0.8	4A 0.8	4A S.2	4A 0.4	4A 0.E	4A 2.S	4A 0.S	da 2.r	(L TIME

Battery capacity

ber battery charge Max. number of wheel bolts (hexagon head, wrench size 22 mm, tightened to 120 Mm) that can be released

# PROFESSIONAL CORDLESS IMPACT DRIVER 18 V

### 0ES\81 OXXA9MI

- M Torque: 230 Nm
- M Release torque: 450 Mm
- nim 0062 0 :beeds elbl (
- mm 991 :dtgn9l gnisuoH 《
- Contents: Bit adapter Mount: 12.5 mm (1/2") external square drive
- Article only available without battery / charger 0800 L24 .0N .FJA

2540 pcs	1905 pcs	1650 pcs	1270 pcs	950 pcs	295 pcs	635 pcs	475 pcs	(z <b>((((</b>
4A 0.8	<b>НА 0.</b> 9	<b>НА ≤.</b> 2	4A 0.4	4A 0.£	4A 2.S	4A 0.S	da 2.r	(L IIII

For best performance select a battery with at least 2.5 Ah

- Kattery capacity
- ber battery charge Max. number of wheel bolts (hexagon head, wrench size 22 mm, tightened to 120 Nm) that can be released



- Speed control electronics prolonged operation Brushless motor – more power,
- » LED light



### **TOA9MOO** SSETHSOME

# NEM

9gstz qot2-otuA 《 prolonged operation » Brushless motor – more power,

>> 3 torque settings

### BBNSHFERS

Speed control electronics » 3 torque settings prolonged operation

Brushless motor – more power,

# PROFESSIONAL CORDLESS IMPACT DRIVER 18 V

### 024/81 OXXA9MI

- M Torque (stage 1 / 2 / 3): 200 / 280 / 450 Nm
- Idle speed: 0 1000 / 0 1500 / 0 2100 min<sup>-1</sup>
- mm 202 :dtgn9l gnisuoH 🕊
- Mount: 1∠.5 mm (1/2") external square drive
- Contents: Incl. bit adapter and 3-piece nut set
- Article only available without battery / charger Art. No. 4510070

3040 pcs	2280 pcs	1975 pcs	1220 pcs	1140 pcs	950 pcs	250 pcs	S70 pcs	(z <b>((((</b>
<b>НА 0.8</b>	<b>НА 0.</b> 9	4A S.2	4A 0.₽	4A 0.E	4A 2.S	4A 0.2	da 2.f	(L CIIII

nA C.1 izesi is niiw yrsiisa s issies sonsmiorieg izea 10-

ber battery charge Max. number of wheel bolts (heagon head, wrench size 22 mm, tightened to 120 Mm) that can be released

# PROFESSIONAL CORDLESS IMPACT DRIVER 18 V

TP-CW 18/350-C Li Brushless

- M Torque (stage 1 / 2 / 3 / Auto-Stop): 140 / 200 / 350 / 100 Nm
- $^{1}$  Idle speed: 0 1100 \ 0 1700 \ 0 2400 min<sup>-1</sup> № Release torque: 600 Nm
- mm SE1 :132 mm Mousing length:
- Contents: Incl. bit adapter and 3-piece nut set Mount: 12.5 mm (1/2") external square drive

Article only available without battery / charger Ar. No. 4510055

2880 pcs	2160 pcs	1870 pcs	1440 pcs	1080 pcs	sod 006	720 pcs	540 pcs	(z <b>(((</b>
dA 0.8	<b>НА 0.</b> 9	<b>НА ≤.</b> 2	4A 0.4	4A 0.£	4A 2.S	4A 0.S	da 2.r	( <b>(III</b>

For best performance select a battery with at least 2.5 An

- Rattery capacity
- per battery charge Max, number of wheel bolts (hexagon head, wrench size ZZ mm, tightened to 120 Nm) that can be released







# PROFESSIONAL CORDLESS DRYWALL SCREWDRIVER 18 V

### TP-DY 18 Li Brushless

- rnim 0002 0 :bəəqs əlbl **«**
- 8it mount: Internal hexagon 6.35 mm (1/4")
- In Contents: Suitable PH2 bit
- Set incl. E-Box, without battery / charger Art. No. 4261010 Art. No. 4261012 Jə Set incl. magazine attachment and E-Case, without battery / charg-

2800 pcs	4400 pcs	3650 pcs	2800 pcs	2200 pcs	1800 pcs	1400 pcs	1100 pcs	(z <b>{{{</b>
dA 0.8	dA 0.а	4A S.2	4A 0.4	4A 0.£	4A 2.S	4A 0.2	dA ∂.Γ	(L (IIIII

Battery capacity Screwing 3.9 x 2 x 0.0 mm screws into drywall — max. quantity per battery charge

prolonged operation Brushless motor – more power,

>> Toolless depth adjustment Lock for continuous operation



SSETHSOME

# PROFESSIONAL CORDLESS IMPACT DRIVER 18 V

# TP-CW 18/750-C Li Brushless

- M Torque (stage 1 / 2 / 3 / Auto-Stop): 300 / 370 / 750 / 100 Nm
- » Release torque: 1000 Nm
- mm 071 :dtgn9l gnisuoH 《 Idle speed: 0 - 1000 / 0 - 1500 / 0 - 2200 min<sup>-1</sup>
- Mount: 12.5 mm (1/2") external square drive

Article only available without battery / charger Art. No. 4510065 Contents: Incl. bit adapter and 3-piece nut set

810 pcs | 1010 pcs | 1215 pcs | 1620 pcs | 2100 pcs | 2430 pcs | 3240 pcs 610 pcs (7 **(((** 4A 0.E dA 2.S 4A 0.S dA 2.f (L IIII **NA 0.0** na s.a AA 0.4

For best performance select a battery with at least 3.0 Ah

- gattery capacity
- ber battery charge Max. number of wheel bolts (hexagon head, wrench size 22 mm, tightened to 120 Mm) that can be released



### SSETHSOME

- Quick-release metal chuck prolonged operation Brushless motor – more power,
- Additional handle



### BRUSHLESS

- >> Z-speed metal gear box Quick-release chuck prolonged operation >>> Brushless motor – more power,

# PROFESSIONAL CORDLESS DRILL 18 V

# TP-CD 18/60 Li Brushless

- M Torque (hard): 60 Mm
- 》 Idle speed (gear 1 / 2): 0 500 / 0 2000 min<sup>-1</sup>
- № Number of torque settings: 21+1
- » Drill chuck: 13 mm

Art. No. 4514210 Article only available without battery / charger

							14,500,00	
1400 pcs	1060 pcs	920 pcs	200 pcs	230 bca	440 pcs	320 pcs	265 pcs	<b>&gt;&gt; (≪</b>
dA 0.8	dA 0.8	4A S.2	4A 0.4	4A 0.£	4A 2.S	4A 0.2	dA ∂.Γ	(L TIME

Screwing 6 x 60 mm screws into soft wood – max. quantity per battery charge

### PROFESSIONAL CORDLESS DRILL 18 V

# TP-CD 18/50 Li Brushless

Torque (hard): 50 Nm

Without battery / charger

- Idle speed (gear 1 / 2): 0 500 / 0 1800 min<sup>-1</sup>
- Mumber of torque settings: 19+1
- >> Drill chuck: 13 mm
- Art. No. 4513896 Set incl. 2 batteries (2.0 Ah) / 1 charger / E-Box
- 830 bca 1280 pcs 960 pcs 940 bcs 480 pcs 400 pcs 320 pcs S40 bcs (z **{{{ dA 0.**8 4A 2.2 4A 0.E dA 2.S **NA 0.S** dA 2.f (L IIIII dA 0.8 dA 0.4

Art. No. 4513887

- Beltery capacity  $6 \times 60 \, \text{mm}$  screws into soft wood max. quantity per battery charge  $^{(3)}$  Screwing 6  $\times 60 \, \text{mm}$  screws into soft wood
- eb.llednie.www





Art. No. 4514300



BBUSHLESS

### BBNSHFERS

- Quick-release metal chuck prolonged operation Brushless motor – more power,
- >> 2-speed metal gear box



### TP-CD 18/50 Li-i Brushless

- Torque (hard): 50 Nm
- Midle speed (gear 1 / 2): 0 500 / 0 1800 min<sup>-1</sup>
- N Blow rate (gear 1 / 2): 0 8000 / 0 28800 min<sup>-1</sup>
- № Number of torque settings: 20+1+1
- >> Drill chuck: 13 mm

Art. No. 4513942	Without battery / charger
0468134 ON .71A	Set Inci. z batteries (z.u An) / 1 charger / E-Box

1280 pcs	sod 096	830 pcs	640 pcs	480 pcs	400 pcs	320 pcs	240 pcs	(z <b>((((</b>
dA 0.8	<b>НА 0.</b> 9	<b>dA ≤.</b> ∂	4A 0.4	4A 0.E	4A 2.S	4A 0.S	dA 2.f	(L CIIII

<sup>)</sup> Screwing 6 x 60 mm screws into soft wood — max. quantity per battery charge

# PROFESSIONAL CORDLESS DRILL 18 V

- M Torque (hard): 80 Nm TP-CD 18/80 Li Brushless
- Jule speed (gear 1 \ 2): 0 500 \ 0 1800 min⁻¹
- Mumber of torque settings: 19+1
- Article only available without battery / charger >> Drill chuck: 13 mm

1120 pcs	840 pcs	730 pcs	260 pcs	420 pcs	320 bca	280 pcs	210 pcs	(Z <b>{{{</b>
<b>dA</b> 0.8	<b>НА</b> 0.8	4A S.2	4A 0.4	4A 0.£	4A 2.S	4A 0.S	1.5 Ah	(L CIIII

ballely capacity Screwing 6 x 60 mm screws into soft wood — max. quantity per battery charge

prolonged operation Brushless motor – more power,

elbnad lanoitibbA 《 Quick-release metal chuck



### SSETHSOME

- Quick-release metal chuck prolonged operation Brushless motor – more power,
- **9lbnsd lsnoitibbA** 《

# TP-CD 18 Li-i Brushless

- Torque (hard): 60 Mm
- Midle speed (gear 1 / 2): 0 500 / 0 1800 min<sup>-1</sup>
- № Blow rate (gear 1 / 2): 0 8000 / 0 28800 min<sup>-1</sup>
- № Number of torque settings: 20+1+1
- >> Drill chuck: 13 mm
- Without battery / charger Art. No. 4513860 Set incl. 2 batteries (2.0 Ah) / 1 charger / E-Box 1685134 .0N .TA
- 1060 pcs 1400 pcs 920 pcs 230 bcs **502 bcs** 700 pcs 440 pcs 320 bca (z **{{**{} dA 0.8 44 S.2 dA 0.4 4A 0.E dA 2.S **4A 0.S** da 2.r ւ 👊 dA 0.8
- ) Battery capacity Screwing 6 x 60 mm screws into soft wood max. quantity per battery charge

# PROFESSIONAL CORDLESS DRILL WITH IMPACT FUNCTION 18 V

# NEM

### SSETHSOUS

- prolonged operation Brushless motor – more power,
- >> 2-speed metal gear box Quick-release metal chuck



### M Torque (hard): 60 Nm TP-CD 18/60 Li-i Brushless

- " Idle speed (gear 1 \ 2): 0 500 \ 0 1800 min<sup>-1</sup>
- "Blow rate (gear 1 / 2): 0 8000 / 0 28800 min
- № Number of torque settings: 20+1+1
- » Dull chuck: 13 mm
- >> Contents: E-Box

Set incl. 1 battery (2.0 Ah) / 1 charger Prt. No. 4514211

1560 pcs	1200 pcs	1040 pcs	780 pcs	600 pcs	485 pcs	390 pcs	300 pcs	(z <b>((((</b>
dA 0.8	<b>НА 0.</b> 9	<b>НА ≤.</b> 2	4A 0.4	4A 0.£	4A 2.S	4A 0.S	da 2.f	( IIII

ه ما المعادلة المعاد







# BENCHLESS

- bower, prolonged operation Brushless motor – more
- Quick-release metal chuck

- **9lbnsd lsnoitibbA** 《

# TP-CD 18/70 Li-i Brushless

- N Torque (hard): 70 Mm
- N Idle speed (gear 1 / 2): 0 500 / 0 2000 min<sup>-1</sup>
- № Number of torque settings: 21+1+1 Blow rate (gear 1 / 2): 0 - 8000 / 0 - 32000 min⁻¹
- >> Drill chuck: 13 mm

81£110.4514318 70-piece Professional Accessory Set Set incl. 2 batteries (2.0 and 3.0 Ah) / 1 charger / E-Case with

Art. No. 4514316 Set incl. 2 batteries (2.0 Ah) / 1 charger / E-Case

**dA 0.**0 4A S.2 AA 0.₽ 4A 0.E **AA 2.2** MA Z. L (\* (IIII) dA 0.8 4A 0.S Art. No. 4514315 Without battery / charger

1160 pcs sod 098 250 pcs 280 bcs 430 pcs 360 pcs 333 <sub>2)</sub> 312 bcs sod 067

Battery capacity  $^{(1)}$  Eartery capacity  $^{(2)}$  Screwing 6 x 60 mm screws into soft wood – max. quantity per battery charge

# PROFESSIONAL CORDLESS DRILL WITH IMPACT FUNCTION 18 V



- prolonged operation Brushless motor – more power,
- Quick-release metal chuck
- Maditional handle

TP-CD 18/60 Li-i Brushless

- Idle speed (gear 1 / 2): 0 500 / 0 2000 min<sup>-1</sup> M Torque (hard): 60 Nm
- Now rate (gear 1 / 2): 0 8000 / 0 32000 min⁻
- >> Drill chuck: 13 mm Mumber of torque settings: 21+1+1

Article only available without battery / charger Art. No. 4514205

1400 pcs	1060 pcs	920 pcs	200 pcs	230 bcs	440 pcs	320 bca	592 pcs	(z <b>(((</b>
<b>НА 0.8</b>	ЧА 0.8	4A S.2	4A 0.₽	3.0 Ah	4A 2.S	4A 0.2	da 2.f	(L (IIII

2) Screwing 6 x 60 mm screws into soft wood – max. quantity per battery charge





>> Additional handle Quick-release metal chuck

prolonged operation

Brushless motor – more power,

### BENCHFER

- Brushless motor more power,
- Mery high torque of 120 Mm

- prolonged operation
- Quick-release metal chuck

BBUSHLESS

- TP-CD 18/120 Li-i Brushless
- 1 Torque (hard): 120 Mm
- N Idle speed (gear 1 / 2): 0 500 / 0 2100 min<sup>-1</sup>
- № Number of torque settings: 21+1+1 Blow rate (gear 1 / 2): 0 - 6500 / 0 - 27300 min⁻¹
- » Drill chuck: 13 mm
- M Contents: Metal depth stop
- Article only available without battery / charger Art. No. 4514310

							vtineaen v	
895 pcs	s20 DC3	280 pcs	sod S <del>PP</del>	332 bcs	240 pcs	190 pcs	145 pcs	(z <b>((((</b>
dA 0.8	dA 0.8	<b>dA ≤.</b> ∂	4A 0.4	4A 0.E	4A 2.S	4A 0.S	da 2.1	(L TIME

Screwing 6 x 60 mm screws into soft wood – max. quantity per battery charge

# PROFESSIONAL CORDLESS DRILL WITH IMPACT FUNCTION 18 V







№ Number of torque settings: 20+1+1 ■ Blow rate (gear 1 / 2): 0 - 8000 / 0 - 28800 min

Art. No. 4514306 Set incl. 2 batteries (2.0 Ah) / 1 charger / E-Case » Drill chuck: 13 mm

Without battery / charger Art. No. 4514305

1120 pcs	840 pcs	730 pcs	260 pcs	420 pcs	320 pcs	280 pcs	210 pcs	(z <b>((((</b>
<b>НА 0.8</b>	dA 0.8	4A S.2	4A 0.4	4A 0.£	4A 2.S	4A 0.S	dA ∂.Γ	(L (IIII)

Screwing 6 x 60 mm screws into soft wood – max. quantity per battery charge

eb.llednie.www



# MILH BRUSHLESS MOTOR

### **BATTERY POWER ENHANCED MOTOR PERFORMANCE AND MORE**

More power. More reliability. More endurance. gy form the Dream Team for: The PROFESSIONAL tool range and brushless technolo-

tools exceed even the highest expectations. Combined, they ensure that these powerful cordless



**%0**9 MORE Endurance\* **%5**Z MORE Performance\*

\* 9MJPE Lifetime **%001** 

\*\* Upon online registration. \* Approximate values in comparison to conventional carbon brush motors.

# SHITNAAAAW LANOISSHOA9

### 10-year warranty on Einhell brushless motors. **BRUSHLESS WARRANTY**

extended to a total of 10 years. the warranty on your Einhell brushless motor is register your new Einhell brushless product, tools and the safety of our products. When you We are committed to the reliable quality of our



3-year warranty, even for commercial use. PROFESSIONAL WARRANTY

commercial use. offer an extended 3-year warranty, even for SIONAL tools and garden equipment, we Confident of the durability of our PROFES-

# :WOH SI SIHT

www.einhell.de/en/services/warranties/ 1. Inform yourself on einhell.de, 2. Register in your customer account, 3. Apply for the warranty – within 30 days of the date of purchase

npon online registration

# 'SOHd HOH HIMOH HOMEK

MORE

PERFORMANCE." WARRANTY."" LIFETIME." FUNCTIONALITY."

\* Approximate values compared to carbon brush motor \*\* On Brushless Motors after online registering











		98	PROFESSIONAL Cordless Compressors	
		38	PROFESSIONAL Cordless Stapler	
		32	PROFESSIONAL Cordless Nailer	
		34	PROFESSIONAL Cordless Lights	
		33	PROFESSIONAL Cordless Drywall Polishers	
		32	PROFESSIONAL Cordless Brush Sander	No. of the last of
		32	PROFESSIONAL Cordless Band Sander	NOT RECEIVED IN
39		18	PROFESSIONAL Cordless Rotating Sander	The State of the S
		18	PROFESSIONAL Cordless Eccentric Polisher	
<u> </u>	PROFESSIONAL Cordless Leaf Vacuum	30	PROFESSIONAL Cordless Multifunctional Tools	CONTRACTOR OF THE PARTY OF THE
7S	PROFESSIONAL Cordless Leaf Blowers	67	PROFESSIONAL Cordless All Purpose Saws	MARKET AND THE RESERVE OF THE PARTY OF THE P
25	PROFESSIONAL Cordless Pruning Shears	82	PROFESSIONAL Cordless Jigsaws	ARTESIA OF
25	Trimmer	72	PROFESSIONAL Cordless Plunge Cut Saw	A STORY OF THE STORY
	PROFESSIONAL Cordless Telescopic Hedge	97	PROFESSIONAL Cordless Circular Saws	OH THE RESERVE OF THE PERSON O
ıs	PROFESSIONAL Cordless Pole-Mounted Pruner	72	PROFESSIONAL Cordless Planer	A STATE OF THE STA
lS	PROFESSIONAL Cordless Multifunctional Tool	52	PROFESSIONAL Cordless Palm Router	50
os	PROFESSIONAL Cordless Cahinsaws	77	PROFESSIONAL Cordless Router	
517	PROFESSIONAL Cordless Pruning Chainsaw	77	PROFESSIONAL Cordless Router/Palm Router	
517	PROFESSIONAL Top-Handled Cordless Chainsaw	23	PROFESSIONAL Cordless Wall Liner	
37	PROFESSIONAL Cordless Hedge Trimmers	23	PROFESSIONAL Cordless Cut-Off Grinder	
97	PROFESSIONAL Cordless Skythes	61	PROFESSIONAL Cordless Angle Grinders	
St	PROFESSIONAL Cordless Lawn Trimmer	81	PROFESSIONAL Cordless Paint/Mortar Mixer	
GÞ	PROFESSIONAL Cordless Earth Auger	SI	PROFESSIONAL Cordless Rotary Hammers	
77	PROFESSIONAL Cordless Snow Thrower	SI	PROFESSIONAL Cordless Demolition Hammer	
77	PROFESSIONAL Cordless Tiller	11	PROFESSIONAL Cordless Impact Drivers	
70	PROFESSIONAL Cordless Lawn Mowers	ll	PROFESSIONAL Cordless Drywall Screwdriver	
38	PROFESSIONAL Robot Lawn Mower	6	PROFESSIONAL Cordless Drills	
38	PROFESSIONAL Garden Tools	9	PROFESSIONAL Cordless Drills with Impact Function	
32	PROFESSIONAL Cordless Wet and Dry Vacuum Cleaner	9	PROFESSIONAL Power Tools	
_ε	PROFESSIONAL Cleaning	Þ	Power X-Change PROFESSIONAL	



